
https://yamaga-blanks.com/

EARLY TRANS



Dealer







A rod which creates a flash of inspiration.



Fishing as a hobby can be categorized as a whole whereby, we catch fish with a rod, line and hook. However, in reality, various styles, species and equipment exist throughout the world.

If you are to further pursue a single species, one would need to select specific equipment and techniques, but when you take into account the human element of style and preference, there are no clear answers to what is the best equipment. That is why we are so captivated by fishing and why we pursue our targets as a lifelong hobby.

The means to get information has improved in the modern age and it has become tremendously easier to search for styles and methods to catch fish. Although, this overwhelming information may help you broaden your fishing, it may also limit your imagination and originality.

It is vital for anglers to have this "flash of inspiration" in the field, especially for the lure fishing game, and too much information may confuse and lead you into uncertainty. We get a lot of feedback from anglers around the world here at Yamaga Blanks and are astonished by the high level of creativity and originality. This is proof that anglers have the ability to observe the natural environment they are fishing in and are not tied down by stereotypes.

It may not be possible to include all aspects of anglers' experiences and ideas into our rod design, but we believe that it is possible to create rods which do not interfere with your creativity.

What we desire in our rods is "user-friendly equipment". Strong, light and easy to cast are simple values in a rod which will allow anglers to hone their senses in the field and focus on the task ahead.

Each rod has a specific concept and is capable of responding to the anglers creativity. We hope our rods will help anglers pursue their goals and feel like it is part of you. There is nothing more pleasing to us than anglers using our rods and to experience that "flash of inspiration" in the field.











EARLY for Surf /5 Line up

Surf Casting

The EARLY for Surf are long distance casting models developed to meet the needs of surfcasting. With the concept focusing on long distance casting, the light weight blank and light casting feel will allow anglers to maintain their concentration throughout the day.

For the 2021 season, we have added 2 new models to the vast lineup. The 105MMH/B which is equipped with a highly responsive feel even at a long range and the 99ML which is ideal for anglers who prefer a more fineness style.

With great casting ability and highly sensitive characteristics, the EARLY for Surf models are not only ideal for the flat fish game targeting Flounders and Flatheads with minnows, metal jigs and soft plastics, but also great to target seabass and Blackfin Seabass off the rocks, small blue-runners, monstrous Jew fish and the northern sea Trout.

Although these are designed mainly for the surf game, its versatility will enable anglers to utilize these models for various games requiring long distance casting. The blanks have been built up with a sharp casting feel, the power to stop the thrashing fish and highly sensitive to meet the needs of the ever-changing surf casting game. We hope you can experience our creation in the vast field.































ROD SPEC Lure: 7~35g Line: PE 0.8~1.5



The blank is equipped with the castability rivaling a10ft class rod and capable of transmitting vital information about the currents and bottom structures through the sensitive blank. In addition to the jig-head rigged up with soft plastics and small 9cm class minnows and sinking pencils, anglers will also be able to utilize a more finesse approach with light weigh (12g) vibrations for high pressure situations. You can cast long distances to search the vast surf or cast with pinpoint accuracy to the breaks. Either way, anglers will be able to cast all day long with this light weight and well-balanced rod.

Field:Sandy Shore · Rocks · Rivers · Estuary a.435mm | b.550mm | Spinning Mode

105MMH/B for Surf



With long distance casting being absolute essential for the surf game, the 105MMH Overhead reel model was developed to shoot out lures in the vast surf without any stress and maximize the ability of the high performance bait casting reels out on the market today. You will be able to feel for the change in flow, current and underwater landscape through the "direct" sensitivity blank otherwise unable in spinning models. Furthermore, anglers can go out targeting monstrous Jew fish and blue-runners in the surf with the advantages of the bait tackle of increased line capacity and ability to utilize a thicker line and not losing any



103M for Surf

ROD SPEC Lure: 15~50g Line: PE 1.5~2.5

Guide: SiC-S stainless frame K guide (Fuji)
Section:2pcs (Put over Ferrule) Reel seat: ACS17(Fuji)

Length: 3175mm(CL:1625mm)
 Weight: 189g

ROD SPEC Lure: 8~42g Line: PE 0.8~1.5

• Length: 3150mm(CL:1610mm) • Weight: 174g • Guide: SiC-S stainless frame K guide (Fuji) • Section:25c (Put over Ferrule) • Reel seat: DPS18(Fuji) • Suitable reel size D:LT4000C~5000C / S:4000~C5000



If you wish to cast and manipulate various kind of lures as such as minnow 9cm class, sinking pencil minnow 40g, jig minnow or jig head, this EARLY 103M is going to be enable you to fish comfortably thanks to that excellent casting feel. As long as you have loaded power on blanks even small amount, you can get enough distance without losing energy and concentrations. This 103M can be handled by any level and type of anglers for sure.

Price:



109MMH for Surf

ROD SPEC Lure: 8~50g Line: PE 1~2

idide: SiC-S stainless frame K guide (Fuji)
ction:2pcs (Put over Ferrule) •Reel seat: DPS18(Fuji)
itable reel size D:LT4000C~5000C / S:4000~C5000



109MMH have been loaded specialized ability to deliver plugs much farther than you can imagine even if its small or big plugs Flexible and sensitive tip section will be enable you to not only cast light lure easily but also sense slightly changes of current or situations of bottom sea even in night time. You can handle plug around 45g without any stress as same as 105MH, so please take this 109MMH to aim seabass or black fin seabass from rocky or sandy beach.



105MH for Surf

ROD SPEC Lure: 10~50g Line: PE 1~2

●Length: 3180mm(CL:1630mm) ●Weight: 192g ●Guide: SiC-S stainless frame K guide (Fuji) ●Section:2pcs (Put over Ferrule) ●Reel seat: DPS18(Fuji) ●Suitable reel size D:LT4000C~5000C / 5:4000~C5000



This 105MH have most powerful blanks of new 10ft series to deliver 50g of lure farther than ever you have reached. Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers.

FLAT BLUE SAKURA HIRA JG-HEAD RYUBU PENCIL JIG JIG-M

Field: Sandy Shore • Rocks a.435mm | b.540mm | Spinning Mode





EARLY for Rock /3 Line up

Rock Fish Game

In the pursuit to develop the Early for Rock, we asked ourselves "What is the rock-fish game?". The blanks not only have strength and lightness but also have a highly efficient ability to restore its original form. In other words, the bent blank will flex back to its straight form, peeling the fish off the bottom and other structures efficiently.

The stiff yet delicate tips are highly sensitive to any changes in sea conditions while being versatile, enabling anglers to utilize various types of rigs and style of fishing.

The rock fish game is changing and evolving every day and the various different species of rock fish inhabiting different parts of Japan and the seas around the world all have unique characteristics. You cannot simply expect to catch these rock fish flat from the bottom. There are various tackle settings, different methods and rigs anglers endlessly try. This is probably the reason why so many anglers are captivated by these species.

We are proud to present the 3 models with outstanding casting abilities, lure controllability and power to match you target rock fish.





ROD SPEC Lure: 7~40g Line: PE 1~2

Length: 2590mm(CL:1325mm)
 Weight: 123g















EARLYS
















This long length high powered model was designed for casting distance and sensitivity. The "soft" aspect of the blank can be



a.365mm | b.480mm | Spinning Model









86MH for Rock



•Length: 3160mm(CL:1615mm) •Weight: 205g • Guide: SiC-S stainless frame K guide (Fuji)
• Section:2pcs (Put over Ferrule) • Reel seat: DPS18(Fuji)
• Suitable reel size • Up to PEZ D: LT4000C~6000 / S: 4000~C5000
• PE3 D: 3500~4000 / S: SW4000~6000




attributed to the line settings (PE#1), while the "hard" can be felt in its ability to take the load of heavy weight rigs and max drag settings. Anglers will be able to reach those grounds where others have yet to reach. You will be able to utilize various rigs ranging from soft plastics, swim baits, metal jigs and even minnows above 14cm to go head to head with monstrous rock fish and other blue-runners that you may randomly encounter.

Price:

a.420mm | b.525mm | Spinning Model



a.395mm |



Guide: SiC-S stainless frame K guide (Fuji)

•Length:2815mm(CL:1445mm) •Weight: 149g Section: 2ncs (Put over Ferrule) Reel seat: ACS17(Fuii)



The 93MH/B has a sensitive yet flexible tip ~ belly section for anglers to hover or roll their Texas-rigs near the bottom or for a more pinpoint approach with the "bottom shaking" technique. It enables anglers for a more careful approach on the bottom to induce and capitalize on a bite from those inactive fish. Once hooked, the winding power of the overhead reel and the powerful butt section will assist you to lift the fish away from the structures. You could also utilize this all-rounder model for the seabass game and other types of fishing which require the use of swimming type lures to efficiently search a vast area.

Price:

Field: Piers · Rockes b.520mm | Overhead reel Model







EARLY for Seabass /2 Line up

Seabass Game

What we seek in a seabass rod at Yamaga Blanks is "standard characteristics" for anyone to easily use. Our designs focus on tolerant release point for everyone to be able to cast long distances with the least amount of effort while retaining the lightness for all day long casting and sensitivity to capitalize on the smallest bites. Once hooked, the blanks will bend in nicely to reduce any hook-offs generally caused by blanks that are too stiff.

The EARLY for Seabass models are value for money considering the quality

The length and settings of the models are designed for long distance casting which are suited for wading in the shallow waters, fishing off rocks, boulders, piers and break water.























11





Guide: SiC-S stainless frame K guide (Fuji)
Section:2pcs (Put over Ferrule) Reel seat: VSS16(Fuji)
Suitable reel size D:LT3000~4000C / S:3000~4000



The all-rounder model is a valuable asset for situations which require you to cast long distances in rivers and piers. It is especially responsive to metal type vibration lures which have are highly resistant. The light feel when reeling in your lure will enable you to focus on your fishing while reducing the load on your wrist. Once the fish is hooked, the blank will bend in nicely and will allow you to handle and efficiently surface your catch.

Price:





You will be able to trace your lures in the strong thick currents of large scale rivers and straits as well as hardcore locations off rocks and boulders. It possesses a sensitive tip able to transmit the smallest of details in the current and utilize minnows and sinking pencils as small as 9cm. Having said that, anglers will still be able to cast big bait lures up to 15cm for situations where your targets are feeding on larger baits and stop the thrashing of lunker size pre spawning seabass with the strong butt power.

Price:



On Developing Model



Release date undecided

We also have up and coming developments for the new EARLY series. The release date and specifications are yet to be finalized but we are diligently testing and working on these rods so please stand by.

The 2 models "for-Boat" will be ideal for small boats and kayaks and the 3 models "for-Mobile" are multi piece pack rods suitable for traveling. The developmental concepts do not overlap with other categories and possess original characteristics. For instance, we have not simply made the "for-Surf", "for-Rock" and "for-Seabass" into multi piece rods in the "for-Mobile", but have given it its own characteristics

We will be updating the progress of the development through our HP and movies. We hope you can experience the new EARLY series first





EARLY for Boat /2 Line up

Versatile boat Game

The EARLY for Boat was developed to enjoy the light casting game off-shore targeting bream, seabass, small Blue-runners, flat-fish and even rock fish. The sharp regular tapered rod is extremely responsive and has a sharp casting feel with the developmental concept of "every fish tells a story".

It is a versatile rod able to handle the ever changing sea conditions by allowing anglers to pinpoint cast to structures, drop into holes and cast in the open sea. Anglers will be able to utilize a wide variety of lures vital for the off-shore game and accurately cast and trace the course you desire. You can say that this EARLY for Boat was created as an offensive technical model for anglers to feel satisfied when hooking a fish according to plan.
































New Model GBM for Boat





ROD SPEC Lure: 10~50g Line: PE 1.2~2.5

 Guide: SiC-S stainless frame K guide(Fuji) • Section: 2pcs (Put over) • Reel Seat: ACS17 (Fuji)



This is an all-rounder model ideal for light boat casting game targeting Bream, Seabass and Spanish-Mackerels and other small olue-runners. With the sharp regular tapered blank settings, anglers will be able to cast to pinpoint accurate holes and structures while still being able to cast long distances in the open area. The rod responds well to various lures including minnow, shads, sinking pencils and dog walking of topwater lures. Once your target is hooked, the rods seamless bend is like a one-piece rod, reducing any chances of a hook off while being able to easily surface the fish.

Price:






(tindevidents) 610MH/B for Boat



The rod is ideal to target rock-fish from boats. With the stiffness and sensitivity, anglers will be able to feel for bottom structures to effectively maneuver your rigs and induce the bite. The rod possesses high resilience and will efficiently rip the fish off the bottom structures to eliminate any bust offs. It is also a versatile rod able to handle various rigs including metal type jigs, vibration ures, deep-diving minnows, 40~50g joint type lures and even subsurface 150mm class minnows for seabass.



Field: Coast · Reef





EARLY for Mobile /3 Line up

Multi Piece Mobile Series

The EARLY for Mobile models are multi piece mobile pack rods which are able to separate into 3~4 pieces. These rods were developed to feel like a 2-piece rod as we refused to sacrifice the rods performance in exchange for mobility. The rods superior performances will not only assist the anglers fishing but the mobility has also added a new meaning to "versatility". When in your fishing grounds, we are limited in what we can use. The 3 models in the FARLY for Mobile series are built up with concepts that other EARLY series do not have. The compact rod can easily be carried around stress free on bikes, bicycles and other public transports which you may use to access your fishing grounds in large cities. Furthermore, if you are a frequent flier, you can tuck away your rod in your suitcase on your business trips overseas.

Once in use, you will notice the outstanding casting feel, controllability and the seamless bending curve of the blank rarely seen in multi-piece rods. The lineup of multi piece rods with exceptional performance will surely open up new fishing grounds for anglers around the world.









































Guide: SiC-S stainless frame K guide(Fuji)
 Section: 4pcs (Put over · Grip Joint)
 Reel Seat: VSS16 (Fuji)

It is a versatile rod able to enjoy various light ~ middle class lure fishing targeting Seabass and Breams with the use of top-water lures to soft plastics. The flexible tip will enable anglers to easily handle the subtle movements of small sinking pencils, minnows jig-head rigs in addition to controlling top-water lures. We hope you can enjoy the light game on your trips away or even around local river mouths accessible by bikes or trains.



Field: River · Port













Field: River · Port · Reef · Boat



ROD SPEC Lure: 8~42g Line: PE 1~2

•Length: 2920mm (CL: 770mm) •Weight:

Guide: SiC-S stainless frame K guide(Fuji)
 Section: 4pcs (Put over · Grip Joint)
 Reel Seat: VSS16 (Fuji)


















*The models listed on this page are currently under development, and detailed specifications and designs are subject to change











Ballistick / 10 Line up





Ballistick 96MMH TZ/NANO

Seabass and more

Ballistick series are flag ship model of shore casting series. 4 models for spinnig as basic seires, 3 models for overhead reel, and 3 models for black fin seabass are lined up. All of these 10 models have been applied NANOALLOY technology to provide you sharpness on casting and toughness on fighting. Basic models of spinning series will cover river game to surf game.

Blanks which have high sensitivity that transmit vital information clearly and high repulsive force which let you keep large fish under control. HIRA model has moderate stiffness to provide you sharpness cast feel and high sensitivity to keep initiative even you fish in rough conditions. Butt section have enough power to aim blue runner as such as yellow tail up to 5kg without losing control. 3 kind of over head models are lined up to cover various situations such as upper to mid part of rivers, river mouth, rocky shore and sandy beach. Blanks of over head models have been designed specially to supply you excellent casting feel.

























Price:



ROD SPEC Lure: 6~32g Linev: PE 0.8~1.5

I enath: 2605mm(CL:1330mm)Weight: 122a Guide: TZ Titanium frame K Guide+Top Guide: Flange Ring Guide Section: 2pcs (Spigot Ferrule) Reel Seat: VSS16(Fuji)
Suitable reel size D:LT3000C~4000C / S:C3000~4000



This is the medium class rod which have been loaded versatility to use lure from minnow sized 9 \sim 14cm to heavy vibration without any stress when you are wading. If you do not want to lose initiative when you have hooked huge seabass up while you are wading in the river, it will work for you because of powerful butt section with NANOALLOY® technology.

a.350mm | b.450mm | Spinning Model

Field: Rivers · Mudflats

94M TZ/NANO

ROD SPEC Lure: 6~35g Line: PE 0.8~1.5

●Length: 2850mm(CL:1455mm) ●Weight: 143g ●Guide: TZ Titanium frame K Guide+Top Guide: Flange Ring G Section: 2pcs (Spigot Ferrule) ●Reel Seat: VSS16(Fuji) ●Suitable reel size D:LT3000C~4000C / 5:C3000~4000



This is the multi-purpose seabass rod to cover various situation with minnow, sinking pencil or vibration lures. You will be able to sense changes of current or tiny contact of seabass thanks to sharpness and sensitiveness of blanks itself. Of course it have een gotten enough power to land fish at your will. You don't have to be afraid to aim huge seabass at field there is lots of structures under water thanks to notential of nower that is hidden inside of blanks. We believe that 94M have been well palanced to be called "basic one" because of sensitiveness, handleability and toughness of blanks

Price:

Field · Rivers (lower to mouth) · Port · Surf a.355mm | b.460mm | Spinning Model

ROD SPEC Lure: 8~38g Line: PE 1~2

•Length: 2910mm(CL:1485mm) •Weight: 151g •Guide: TZ Titanium frame K Guide+Top Guide: Flange Ring Guide(Fuji) •Section: 2pcs (Spigot Ferrule) •Reel Seat: VSS17(Fuji) •Suitable reel size D:LT3000~5000C / 5:4000~C5000



If you wish to cast heavy lure as such as minnow size around 14cm, metal jig, sinking pencil or heavy vibration further, we recommend you to choose 96MMH.We promise that you will be able to cast heavy lure a great distance on surf or rocks even in eadwind. 96MMH will help you to maintain your concentration because you will hardly get tired thanks to lightness and andleability of it.

Price

Field · Surf · Rocks · Estuary a.355mm I b.470mm I Spinning Model

102MH TZ/NANO

ROD SPEC Lure: 8~42g Line: PE 1~2

 Guide: TZ Titanium frame K Guide+Top Guide: Flange Ring Guide(Flange)




When you aim huge seabass on surf or rocks, 102MH will be your reliable partner for sure.

It is powerful enough to aim huge Seabass over meter or even Black-Fin Seabass and small sized Blue-Runner on rocks. We recommend you to take 102MH if you are going to aim large flatfish on surf thanks to potential of power, sharpness, and ability of casting

Price:

Field: Surf · Rocks · Estuary of large river a.385mm | b.500mm | Spinning Model



These are comparison images of Ballistick series which are loaded 1kg weight on tip. 86M,810ML-RC Overhead reel, 94M,96MMH and 93M Overhead reel are for seabass mainly to cover rivers, mudflats or port. 102MH,103MH Overhead reel are for seabass and flatfish from rocky shore and

sandy beach

HIRA107M, HIRA107MH and HIRA11MH are or black fin seabass from rocky shore. Ballistick series have moderate stiffness and sharpness to achieve accuracy and ability of distance cast. Although the taper of this series is regular, you can cast with less power than before and can get more accuracy thanks to high repulsive force attributed to NANOALLOY® Technology. Designing of 3 models of overhead series is totally difference. You can get fast initial rate with quick motion easily. 93M is set as basic

model, 103MH is for rocky shore and sandy

current such as upper to lower part of rivers.

That is why 810ML is named "River Custom"

Ballistick Overhead reel model

810ML RC NANO Overhead reel Model

ROD SPEC Lure: 7~32g Line: PE 0.8~1.5

 Guide: SiC-S Titanium flame K Guide(Fuii) Section: 2ncs (Spigot Ferrule) Reel Seat: ACS16/Fuii



This is special tuned model to pursue accuracy of cast when you fish at upper or mid of the river. Moderate Modulus of these blanks will help anglers to cast lure with minimum motion and deliver it to underneath of over hung at your own will with higher accuracy. It is well designed to let anglers manipulate lure in a current river without any stress, and well balanced power which is accumulated inside of the blank will help anglers to pull the big one out from even rapid current.

Field: Rivers (Especially the flow velocity field in the upper - middle region) a.355mm | b.465mm | Overhead reel Model

93M NANO Overhead reel Model

Price:



ROD SPEC Lure: 8~42g Line: PE 1~2

uide: SiC-S Titanium flame K Guide(Fuji)
ection: 2pcs (Spigot Ferrule) •Reel Seat: ACS17(Fuji)



This is the long distance shooter which will cover seabass game with plugs at river mouth or port and also light jigging game from surf. Blanks of 93M have been designed to let anglers manipulate and cast many kind of lures such as vibration, sinking pencil, metal jig, and large sized minnow without any stress.

Field: Estuary · Surf · Mudflats · Port · Dikes · Rocks a.353mm | b.469mm | Overhead reel Model

103MH NANO Overhead reel Model

Price



ROD SPEC Lure: 10~45g Line: PE 1.5~2.5



This is over head model with massive power to fish from rocky shore. For example you are required to cast against head wind on the fight at rocky beach or else. You will be surprised that accuracy cast, quickness to make first action, power of lifting and dexterity performance of this 103MH/NANO is as a versatile overhead tackle. Of course, this is recommended to anglers who are aiming at giant flat fish from surf while using jig, vibration or plastic warm effectively.

a.405mm | b.520mm | Overhead reel Model

Ballistick HIRASUZUKI model

SPEC Lure: 7~40g Line: Max PE 1.5

Guide: TZ Titanium frame K Guide+Ton Guide: Flange Ring Guide(F

 Section: 2ncs (Spigot Ferrule) Reel Seat: DPS18/BACK STOP Dubb •Suitable reel size D:LT4000C~5000C / S:4000~5000

Length: 3230mm(CL:1650mm)Weight: 1960

HIRA 107M TZ/NANO



Field: Rockes · Surf

This technical rod let you land huge fish very smoothly without losing initiative and you will be able to get less chance of hook $off thanks \ to \ flexibility \ of \ blanks \ themselves. \ Flexibility \ of \ blanks \ employed \ NANOALLOY \ \ technology \ will \ apply \ good \ pressure$ to fish continuously. More flexibility than MH class is loaded to blank of tip to belly section without losing sharpness when you cast. It have been adjusted to use light line, cast and manipulate lure comfortably


Field: Rocks · Piers a.420mm | b.555mm | Spinning Model

HIRA 107MH TZ/NANO

Price:

Price:





Length: 3230mm(CL:1650mm)Weight: 198g



This is one of the perfect rod for Black-Fin Seabass to cover various situation and field to aim it. You will be able to cast and manipulate, not only minnow Black-Fin Seabass but also any kind of lures as such as small sized sinking pencil, vibration or jig head even in headwind. Although this is the MH class rod, it has loaded enough power to fight and keep large sized



ROD SPEC Lure: 8~50g Line: Max PE 2.5

•Length: 3360mm(CL:1720mm) •Weight: 228g Guide: TZ Titanium frame K Guide+Top Guide: Flange Ring Guide(Fui Section: 2pcs (Spigot Ferrule)
 Reel Seat: DPS18/BACK STOP Dubble nut(F Suitable reel size D:LT6000 / S:C5000



Although this 11MH have been designed for Black-Fin Seabass, it is tough enough to keep Blue Runner up to 5kg under control Of course, you will be able to manipulate plug delicately and once you hooked even huge one at tough field, you will never lose initiative for sure. If you are an angler who fish in tough situations and wish to land fish smoothly without any stress, we ecommend you to take 11MH which will be huge advantage for you.

Price:



Ballistick



BlueSniper /7 Line up





Shore Plugging & Jigging

BlueSpiner shore casting series have been loaded sharpness

Lightness and high usability while taking advantage of NANOALLOY® technology from TORAY. ML class which is suited to light weight of minnows or sinking pencil, H class to manipulate up to 200mm of diving pencil and jigs over 100g. The potentials which are hidden in blanks of these 7 models include 1031 which is loaded sensitivity and power added for line up as a Light class concept to manipulate lures for seabass will enable you to cover various situations and field without losing initiative of anglers. Remarkable characteristics of these series are flexibility and sensitiveness of tip section to make lures swim more like real fish and toughness of butt section to pull heavy fish up to surface while applying the good amount of pressure on fish.

Which means that we have pursued basic performance as shore casting rod. Win some lose some it is depend on judgement you have made at crucial phase This BlueSniper shore casting series has been designed as a rod which will support you to make a right decision to land memorial fish.



Lure: Jig ~40g/Plug 15~40g
Line: Max PE 2 Drag Max: 4kg/45°

•Guide: SiC-S stainless frame K guide(Fuji) •Section: 2pcs (Spigot Ferrule) •Reel Seat: DPS18 (Fuji)

• Length: 3135mm(CL:1600mm) • Weight: 240g

Suitable reel size D:3500~4000 / S:4000~6000



103 L PlugSpecial Light Class Concept

























This is "Light class concept" model for capturing the situation that Blue runner feeding small bait. You can cast tiny diving pencil comfortably without unwanted wobble and manipulate it as you wished to easily. It bends well and nicely to reduce oading of line even if you fish with fine PE line while accumulating power to keep even 10kg of yellow tail under control from rocky shore. Although "L" on the 103 as Light class concept, more power on butt section is loaded than 96ML





•Length: 2935mm(CL:1500mm) •Weight: 223g



This is medium light shore jigging rod to aim small sized of vellowtail, amberjack and cero. This would be suited jigs around 40g, minnow around 10cm∼14cm from break water or surf. You can handle it like a seabass rod but huge butt power is hidden n blank itself to keep even mid-sized Blue Runner under control. You can manipulate not only metal jig or minnow but also sinking pencil bait or vibration to have an advantage on situations that you are faced out there

Guide: SiC-S stainless frame K guide(Fuji)

Section: 2pcs (Spigot Ferrule) Reel Seat: DPS18 (Fuji)

Suitable reel size D:3000~3500 / S:4000~6000 Field: Piers · Rocks · Surf a.480mm I b.635mm | Spinniing Model



 Guide: SiC-S stainless frame K quide (Fuji) Section: 2pcs (Spigot Ferrule)
 Reel Seat: DPS18 (Fuji)
 Suitable reel size D:4000 / S:6000~8000



This is the mid power model which have been loaded toughness and lightness to aim blue runner around 3kg from pier or surf. You can take advantage of its length to aim fish that feeding in the distance with high accuracy. If you are going to fish at field where current flows rapidly and fish have caught tide, you can still keep it under control with this 100M. Even you are in a severe situation you will be able to have an advantage on fighting with monster fish.

Field: Piers · Rocks a.480mm | b.635mm | Spinniing Model







Lure: Jig ~100g/Plug ~60g
Line: Max PE 4 Drag Max: 6kg/45° BlueSpiper 97MMH which is well tuned with flexible tip and powerful butt. It enable you to manipulate jig and plug at your will without failure thanks to its nice and flexible tip section. Especially when you use jig, it will reduce physical burden of angler thanks to its length. Yet 97MMH works well for Blue Runner around 3~5kg, you can fight against to even over 5kg without Length: 2950mm(CL:1515mm) • Weight: 296g



anxious because of its tough and tenacity butt section



Guide: SiC-S stainless frame K guide+SiC Ocean guide(Fuji)
Section: 2pcs (Spigot Ferrule) Reel Seat: DPS20 (Fuji)
Suitable reel size D:4000~4500 / S:6000~8000

Lure: Jig ~120g/Plug ~80g
Line: Max PE 4 Drag Max: 6kg/45°

•Length: 3070mm(CL:1575mm) •Weight: 307g Guide: SiC Ocean guide(Fuji)

Section: 2pcs (Spigot Ferrule) Reel Seat: DPS20 (Fuji)

Suitable reel size D:8000 / S:6000~10000



This is the standard of New BlueSniper to aim Blue Runner around $4\sim$ 5kg. If you fish with jig around $80\sim$ 100g, plug around 60g we recommend you to choose this 100MH. Flexible tip section which have ability to manipulate lure sensitively and aggressively. Breathtaking butt power enable you to pull the monster fish up from bottom of the sea. This have been well balanced as all round model to cast and manipulate jig or plug at high level.





Line: Max PE 5 Drag Max: 8kg/45°

Length: 3215mm(CL:1650mm)
 Weight: 325a



This is the specialized model to manipulate plugs without any failure. You can cast even big diving pencil bait sized around 200mm, and also you can manipulate jigs up to 130g without any stress. Even when you try to aim Blue Runner that over 10kg from rough field as such as rocky shore or else, this 106H PS is going to be a huge advantage thanks to sensitiveness and lifting power which is attributable to NANOALLOY® technology from TORAY.






Lure: Jig ~150g/Plug ~120g Line: Max PE 5 Drag Max: 8kg/45°

Length: 3030mm(CL:1550mm)Weight: 326g



This is the model which is tuned power and length perfectly to manipulate jig as you wish while reducing burden of anglers. You can cast heavy jig around 150g easily and when you fish at field where you are required skill and technique as such as deep, rough and current runs rapidly, you will be able to land even yellow fin tuna from shore thanks to that potential hidden inside of blanks. This is the one for angler who fish with jig mainly or looking for specialized model for metal jigs






These are comparison images of BlueSniper shore casting series which are loaded 3kg weight on tip. Tip to belly section of BS103L have been designed to be very flexible for casting and manipulating small and light plug. It has little more power than 96ML on butt section and good to be used for aiming blue runner with small lure 97MMH have been loaded same power as 100MH on butt section and more flexible tip section. Although 97MMH bend more than 100MH when applied 2kg load, you can see that almost same power employed on both of butt section when applied 3kg load. 100M have been designed to be slower action than others so whole blanks of 100M will be bent well even when small amount of load applied.

Almost same power have been loaded on butt section of 910H and 106H. 910H is suit to metal jig and if you use plugs mainly, 106H is recommended. 910H have been loaded more repulsive force than 106H to manipulate heavy weight of metal jig comfortably and land fish

Load weight more and more, butt section of 106HPS bend more and huge power will be accumulated. Which means that it is easier to apply pressure on fish and physical burden of angler will be reduced with 106HPS.







BlueCurrent Plug Model /2 Line up

Light Plugging

There will be new models for the BlueCurrent TZ/NANO series for use with ultra-small lures to target Japanese Horse Mackarel and Japanese rock fish. The evolution of the plugging game (use of hard bodied lures) has been considerable in recent years requiring extra sensitive rods to use ultra-small lures around 2g. We have developed the blank with our focus on sensitivity and its ability to transmit the smallest changes in the current, water pressure and lure movement. Both models are were not developed to simply utilize these hard bodied lures but each are special models with distinct characteristics. The two types can be distinguished by the difference in style. The "quick" type which will not miss the smallest of nibbles to aggressively hook the fish and the "seamless" type which smoothly hooks the fish by naturally bending in.

You can use hard bodied lures with the other models in the BlueCurrent series which are designed for jig-head type rigs, but these 2 models are especially designed for use with these lures. We hope you can take hold of our new BlueCurrent Plugging series to enjoy the ever changing plugging game for these small but extremely fun species to target.



BlueCurrent Plug Icons





610 Plug Quickness: TZ/NANO



Lure: Plug 1.5~6g/JH 0.5~5g Line: PE 0.1~0.4

ROD SPEC Lure: Plug 1.5~6g/JH 0.3~5g Line: PE 0.1~0.4

This plugging model was developed to enable anglers to sense the subtle changes in water pressure and currents with outstanding balance to breathe life into your lures through rod action. The tip section is designed to be stiff to give the lure variant action while the whole blank will bend in to reduce hook offs. When simply retrieving minnows and sinking pencils, the super sensitive tip section will immediately transmit the smallest of bites enabling anglers to swiftly hookup with the belly section of the blank. You can say that this is a specially tuned model to aggressively hook the fish with the slightest of touches

Target: Horse Mackerel (Aji) · Rock fish Field: Port · Rocks · Estuary a.270mm | b.335mm | Spinning Model







The blank is designed to have contradicting characteristics of sharpness and flexibility in order to successfully hookup the subtle sucking" and "nibbling" bites. The rod will smoothly respond to your hooking followed by the fight. Anglers will be able to pick' up those minute bites when the targets are feeding on micro baits by slowing drifting your lures in the current.



Target: Horse Mackerel (Aji) · Rock fish Field: Port · Rocks · Estuary a.275mm | b.340mm | Spinning Model





BlueCurrent TZ/NANO /8 Line up

Light Game Category

BlueCurrent TZ/NANO series are flag ship models which are filled with our knowledge and techniques of designing blanks of light game.

Carbon prepreg which NANOALLOW® technology have been applied is chosen and TORZITE ring guides which are light and less friction are loaded.

Once you fish with this series, you notice the lightness and sensitiveness, casting feel that you never get unwanted wobble and massive butt power hidden in butt section that will be increased when it is bent.

We present you various kind of rods with remarkable individuality as BlueCurrent TZ/NANO series as such as Jig Head-special which is perfect match for tiny jig head and small plug for horse mackerel or mebaru, Jig-special which is specialized for small metal jig, Stream-special to search target in current, Flex which is enable you to enjoy flexibility, and All-Range to do anything at anywhere.






















Target: Horse Mackerel (Aji) • Rock fish Field: Port


Target: Horse Mackerel (Aji) • Rock fish Field: Port







TORZITE, Fudi.



SPEC Lure: JH ~3g Line: NY • FC 1~3lb

Guide: TORZITE titanium frame K Guide (Fuji)
Section: 2pcs (Put over Ferrule) Reel seat: VSS16(Fusitable reel size D:LT1000~2000 / S:1000~C2000





TZ/NANO Jighead Special

62 TZ/NANO **Jighead Special**



●Length: 2020mm(CL:1035mm) ●Weight: 61g ●Guide: TORZITE tittanium frame K Guide (Fuji) ●Section: 2pcs (Put over Ferrule) ●Reel seat: VSS16(Fuji) ●Suitable reel size D:LT1000~2000 / S:1000~C2000



This is specialized model for jig head game which is employed high sensitivity, smoothness, and flexibility on blanks. Although it is nice and flexible, the sharpness and speed of blanks are progressed while reducing unwanted wobble of tip section. Taking full of advantage of NANOALLOY® technology, it has been achieved seamless bend curve and incredible repulsive force that let you enjoy not only big mackerel or rockfish but also even a small target.

Price:

a.265mm | b.330mm | Spinning Model

TZ/NANO Jighead Special

a.265mm | b.330mm | Spinning Model

Lure: JH 0.3~5g/Rig ~7g/Plug 1.6~4.5g Line: ~PE 0.4/NY • FC 1~4lb


Suitable reel size D:LT1000~2000 / S:1000~C2000



71TZNano is most regular action in BlueCurrent Jig head special series. Although this is specialized model for jig head game, you can approach to target with slow retrieving of small plug or light rig. The sensitivity while you are retrieving is high enough to sense slightly changes of current and tiny vital information. Fish will take your lure without strangeness and blanks will bend smoother like seamless while on fighting.

Target: Horse Mackerel (Aji) • Rock fish Field: Port






 Guide: TORZITE titanium frame K Guide (Fui Section: 2pcs (Put over Ferrule) Reel seat: VSS16(Fuji)
 Suitable reel size D:LT2000~2500C / S:2000~C2500



This is the special tuned model which enable anglers manipulate various weight of jigs from micro sized to 15g weight because of moderate strain of tip section. We have chosen NANOALLOY® technology from TORAY on butt section for extra muscle. Its innovative to a material from TORAY LTD to achieve a high performance of manipulation and sensitiveness. Although you might sense the strain of blanks, it will work as tenacity to land fish smoothly.

Target: Horse Mackerel (Aji) • Rock fish Field: Port • Rocks • Surf a.270mm | b.335mm | Spinning Mode

TZ/NANO Stream Special



• I ength: 2310mm(CI :1190mm) • Weight Section: 275(Fuji)
Section: 2pcs (Put over Ferrule)
Suitable reel size

D: LT2000~2500C / S: 2000~C2500



This rod which has been built with NANOALLOY® technology from TORAY is for special situation. It achieved high sensitivity and usability of various lures without loosing repulsive force of rod even in the rapid current. The potentials of this rod will be sho mostly at the field where the experts likes.

a.290mm | b.350mm | Spinning Model Target: Horse Mackerel (Aji) · Rock fish · Black sea bream · Seabass etc

83 TZ/NANO Flex

Lure: JH 0.8~5g/Rig 1.8~10.5g/Plug 1.5~8g Line: PE 0.2~0.6

• Length: 2520mm(CL:1290mm) • Weight: 73g • Guide: TORZITE titanium frame K Guide (Fuji) • Section: 2pcs (Put over Ferrule) • Reel seat: VS516(Fuji) • Suitable reel size LT2000~2500C / S: 2000~C2500



If you wish to deliver light weight of jig head farther than ever and manipulate it as you want, we are sure that 83TZNano will make you satisfy. Flexibility and sensitivity of blanks enable you to manipulate light weight of plug delicately even you have delivered it farther than you have expected and you can manipulate it as you are at close range. If it is rough condition at closer range of you, you can fight without anxious thanks to ability of reshaping itself speedy.

a.325mm | b.390mm | Spinning Model Target: Horse Mackerel (Aji) · Rock fish · Black sea bream · Seabass

85 TZ/NANO **All Range**

SPEC Lure: 3~21g Line: PE 0.4~1

 Length: 2570mm(CL:1315mm)
 Weight: 80g Guide: TORZITE titanium frame K Guide (Fuji) Section: 2pcs (Put over Ferrule) Reel seat: VSS16(Fuji)
 Suitable reel size D: LT2000~2500 / S: 2000~2500

ROD SPEC Lure: 3~21g Line: PE 0.4~1



If you want to do everything in light game category, we think that BlueCurrent 85/TZ will make your dream come true. Every range of water will be covered with light line by BlueCurrent 85/TZ which have been gotten sensitiveness and toughness. You will never lose initiative even if you hook big one up accidently. You will be able to aim Rock Fish, Black Sea Bream, Seabass (aim from top water to deep water), Horse Mackerel or even squid.



93 TZ/NANO All Range

Price:











23

Field: Port · Rocks · Estuary · River

Field: Port · Rocks · Estuary









BlueCurrent II /11 Line up



Light Game Category

For the BlueCurrent III, we aimed to expanded the release point for easier casting, created a seamless bending curve to prevent any hook-offs and improve the response time as if the rod was part of the anglers body.

The BlueCurrent series has represented Yamaga Blanks light game qualities for many years. This "III" does not simply mean the models have change three times, but have inherited the DNA of previous models and has evolved into the 3rd generation. The design, material and concepts have all been renewed to meet the needs of the ever changing light game scene in addition to being one of the most cost effective rods on the market.

The lineup comprises of 8 spinning and 3 bait-casting models. User-friendly being the biggest attribute of the series, the rods are a work of art. We hope you can experience the spirit of Yamaga Blanks first handedly.




















BlueCurrent III Spinning model

1153

Lure: Max 4.5g (JH 0.1~4.5g) Line: PE 0.06~0.3/NY • FC 1~3lb •Length: 1610mm(CL:835mm) •Weight: 53g





53 have been designed in 2 pcs to be carried anywhere you want. Once you fished with it, you will be surprised that ability to get the picture of details and situation inside of the water. Even when you fish with jig head under 1g, you can sense the slightly changes of current and give the action as you wished. Which means that you will always know what you are doing and what is


a.160mm | b.225mm | Spinning Model

Target: Horse Mackerel (Aji) · Rock fish Field: Port



Target: Horse Mackerel (Aji) · Rock fish Field: Port

ш510



•Length: 1775mm(CL:915mm) •Weight: 56g Guide: SiC-S stainless frame K guide(Fuji)

Section:2pcs (Put over Ferrule) Reel seat: VSS16(Fuji)

Suitable reel size D: LT1000~2000 / S: 500~C2000




This is tuned to be used for jig head game around $0.5g \sim 1.5g$ with comfortable feeling. Especially even when you fish with jig head around 1g in strong wind, you will not lose performance of casting and manipulating. If you could take advantage of that harpness and moderate stiffness, you can twitch and jerk aggressively to catch selective one even in day game.

Price:

a.210mm | b.275mm | Spinning Model

a.220mm | b.285mm | Spinning Model





•Length: 1910mm(CL:985mm) •Weight: 59q · Guide: SiC-S stainless frame K guide(Fuji) Section: 2pcs (Put over Ferrule)
 Reel seat: VSS16(Fuii)


•Suitable reel size D: LT1000~2000 / S: 500~C2000



This is short stick which enable you to fish with jig head around 0.5g \sim 3g while getting enough distance to reach the spot that fish might be there.The sharpness of blanks enables you to make jig head move as you wished and you will be able to strike instantaneously as soon as you sensed bite of target. The flexibility and sensitivity of blanks transmits slightly changes of current, vital information and a sense of existence of jig head.

Target: Horse Mackerel (Aji) · Rock fish Field: Port






•Length: 2070mm(CL:1065mm) •Weight: 66g Guide: SiC-S stainless frame K guide(Fuji) • Section:2pcs (Put over Ferrule) • Reel seat: VSS16(Fuji) • Suitable reel size D: LT1000~2000 / S: 1000~C2000



We have designed tip and belly section of this 69 very carefully to manipulate jig head and plug exactly as you wished. Tip and belly section have been applied moderate stiffness for achieving high sensitivity to transmits small vital information and slightly changes of current and sharpness to twitch and jerk jig head aggressively. Also, if you really wish to fish with plug, we recommend you to take this 69. Of course, you can take 69 for light game off the boat as well.

Target: Rock fish · Horse Mackerel (Aji) Field: Port a.265mm | b.330mm | Spinning Mode



 Length: 2235mm(CL:1145mm)
 Weight: 71a Guide: SiC-S stainless frame K guide(Fuji) • Section:2pcs (Put over Ferrule) • Reel seat: VSS16(Fuji) • Suitable reel size D: LT1000~2500C / S: 1000~2500



If you wish to fish with various kind of method in various situation with one rod, this 74 will be the one for sure, 74 can handle all of method for light game fishing such as jig head, sinker, metal jig, and plug at your will. High sensitivity will not be lost even if you search target deeper than 10m. You will definitely be able to feel what is "BlueCurrent]||" like once you fish with

Price:



III 76 Stream

Lure: Max 12g (Plug 1.6~12g) Line: PE 0.3~0.8

•Length: 2290mm(CL:1175mm) •Weight: 81g •Guide: SiC-S stainless frame K guide(Fuji) •Section:2pcs (Put over Ferrule) •Reel seat: VSS16(Fuji) •Suitable reel size D: LT2000~2500C / S: 2000~2500



This 76 Stream have been designed for various kind and size of plugs as such as small one for mackerel and medium size for seabass or black sea bream. Moderate stiffness and comfortable recovery speed which is applied on tip and belly section let you manipulate top water plug, minnow or sinking pencil at your will for sure. If you are going to aim target hidden in current with plug, we recommend you to take this specialized rod for plugging game.


Price:

a.290mm | b.355mm | Spinning Model Target: RockFish · Black sea bream · Seabass · Horse mackerel(Aji)

Field: Port · Estuary · Rocks

Field: Port · Rocks · Estuary · Surf

ш**82**



•Length: 2425mm(CL:1245mm) •Weight: 81g •Guide: SiC-S stainless frame K guide(Fuji) •Section:2pcs (Put over Ferrule) •Reel seat: VSS16(Fuji) •Suitable reel size D: LT1000~2500C / S: 1000~2500



Even if you cast small jig head a long distance, you will not lose your sense to feel movement of jig head with this 711. Also, 711 which is categorized in long length model though, transmits information of underwater world and vital information constantly even in rapid water or deep area. Flexible and sensitive tip section will let target bite your jig head without strangeness and powerful butt section will lead you assured landing.

Price:

Target: Horse Mackerel (Aji) · Rock fish · etc a.300mm | b.365mm | Spinning Model









Field: Port · Rocks · Estuary · Surf









whole blanks bend smoothly and recover powerfully. On the other hand, sensitiveness and flexibility of tip section have been sharpened to transmits information that angler needs. You can handle not only plugs around 7~9cm to aim seabass or black sea bream but also of course use jig head up to 20g with swimming action to aim rockfish.

• Guide: SiC-S stainless frame K guide(Fuji)
• Section:2pcs (Put over Ferrule)
• Seetson:2pcs (Put over Ferrule)
• Suitable reel size D: LT2000~2500C / S: 2000~2500 a.325mm | b.390mm | Spinning Model Target: Horse Mackerel (Aji) · Rock fish · Black seabream · Seabass · etc Field: Port · Rocks · Estuary · Surf · etc





BlueCurrent Games

There are no power inscriptions for the BlueCurrent modes as they are all designed to be able to handle unexpected large species as a by-catch and we would like to entrust the choice to the angler. However, each models have their specific style and we have picked out a few

models which are suited depending on style and target species. This does not necessarily mean that you cannot target other species or utilize different styles, but to give you an ideal when choosing a model.

Jig head

Ultra Light Class

- BlueCurrent 62 TZ/NANO JH SP BlueCurrent 67 TZ/NANO JH SP
 - **BlueCurrent III 53**
 - BlueCurrent III 510
 - **BlueCurrent III 63**
 - **BlueCurrent III 69**
 - **BlueCurrent III 53/B**

Plug

Ultra Light Class

- BlueCurrent 67 TZ/NANO JH SP BlueCurrent Plug 610 Quickness BlueCurrent 71 TZ/NANO JH SP BlueCurrent Plug 73 Seamless **■ BlueCurrent III 63** BlueCurrent 71 TZ/NANO JH SP
 - BlueCurrent III 69
 - **BlueCurrent III 74**
 - **BlueCurrent III 53/B**
 - **BlueCurrent III 69/B**

Caro

Medium Light~Medium Class

- BlueCurrent 83 TZ/NANO Flex BlueCurrent 85 TZ/NANO All Range
- BlueCurrent 93 TZ/NANO All Range ■ BlueCurrent III 74
 - **BlueCurrent III 711**
 - **BlueCurrent III 82**
 - **BlueCurrent III 82/B**

Float rig

Medium Light~Medium Class

- BlueCurrent 83 TZ/NANO Flex BlueCurrent 85 TZ/NANO All Range BlueCurrent 93 TZ/NANO All Range
 - **BlueCurrent III 711**
 - BlueCurrent III 82 **■ BlueCurrent III 82/B**

Target of Light game(Large)

Medium Light~Medium Class

- BlueCurrent 83 TZ/NANO Flex BlueCurrent 85 TZ/NANO All Range BlueCurrent 93 TZ/NANO All Range
 - **BlueCurrent III 82** ■ BlueCurrent III 82/B

Rock fish

Jig head : Plug

Light Class

BlueCurrent III 69

■ BlueCurrent III 74

■ BlueCurrent III 53/B

BlueCurrent III 69/B

Medium Light~Medium Class

- BlueCurrent 72 TZ/NANO Jig SP BlueCurrent 85 TZ/NANO All Range BlueCurrent 93 TZ/NANO All Range
 - **BlueCurrent III 82** ■ BlueCurrent III 82/B

Small size Migratory fish

Medium Light~Medium Class

- BlueCurrent 72 TZ/NANO Jig SP BlueCurrent 77 TZ/NANO Stream SP BlueCurrent 85 TZ/NANO All Range
 - BlueCurrent III 76 Stream **■ BlueCurrent III 711**

Top water plug

Medium Light Class

- BlueCurrent 77 TZ/NANO Stream SP BlueCurrent 72 TZ/NANO Jig SP
- BlueCurrent 85 TZ/NANO All Range BlueCurrent III 76 Stream

All rounder

- **Light Class**
- BlueCurrent 71 TZ/NANO JH SP ■ BlueCurrent 83 TZ/NANO Flex
 - **BlueCurrent III 74**
 - **■** BlueCurrent III 711 ■ BlueCurrent III 69/B

- - BlueCurrent III 82

Trout

- **Mountain Stream** BlueCurrent III 53
- BlueCurrent III 53/B
- **BlueCurrent III 69/B**

BlueCurrent 85 TZ/NANO All Range **■ BlueCurrent III 82**


Anything

Medium Light~Medium Class

- BlueCurrent 85 TZ/NANO All Range ■ BlueCurrent 93 TZ/NANO All Range
 - BlueCurrent III 82/B

BlueCurrent III 82/B

BlueCurrent · Light game Comparison Table ●→BlueCurrent TZ/NANO ●→BlueCurrent Plug TZ/NANO BC85TN ●→BlueCurrent III This is characteristics comparison of BlueCurrent series. We have put an importance on sensitiveness and toughness as a favor of natural bending curve. Stiffness which is on this table have been caused by ВСШ82/В feeling when you actually fish and speed of pulling BC77TN fish up to surface. BCⅢ76ST On the other hand, we have considered that power on this table have been caused by the biggest size of fish according to limit of strength of line. We have consdered that variation of target for light game category and even 53 have enough power to keep large horse mackerel under control. BCⅢ74 BCⅢ711 BC67TN ВСШ53/В ВСШ53 ВСШ69/В *Comparison chart shows strength and stiffness BC62TN ВСШ69 visually. But it is based on reference value from the concept of design so the feeling of stiffness and strength of these rods is depend on personal ВСШ63 equation. And also please note that the stiffness doesn't mean the breaking strength.





Calista /6 Line up

Shore Eging

Blanks made of NANOALLOY® will be followed in a moment when it is loaded and will be returned instantly thanks to high repulsive force. Because of these character angler will be able to jerk EGI sharply with less power than ever and make monster squid float quickly without any breakage of legs of squid when you fight. Blanks with moderate stiffness and suppleness will reduce burden of anglers and enable you to lure squid more delicately.

Although Calista series have been loaded flexibility and lightness. Also, repulsive force that has been loaded on blanks is much stronger than Mebius series.

Even though 3type of M class in this series, those are classified by situations of eging scene and size of squid. All of them bend well even a small amount of input and reshape itself speedy and powerfully. If you aim squid over 3kg mainly, 82M or 86Mare recommended

Other power class will cover small size of squid Up to 2kg.

High versatility is hidden inside of blanks with high sensitivity and durability to be enable you to handle variety of lure in weight range on specifications.

The potential of versatility loaded on this series will let you aim not only squid but also variety of fish.


a.315mm | b.400mm | Spinning Model




















Target: Squid Action: Quick&Slack jerk

Mebius /6 Line up Shore Eging

We hope that fishing rod from YAMAGA Blanks is going to be used by much more number of anglers. That is ambition what we put into Mebius series.

It is quite difficult to keep low budget while pursuing performances and quality. But we have succeeded to achieve those elements as making extensive use of our techniques of design and quality of factory.

That is how we build fishing rods and once you fish with Mebius series you will definitely know as much about our policy and performance of blanks.

We offer you 6 different type of character for Mebius series as such as short length, light weight model or medium heavy class to cover various situation that you are going to face. Of course you can take one as main rod, you can also take one as a substitution for specific circumstances.

High versatility is hidden inside of blanks with high sensitivity and durability to be enable you to handle variety of lure in weight range on specifications.

The potential of versatility loaded on this series will let you aim not only squid but also variety of fish. We put our full of passion, spirit, knowledges and techniques of YAMAGA Blanks as a rod manufacturing bland into this Mebius series.



Lure: Egi #1.8~3.5 (~21g)

•Length: 2390mm(CL:1225mm) •Weight: 84g

•Suitable reel size D: LT2500 / S: 2500~C3000

•Guide: SiC-S stainless frame K guide (Fuji) •Section:2pcs (Put over Ferrule) •Reel seat: VSS16(Fuji)

Line: PE 0.3~0.6

















If you wish to use super fine PE line to sense slightly changes of pressure of current and lure out carefully, this sensitive short length model is the one. When squid is less activity than usual then you are required to feel slightly changes of current and need manipulate and lure out delicately, sensitiveness which is loaded to 710 enable you to cast light weight of Egi, sense tiny contact of squid and keep squid over 2kg under control. Of course you can take 710 for fishing from boat.

a.290mm | b.365mm | Spinning Model


a.310mm | b.385mm | Spinning Model

Target: Squid Action: Slack jerk&Shaiking

Price:



Target : Squid Action : Slack jerk




Suitable reel size D: LT2500 / S: C3000

•Length: 2645mm(CL:1350mm) •Weight: 93g Guide: SiC-S stainless frame K guide (Fuji)
 Section:2pcs (Put over Ferrule) Reel seat: VSS16(Fuji)



This is the light class model which is good for short pitch jerk and jerk making use of line slack. You can cast even light weight of Egi with comfortable feeling thanks to flexibility and moderate repulsive force. So this is good to be used on sight fishing echnically. Yet it have enough power to keep huge squid under control, you can manipulate Egi with less power than others Once you fish with it you will recognize that it have gotten high potential to be used in all season



•Length: 2555mm(CL:1305mm) •Weight: 93g Guide: SiC-S stainless frame K guide (Fuji) Section:2pcs (Put over Ferrule) Reel seat: VSS16(Fuii) Suitable reel size D: LT2500~3000C / S: C3000



It have been designed to be more flexible than 86M and finished to become technical rod which is enable anglers to manipulate rarious weight of Egi at your will. You will be able to take advantage of versatility of 85ML as such as luring out delicately on sight fishing, jerk making use of line slack and short pitch jerking. We recommend 85ML for any level of anglers as an all-rounde

Price:

Target: Squid Action: Quick&Slack jerk a.310mm | b.385mm | Spinning Model

79M

ROD SPEC Lure: Egi #2.5~4 (~28g)
Line: PE 0.5~1



Blanks of 79M have been brushed up to be taking advantage of length. You will feel high response speed of blanks and high

usability as characteristics of short length model while pursuing long casting performance. Yet it have enough power to cast and manipulate even size 4 Eq. (about 25g). It have been loaded moderate repulsive force, flexibility and lightness on blanks. If you are required lure speedy or taking time to lure spooky one out, 79M will be your huge advantage for sure.

86M

a.300mm | b.375mm | Spinnng Model

a.320mm | b.395mm | Spinning Mode

Price:

Price:




Target: Squid Action: Quick jerk

Target: Squid Action: Quick jerk



It is standard model of Mebius series. Although it is medium class rod, it have gotten sensitive, flexible tip and belly section to be adjusted modern eging scene technically. It have been designed to be well balanced to cast and manipulate Egi with less input by angler reducing burden of angler's wrist. This 86M is the most versatile model of this series. You can cast long distance and nanipulate at your will even size 4 Eq. (about 30g) without any anxious.

Lure: Egi #2.5~4 (~30g) Line: PE 0.5~1




Lenath: 2515mm(CL:1285mm)Weight: 98g Guide: SiC-S stainless frame K guide (Fuji)
 Section:2pcs (Put over Ferrule) Reel seat: VSS16(Fuji)
 Suitable reel size D: LT3000C / S:C3000



Although this is the medium heavy model which have been loaded massive power on butt section, blanks of 83MH have lightness and flexibility. It is good for size 3.5~4 of Egi mainly, you can of course use heavy type of size 4.5 of Egi. This 83MH have been designed to be loaded enough power to set hook on huge squid even heavier than 2kg and lightness and flexibility of blanks will reduce unwanted kickback when you jerk.

Target : Squid Action : Quick jerk a.320mm | b.395mm | Spinning Model



These are comparison images of Mebius series which are loaded 500g weight on tip.

Mebius series have been loaded more flexibility than calista series to get more versatility and usability. We have focused on cast feeling of Mebius series.

Wide range of release point and repulsive force will provide you excellent feeling and distance of cast. Comfortability of casting and toughness as eging rod are directly linked to versatility for aiming at various target.

Enough versatility that to be used for horse mackerel, rockfish, black sea bream, seabass or light jigging game is hidden in those blanks





BattleWhip /6 Line up

Boat Eging

"BattleWhip" series to be adjusted boat eging scene which being developed day by day. We take advantage of skill, knowledges and experiences of designing fishing rod to shape the lineup of TipRun series, Ikametal series and also Omorig, which are adjusted to segmentalized game.

Although we have chosen carbon solid tip first time ever as YAMAGA Blanks for TipRun series and Ikametal series, these are not only that.

We have pursued not only sensitiveness but also high comfortability for casting and manipulating exactly like Bluecurrent series.

All of these models have given own specialized character one by one to make angler sense slightly changes which is transmitted through blanks.



BattleWhip TR / Tip Run Eging Model 3 Line up

3 types of BattleWhip TR series which have been given original character is lined up to cover various situations of TipRun eging scene. Anglers will enjoy to feel differences of sensitivity and speed of settle of tip section without unwanted wobble.



TR 63/N (Type-N: No Look) Carbon Solid Tip model



ROD SPEC Line: PE 0.4~0.8

Suitable reel size D: LT2500C~3000C / S: 2500~C3000



Making use of advantage of high sensitivity accumulated from light game scene, blanks transmit slightly touch of squid. This characteristic of TR63 makes you to distinguish activity of squid and to stay focused even you faced touch condition. This is for the angler who does not want to lose opportunity of catching squid. You do not have to look at tip to get indication of vital information. Blanks definitely transmits signal to your hand. All you have to do is just feel it! This 63/N will make differences for

a.295mm | b.360mm | Spinning Model

Target: Squid Style: Tiprun

TR 73/S (Type-S : Shallow) Carbon Solid Tip model

Egi: 20~40g Depth: ~30m Line: PE 0.4~0.8 Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Fuj

Section:2pcs (Put over Ferrule) Reel seat: VSS16(Fuji)



This is specialized model with high sensitivity and operability to cover from shallow to 30m depth of water. 7.3ft length of blanks will help you to stay your Egi still even you fish from mid-large boat or in situation that you are struggled in welter of the sea surface. You can fish with S-Fall techniques while taking advantage of its length. Of course, casting game is available with this versatile model. We believe that you will be able to enjoy the variety of situation and method of squid games with this TR 73/S.

a.310mm | b.375mm | Spinning Model

Target: Squid Style: Tiprun · Boat Eging

TR 69/D (Type-D : Deep) Carbon Solid Tip model

Egi: 50~80g Depth: 40~90m Line: PE 0.6~1

Suitable reel size D: LT2500~3000C / S: 2500~C3000

 Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Fu) Section:2pcs (Put over Ferrule)
 Reel seat: VSS16(Fuii •Suitable reel size D: LT2500~4000C / S: C3000~4000



This is the most powerful model in this series to cover area such as deep and rapid water.

If you aim huge squid in tough area such as current runs rapidly or deep water around 40m or more, TR 69/D is the best choice. It will be bent very smoothly while accumulating huge repulsive force inside of blanks themselves to lift even squid much pigger than you have thought. This is for anglers who wish to explore untouched area for aiming massive squids.

Target: Squid Style: Tiprun a.295mm | b.360mm | Spinning Model

BattleWhip IM / Ika Metal Model 2 Line up

Ika Metal series have been well balanced to achieve comfortable manipulate feeling and versatility that is enable you to jerking, shaking, posing, slow lifting and slow falling at your



Carbon Solid Tip model

ROD SPEC Egi: MAX #25(90g) Line: PE 0.4~0.8

●Length: 2070mm(CL:1060mm) ●Weight: 86g ●Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Fuji) ●Section:2pcs (Put over Ferrule) ●Reel seat: VSS16(Fuji) ●Suitable reel size D:LTZ500~3000C / S:2500~C3000



Thanks to sensitivity and visibility of blanks are increased for achieving the excellent results.

The lightness of it let you handle this stick as your extended arm, flexibility and repulsive force provide you comfortability and toughness of butt section enable you to lift unexpected monster up to surface without anxious and burden of physical. This IM69/S will cover various situation, method and size of target with fun for sure

a.445mm | b.515mm | Spinning Model

Target : Squid Style : Ika Metal / Sutte

Target: Squid Style: Ika Metal / Sutte

IM 69B Carbon Solid Tip model

Suitable reel size D:100~200 / S:100~200

ROD SPEC Egi: MAX #30(110g) Line: PE 0.4~0.8

• Length: 2070mm(CL:1060mm) • Weight: 100g • Guide: SiC-S stainless frame K guide (Fuji)+SiC stainless frame LDB guide(Fuji) • Section:2pcs (Put over Ferrule) • Reel seat: PMTS17(Fuji)



Carbon solid tip let you know vital information visibly and transmit a lot of information to your finger through blanks. Although it have flexibility and sensitivity, once you have sensed touch of squid you can strike aggressively without any delay thanks to moderate stiffness and repulsive force which also help angler to lift huge squid up from bottom of the sea. Taking advantage of IM69/B overhead model, we hope that you hunt squid as many as you have wished.





BattleWhip OR / Omorig Model 1 Line up

This OR model have been designed to aim monster squid which is hidden the edge of lighting or conquer the tough situation that squid hardly take your egi at all. You can cast sinker with small size of egi to reach the point where the squid might be there

and you can give it action exactly as you have planned.



OR 72/C (Type-C: UNDER CAST) Tubular Tip model

Sinker Weight: CAST MAX #40 (150g) **under cast only

Line: Max PE 1

● Length: 2190mm(CL:1125mm) ● Weight: 99g ● Guide: SiC-S stainless frame K guide (Fuji) ● ection:2pcs (Put over Ferrule) ● Reel seat: VSS16(Fuji) ● Suitable reel size D: LT2500~5000C / S: C3000~C5000



This OR72/C have been designed to manipulate sinker weight 90g~150g comfortably. Also powerful enough butt and belly section to cast sinker up to 150 safety and comfortably. Thanks to moderate stiffness of tip section vital information of squid will be transmitted very clearly. You can search as wide as you have wished and you can sense what is going on inside of water very clearly. You will definitely enjoy this squid game as you are having jigging game with it.

Target: Squid Style: Omoria a.460mm | b.525mm | Spinning Model















Precaution for carbon solid tip model

As we have mentioned, TR&IM series have been loaded carbon solid tip. The material of carbon solid tip is extremely delicate and fragile. So please careful with shock of impact and handle gentry when you fish and shored them with care. Although you can fish in




These are comparison image of BattleWhip TR seies. 69/D is the most powerful to cover deep area. 73/S is versatile model for shallow area and you can cast with it as well. 63/N is the most sensitive rod in this series to transmit information you could not sense before.

BattleWhip IM & OR / Bending Curve Load 130g BattleWhip IM series have been designed to aim OR72/C squid which is staying deep sea just under the boat with high sensitiveness. OR model have moderate stiffness and high repulsive force to be enable you to cast sinker comfortably and sense slightly changes of situation and vital information o strike on your own timing

These are comparison image of BattleWhip IM & OR which are loaded 130g weight on tip section. Although same blanks are used for spinning and overhead, you might feel that overhead is little stiffer than spinning because of specification of components. Although IM series have been loaded carbon solid tip, OR model have been loaded tubular tip to be enable you to cast with underhand comfortably.







Jigging

Galahad from YAMAGABlanks which has been designed as 1 pc model to taking advantage of bending curve and replusive force as a joitless stick are line up for jigging game.

632S,633S and 634S have been loaded flexible tip section to let jig swim naturally and moderate repulsive force on belly and butt section to let jig move rhythmically. 585S and 526S high elasticity to let jig move speedy and aggressively when you jerk vertically.

We have succeeded to load high sensitivity to sense small vital information, ease of manipulation to reduce physical burden and high speed of response to transfer your input power. You can jerk both short and long strokes as you wish easily. 3 models for electric reel which are enhanced durability and tenacity against continuous jerking action.

Galahad series have been developed well to cover various situation and method.

















Galahad Spinning model

Lure: Jig Max 140g Line: Max PE 2
Drag Max: 3kg/45°

• Length: 1915mm • Weight: 169g • Guide: SiC-S stainless frame K guide(Fuji) • Section: 1pc • Reel Seat: DPS18(Fuji) • Suitable reel size D:3500~4000 / 5:5000~6000



This is the lightest model of spinning which have high flexibility on tip and belly section. Although it has flexibility and high sensitivity to sense slightly changes of current and reducing the chance of breaking line or hook, once loaded heavily tough butt section keep unexpected huge fish under control. If you focus to input the load on belly section, jig will swim very smoothly

a.485mm | b.610mm | Spinning Model

Target: Blue Runner | Field: Shore line

633S

Lure: Jig Max 180g Line: Max PE 3
Drag Max: 4kg/45°



You can call this 633S all-rounder of inshore jigging model. Sometimes you have to do one pitch jerk on horizontally, combination jerk on vertically with just one stick. 633S work well on various kind of jigging situation as an all-rounder. You can sense even a small vital information so if the target would not take your jig then you can switch the rhythm of jerking to let them bite. If you fish with jig around 150g please take 633S or if you use around 120g mainly, 632S is the best choice.

Price:

a.485mm | b.610mm | Spinning Model

Target: Blue Runner | Field: Shore line

6345



Lure: Jig Max 220g Line: Max PE 4
Drag Max: 6kg/45°

Length: 1915mm Weight: 196g Guide: SiC-S stainless frame K guide(Fuji)
Section: 1pc Reel Seat: DPS18(Fuji)
Suitable reel size D:4000~4500 / S-D: 6000~8000



If you face the situation that you are required to move long jig naturally, to input load effectively on deep or rapid area, even on horizontally jigging in windy condition, 634S will cover all of these without any anxious. You will rearise that 634S have massive power to fight with kingfish at shallow or rough reef. The versatility of 634S enable you to jerk in one pitch or combinational jerk if you necessary to approach with different method.

Target : Blue Runner | Field : Shore line a.485mm | b.640mm | Spinning Model

585S

Lure: Jig Max 280g Line: Max PE 5
Drag Max: 8kg/45°

ol enath: 1745mm Weight: 212a



a.495mm | b.670mm | Spinning Model

585S have been designed to control the game of kinglish or amberiack without losing initiative. Short and fine blank of 585S enable you to jerk jig aggressively does not matter the shape of Jig to approach the target. Of course, butt section has enough power to keep giving pressure on fish with PE5. If you wish to fall jig vertically and jerk aggressively to aim huge one at fish bed or rough reef, 585S is the perfect choice for sure.

Price:

• Guide: SiC-S stainless frame K guide(Fuji)
• Section: 1pc • Reel Seat: DPS18(Fuji)
• Suitable reel size D:4500~5000 / S • D:8000~10000



Target: Blue Runner • Dogtooth tuna | Field: Shore line~ Island

526S

ROD Lure: Jig Max 350g Line: Max PE 6 Drag Max: 12kg/45°

•Length: 1585mm •Weight: 304g

Guide: SiC Ocean Guide(Fuji)Section: 1pc • Reel Seat: DPS20(Fuji)

Suitable reel size D: 5000~6500 / S·D: 10000~20000

If you wish to aim great amberjack, large dogtooth tuna around 200m depth of water or huge kingfish feeding on the fish bed, this 526S which is specialized for high pitch jerk will be perfect choice. You can transfer your loading to metal jig with small motion easily thanks to the high modulus design of blank. So, you can jerk very quickly as you wish to even in quite deep water. Although it has toughness and durability to keep unexpected big target under control on butt section, it bends much smoother than you expected.

Target: Blue Runner · Dogtooth tuna · yellowfin tuna Field: Island b.670mm | Spinning Model

Galahad Overhead reel model

Lure: Jig Max 150g Line: Max PE 2
Drag Max: 3kg/45°

●Length: 1890mm ●Weight: 187g Guide: SiC-S stainless frame K guide(Fuii) • Section: 1pc • Reel Seat: PLS18(Fuji) • Suitable reel size D:10~15 / S:1000~1500



This is the lightest model for overhead reel to be used on near shore with PF line up to 2. You can approach the target with various action as such as natural swimming action focused on tip section, high speed short pitch jerking concentrate on belly and butt section or long fall action to cover various situation thanks to sensitivity and lightness of blank itself. If you wish to aim owtail or kingfish delicately with fine line, 622B the one.

a.435mm |

More detail

b.590mm | Overhead reel Mode

Target: Blue Runner Field: Shore line

Price:

Price:

Lure: Jig Max 200g Line: Max PE 3
Drag Max: 4kg/45°

Lure: Jig Max 250g Line: Max PE 4

•Length: 1890mm •Weight: 188g •Guide: SiC-S stainless frame K guide(Fuji) •Section: 1pc •Reel Seat: PLS18(Fuji) •Suitable reel size D:15~20 / S:1000~2000



If you wish to give metal jig various kind of action as such as one pitch jerk in slow tempo, long fall or high pitch jerk with just ne stick, we recommend you to pick this 623B. It has high sensitivity to sense what is happening in the deep water so you will be able to switch the way of approach depends on situations. It have been achieved high standard as overhead reel ijgging tackle to aim vellowtail, kingfish or amberiack technically without any anxious and stress.

b.590mm | Overhead reel Mode

Price:





Target: Blue Runner | Field: Shore line



This 624B is supposed to be chosen by anglers who is pursuing large kingfish or amberjack with PE4. 624B covers various way of approach as such as not only high pitch action thanks to blank which can transfer your loading of power very well but also good at long fall action in slow pitch. The potential of 624B will be shown by anglers especially who fish at deep or rapid area nainly to set hook on the target as you have planned exactly.

Target: Blue Runner | Field: Shore line a.435mm | b.590mm | Overhead reel Mode

526B

Lure: Jig was _____ Drag Max: 6kg/45°

●Length: 1890mm ●Weight: 191g •Guide: SiC-S stainless frame K guide(Fuji) •Section: 1pc •Reel Seat: PLS18(Fuji) •Suitable reel size D:30~35 / S:2000

Lure: Jig Max 350g Line: Max PE 6 Lure: Jig man Care Drag Max: 12kg/45°

•Length: 1585mm •Weight: 303g Guide: SiC Ocean Guide(Fuji)
Section: 1pc Reel Seat: T-DPS20(Fuji)
Suitable reel size D:35~40 / S: 3000~4000




This is the overhead reel model as same blank as 526S. It is specialized overhead reel model to aim large amberjack or dogtooth tuna on water up to 200m depth or heavy and rapid area. Moderate stiffness of this blank will reduce physical burden of angler. The sensitiveness hidden in blank of it will let you sense slightly changes of current and help you to jerk jig delicately. You can old the rod on the gimbal belt or under your arm while enjoying the bend curve of this 526B.

Price:

Target: Blue Runner • Dogtooth tuna • yellowfin tuna Field: Island a.455mm b.700mm | Overhead reel Model





Galahad Spinning Model


The 632S, 633S and 634S have been designed to reduce unnecessary jumping and sliding of the jig and naturally swim the lure when jigging on a diagonal angle. In addition, this flexible blank design helps reduce the direct impact on the anglers wrist when jerking. In contrast, the 585S and 526S are built stiffer and will respond well when vertically jigging in deeper and faster flowing currents.

Galahad Overhead reel Model

622B,623B and 624B have flexible tip to let your jig swim naturally and you can adjust the way of approach if you are required thanks to belly and butt section that have been loaded moderate stiffness and repulsive force. 526B is little stiffer than others to fish as you planed at deep area or rapid water.

About weight of loading

The image of 1kg load shows you the bend curve when you jerk jig. And other images are weight as drug max and weight in between of them. Rods are held on the angle that you are supposed to keep it when you are fighting with fish.





TRAVEW

We have created 2pics jigging rod Galahad-TRAVEX to achieve high portability while reducing cost of transport.TRAVEX have been retuned to be transferred your power to metal jig directory thanks to high repulsive force hidden in new blanks. Also, it will be bent from little farther than previous models, you can give a various kind of action to your metal jig as such as one pitch jerk, high pitch jerk or combination easier than before.

These models are not only ideal for your fishing trips overseas but also great for your local waters. The sharp, yet flexible blank is best suited for anglers who prefer a speedy and quick action of your jigs.

Galahad TRAVEX / 3 Line up

Jigging / 2pcs

Electric Reel Jigging

The Galahad "電" are series especially designed for jigging with electric reels. These electric reels create a unique jig action which is difficult to replicate with ordinary reels that sometimes create unnecessary pauses. The heavy load placed on the blank by the mechanical winding of the reel is absorbed by the tip and the highly resilient belly section will allow anglers to rhythmically maneuver the jig through their rod-work.

Galahad 電 /3 Line up

All 3 models are highly resilient and will assist the anglers to maintain a dominant position when fighting unexpected large species that may bite.

****Suitable electric reel** / We suggest suitable ER on this catalog according to capacity of line, power and balance of weight between reel and rod. Of course, you can use reel other than that we suggested on this catalog, it depend on your target which you aim on the depth of water where you fish at. So please check the maximal value of lure weight, line weight and Drug weight as a guide for selecting the best reel for yourself. You can also fish with



Galahad 電

Price Lure: Jig ~150g Line: ~PE 3
Drag Max: 4kg

•Length: 1925mm •Weight: 200g Guide: SiC-S stainless frame K guide(Fuii)

If you are going to aim at small sized Blue Runner with PE 3, this 633 would be a perfect choice. Even though automatic reeling at constant speed, flexibility of tip and belly section will help you to jerk jig comfortably and set hook on with less failure. It will bend very much when fish is on, but you can fight with fun without any worry. You will be surprised that potential which is hidden side blank of 633 for sure.

b.695mm | Overhead reel Model Target: Yellowtail • Kingfish • Amberiack Field: Depth of~100m

624B電

Lure: Jig ~250g Line: ~PE 5
Drag Max: 6.5kg

•Length: 1905mm •Weight: 199g

586B電

●Length: 1740mm ●Weight: 222g

Lure: Jig ~350g Line: ~PE 6

Drag Max: 10kg

Galahad for Electric Reel / Bending Curve

This is standard jigging rod for ER to aim bluerunner around 5kg. You can be reeling with any speed thanks to nice and flexible tip section, then you can give the action to jig at your own will. If you hooked bluerunner more than 10kg, you do not have to worry about anything! It will enable you to keep it under control without being anxious. We believe that it may be allowed to call

almighty jigging rod for ER and we want anglers all over the world to fish with it. • Guide: SiC-S stainless frame K guide(Fuji) • Section: 1pc • Reel Seat: TCS18(Fuji) Suitable reel size D:300~500 / 1000~2000

Target:Yellowtail • Kingfish • Amberjack Field:Depth of~150m

If you are going to aim king fish or yellow tail over 10kg we recommend you to choose this monster hunter. You can give action to jig around 300g in 100m depth of the sea effectively. It is going to help you to jerk heavy jig without any burden or stress and to fight with big fish with huge advantage thanks to its flexibility, toughness, and versatility. Fulcrum point is going to move to butt section when you fight It is not just stiff rod, you can use it feel like your arm for sure.

Price:

• Guide: SiC Ocean Guide(Fuji)
• Section: 1pc • Reel Seat: TCS18(Fuji)
• Suitable reel size D:500 / S:2000~3000 Target:Yellowtail · Kingfish · Amberjack Field:Depth of~200m b.690mm | Overhead reel Model

To absorb the impact of power loading by electric reel, blank of this series have been designed to become more seamless even on continuous supply of loading. These have kind of parabolic Galahad 電 for Electric Reel Load Comparison action so good to be fished with manual overhead reel as well

633B 電 Load 1 · 2 · 4kg • 1kg

2kg

4kg

624B電 Load 1 · 3 · 6kg • 1kg 3kg ● 6kg

586B電 Load 1 • 6 • 12kg ● 1kg 6kg 12kg

TRAVEX **593S** Lure: Jig Max 180g Line: Max PE 3
Drag Max: 5kg This is versatile stick to cover various method of jigging such as horizontally or vertically with around PE3. Thanks to sharpness and lightness of this blanks, you can enjoy manipulating your jig as you wish to. If you aim yellowtail or kingfish with metal jig up to 180g on 30~80m depth of water, the potential of 593S will be shown definitely. Although blanks of 593S seems slim and •Length: 1775mm(CL:1135mm) •Weight: 206g •Guide: SiC-S+SiC stainless frame K guide(Fuji) •Section: 2pcs (Grip Joint) •Reel Seat: DPS18(Fuji) delicate, fish will be stopped and lifted by butt section which have been loaded massive power. Suitable reel size D:3500~4000 / S:5000~600 Target : Blue Runner Field : Shore line TRAVEX **594S** Price: Lure: Jig Max 240g Line: Max PE 4
Drag Max: 6.5kg If you aim kingfish or amberjack at near shore on expedition with around PE4, this 594S is the best choice. Lightness feeling f manipulation that is loaded as common characteristics of TRAVEX series enable you to handle long jig naturally a orizontally or to jerk jig aggressively at vertically. When you fish at fish bed with rough bottom or shallow area to aim tough target, you do not have to afraid to let it stop forcefully and aggressively without losing your initiative. Guide: SiC-S+SSiC stainless frame K guide(Fuji)
Section: 2pcs (Grip Joint) Reel Seat: DP518(Fuji)
Suitable reel size D:4000~4500 / S:6000~8000 Target : Blue Runner | Field : Shore line ~ Island a.495mm I TRAVEX **595S** Lure: Jig Max 320g Line: Max PE 5
Drag Max: 8.5kg lf you have plan to go to southern island of Japan or deep sea of overseas to aim large amberjack, dogtooth tuna or yellowfin tuna, please take 595S without hesitations. Tip section have been adjusted to become little flexible for increasing ability of manipulation and reducing burden of anglers when they jerk aggressively. Once huge fish is on, you will notice that it bends very •Length: 1780mm(CL:1130mm) •Weight: 279g smoothly and you might forget that it is 2pics grip jointed. Guide: SiC Ocean Guide(Fuji)Section: 2pcs (Grip Joint) Reel Seat: DPS20(Fuji) Suitable reel size D:4500~5000 / S:8000~10000

Galahad TRAVEX 2pcs Model Load Comparison

Galahad TRAVEX series are designed to become little stiffer and sharper than same power spec of 1piece model. Easier to load your power directory to jig when you start jerking especially on vertical jigging or approach to deep area with high pitch jerk.

595S



a.505mm

● 5kg Load 1 • 5 • 8.5kg 8.5kg *These images are not illustrated on the full potential or characteristics of rods. Please understand that those pictures are taken under the limited situation. It was loaded with weight on rods gently.

Target: Blue Runner · Dogtooth tuna · yellowfin tuna Field: Island

@ 1kg



SeaWalk Light Jigging /6 Line up




Light Jigging

You can aim Grunt, Horse mackerel, Blue runner, Rockfish, Sea bream or Hairtail systematically with these line up of Seawalk series.

Blanks of light Jigging series have been employed flexibility on tip, high operational performance on belly section and huge power on butt section to keep large fish under control especially when you use Tungsten-Jig.

The most important factor of "light jigging" with Tungsten-jig is how rod itself make jig swim naturally and shift to let it fall with quick response automatically. Of course it is also important for fine result to sense condition of the sea, then adjust jig weight to your PE line. That is the reason why we have pursued high sensitivity and flexible tip section to let Jig swim naturally

As we have explained already, you do not have to worry if bigger fish than you have expected is on. All models of light jigging series have been loaded enough power to keep huge fish under control.























SeaWalk Light Jigging Spinning model

Lure: Jig 15~40g / Cast Max 25g Line: PE 0.4~0.8

•Length: 2015mm(CL:1570mm) •Weight: 102g Guide: SiC-S stainless frame K guide(Fuji) Section: 2pcs (Grip Joint) Reel Seat: VSS16(Fuji) Suitable reel size D:LT2000~2500 / S:2000~C3000



This is the ultra-light class of light-jigging series to aim Grunt, Horse mackerel or else on shallow water with light weight jigs (around 20g). Combination of super fine PE line and Tungsten-jig make super light jigging possible to aim school of Grunt with falling action or Horse mackerel on the very bottom of the sea. And you will be able to cast jigs up to 25g or let jig up to 40g swim naturally in the 40m depth of water without any stress so you can aim variety of target depend on depth of water systematically. It is bent nicely when sea bream over 80cm or blue runner around 5kg without losing initiative.

Lure: Jig 30~80g / Cast Max 35g Line: PE 0.6~1

Length: 1935mm(CL:1475mm)
 Weight: 114q

Guide: SiC-S stainless frame K guide(Fuji)

a.370mm | b.505mm | Spinning Model

Target: Blue Runner, Bottom fish, Sea bream Hairtail, Grunt, Horse Mackerel (Aji) Field: up to 40m depth





Price: This is the standard model for light-jigging with Tungsten-jig on inshore. If you wish to cast jig up to 35g compactly or if you wish

to cast Tungsten jig or Tai rubber jig to search target widely around 30-60m depth of the sea, belly and butt section which have been loaded moderate stiffness and strength make it possible. Thanks to performance of well-balanced tip and belly section, you can manipulate jig up to 80g on 80m depth of the water and you can keep jig swimming naturally without too much kickback.


• Section: 2pcs (Grip Joint) • Reel Seat: VSS16(Fuji) • Suitable reel size D:LT2500~4000C / S:C3000~4000



a.390mm | b.525mm | Spinning Model

Target: Blue Runner · Bottom fish · Sea bream, Hairtail · Grunt · Horse Mackerel (Aji) Field: up to 80m depth

Price:



•Length: 1935mm(CL:1475mm) •Weight: 115g Guide: SiC-S stainless frame K guide(Fuii) • Section: 2pcs (Grip Joint) • Reel Seat: VSS16(Fuji) • Suitable reel size D:LT2500~4000C / S:C3000~4000



This is heaviest model of spinning model in this series. It will suit to deep area such as 50m-100m depth or field that current running rapidly. You can cast jig up to 50g. At the situation of vertical and horizontal fishing, you can handle jig up to 120g without any stress. You will notice that strength of butt section of 64ML once bigger fish than you expected is on. Taking advantage of cast ability and falling speed as spinning model, this 64ML will be the huge advantage if you fish on the sea very deep or current running rapidly

b.525mm | Spinning Model Target: Blue Runner · Bottom fish · Sea bream · Hairtail Field: up to 100m depth

SeaWalk SeaWalk Light Jigging Overhead reel model

Price: This 66L have employed high versatility to fish with Tungsten-Jig on 20m-50m depth of the sea.lt will good to be used for ROD SPEC Lure: Jig 40~80g Line: PE 0.6~1 Tairubber game thanks to its flexible tip section and belly section which have moderate stiffness with high sensitivity to let you

notice vital information or slightly changes of current. If you wish to aim Hair tail or Sea bass on bay area and try not to let jig move too much, this 66L will make it easier than other models for sure.

Target: Blue Runner · Bottom fish · Sea bream · Hairtail · Seabass Field: Jig - up to 50m depth / Tairubber- up to 100m depth b.530mm | Overhead reel model

B66ML

●Length: 1985mm(CL:1525mm) ●Weight: 131g ●Guide: SiC-5 stainless frame K guide(Fuji) Section: 2pcs (Grip Joint) ●Reel Seat: PULS17(Fuji) ●Suitable reel size 0:100~200 / S:100~300

B66L

ROD SPEC Lure: Jig 40~120g Line: PE 0.8~1.2

Guide: SiC-S stainless frame K guide(Fuji)
 Section: 2pcs (Grip Joint) Reel Seat: PULS17(Fuji)
 Suitable reel size D:100~200 / S:100~300




66ML have characteristic to cover wide range of depth of the sea (30m-80m) thanks to its well-balanced sensitiveness and powerfulness. Even you fish with Tungsten-jig, you will never lose response speed of jerk taking advantage of high sensitivity and manipulate ability thanks to characteristics of overhead model. It is also good to be used for Tairubber game in deep area (80m-100m) or current running rapidly.

Price:



B65M



 Length: 1960mm(CL:1490mm)
 Weight: 128g




SeaWalk Light Jigging / Bending Curve / Load 500g

This 65M is the most powerful model of light-jigging series which is good to be fished in high population of blue runner. Compared to other models of light-jigging series, it have been loaded little stiffer blank than other and vou can eniov manipulating jig manually with this 65M at your will. You can handle 80g-150g of Tungsten-jig comfortably with it. If you are

going to fish in 100m depth of water or rapid area with fine line, we recommend you to take this 65M









These are comparison images of "SeaWalk Light-jigging"series which are loaded 500g weight on tip. Common characteristics of light Jigging series are that tip section which have been employed flexibility, belly section which have high operational performance and butt section which have been loaded huge power to keep large fish under control.

Although these are suited to let jig swim naturally, if you chose more powerful model in this series, you will be able to jerk in steady rhythm thanks to moderate stiffness on the blanks. Blanks of spinning and overheard are totally different even if they are in same power class. Common characteristic of Light-jigging series is tough butt section.

Even though 67UL is bent well, enough butt power is on it. Enough power to aim fish over 5kg is loaded on all of blanks for Light-jigging series. Please select power class depends where you fish on or how heavy jig you choose





power to aim fish over 5kg is loaded on blanks, comaprison table shows you the power incluides feeling of manipurations.

That means you can handle lighter jig with lighter models.

Also you will be able to fight and land on red sea bream over 80cm with Tairubber and Tai jigging series.

Sensitiveness of models which are higher power on this chart table is higher when you use it in fast current. Please note that "power" on this chart is not just stands for availability to catch big fish. That meant the models which are on higher power are good to be used at deep water or fast current.

47



SeaWalk Tai-Model /8 Line up







Tairubber & Taijigging Category


The lure game targeting snappers with Tai-Rubber and Tai-jigs require the use of light lines to reduce the effect of water pressure and strong currents. The unique style of fishing will be productive with the Tai-rubber one day and only bite Tai-jigs on another. That's why people are so attracted to this snapper game and the reason for the development of our lineup of models.


The SeaWalk Tai-rubber models are highly sensitive to efficiently transmit the subtle changes in the current and pursuit of fish through the blank. The flexible tip will lead to a proper bite and the strong butt section will allow anglers to go head-to -head with the biggest of snappers out there.


In contrast, the SeaWalk Tai-jig models are built to lightly maneuver the jigs with ease and then powerful belly and butt section will successfully set hook in the hard mouth of the snapper.



SeaWalk Tairubber









a.450mm | b.560mm | Overhead reel Model












Target: Red Sea Bream Field: Around 100m depth







BlueSniper 85/4 Canary



BlueSniper for Tuna Game /4 Line up

Boat Casting

The BlueSniper boat casting series for Tuna are especially built to target Bluefin Tuna and Yellowfin Tuna. The overwhelming speed and torque of the Tuna will lead to a prolonged fight if your target takes initiative of the fight. It is absolutely imperative to continuously apply pressure on the fish by fully loading the blank with the full weight of the fish and the blank is designed to do exactly this.

All models also possess outstanding castability to shoot out the lures into feeding Tuna.



BlueSniper for Tuna Game















Lure: 25~100g Line: PE 3~5 Drag Max: 8kg/45°

Guide: Guide: SiC-S stainless frame K guide+SiC Ocean Guide(Fuj Section: 2pcs (Grip Joint) Reel Seat: DPS20/BACK STOP Double Nut(Fuj Suitable reel size D: 4500~5500 / S·D: 8000~14000



This is multiple and lighter model of Blacky series. As you can notice from "Canary" the name of 85/4, when you ain canary-colored fish as such as yellow fin tuna or kingfish, it will be the perfect partner of you. And you will be able to get enough distance to aim large fish with small lure such as less than 30g. When you do not want fish to run as it likes, powerful butt section will help you to stop the sudden run of lively fish and to pull it to surface quicker than you thought.

Target:TUNA up to 40kg · Huge Blue-runner Lure: Plug

81/6 Blacky

Lure: 30~110g Line: PE 4~6 Drag Max: 13kg/45°

•Length: 2480mm(CL:1775mm) •Weight: 3780

Cuide: SiC Ocean Guide(Fuji)

Section: 2pcs (Grip Joint) Reel Seat: DPS20/BACK STOP Double

Suitable reel size D: 5000~5500 / S·D: 14000



This is primarily a light tuna rod that enable to cast smaller lures which closely mimics actual baitfish. You can cast a small lure weighing 30g but it also has enough power to wrestle a tuna around 50kg. The same performance as currently blacky series, it has been designed to be bent nicely, and will correspond with the sudden run of big tuna, and to reduce the burden of anglers.



81/8 Blacky

Lure: 45~120g Line: PE 6~8 Drag Max: 15kg/45°

•I ength: 2480mm(CL:1775mm) •Weight: 387g



This has been designed as a versatile tuna rod which can cast not only small lures matching the size of sardines but also medium lures size of Dorado or baby vellow tail. Although the belly section will be bent and enable you to hold it with 70° of angle, it will still has enough power to pull up a tuna to the surface. Of course, you can use this 81/8 for large king fish without

Price:



81/10 Blacky

Lure: 50~130g Line: PE 8~10
Drag Max: 17kg/45°

Length: 2480mm(CL:1775mm)
 Weight: 399g

gun: 2480mm(LC:17/5mm) • weignt: 3999 de: SiC Ocean Guide(Fuji) tion: 2pcs (Grip Joint) • Reel Seat: DPS20/BACK STOP Double Nut(Fuj able reel size D: 6500 / S+D: 14000~20000



Rated at Pe 10 class for power, this rod targets big tunas around 100kg. The blank has more power than the 81/8 to enable casting lures up to 160g. Like the Blacky series, it bends nicely when loaded to endure the violent runs of tunas, 4ways carbon material are used on the butt section to reduce twisting of the blanks and adding another advantage during fights with big





Target: Migratory fish less than 25kg, Blue-runner, TUNA

51



BlueSniper /7 Line up



Boat Casting

The BlueSniper boat casting models are designed for all anglers to be able to easily cast and fight large species inhabiting the deep blue.

In order to enjoy the boat casting game to target small-large Bluerunners, Kingfish and Tuna, it is vital for anglers to choose the right tackle balance which match your target size and fishing conditions. The lineup of the BlueSniper boat casting series have a vast array of models suitable from small Kayaks to even large charter boats. For all models, the common characteristics we pursued was light casting feel and the ability to easily fully load the rod with your weight. These characteristics will surely be of advantage to you in the challeging off-shore boat game.




























b.755mm | Spinning Model

BLUE REEF

GT Game



GT game... Although GT bite lure aggressively and fight extremely hard, you will be required to manipulate lure as carefully and delicately as possible if you want to get result.

Of course, rod for GT is required versatility to be adjusted various lures which has been segmetalized to catch selective fish. We have tested these 3 models at tough fields such as southern islands of Japan over and over to shape our ideal of GT rod. Lightness to cast all day long, usability to respond anglers will, toughness and torque to keep initiative...reconcile these conflicting elements. We dedicate these series to anglers who are pursuing and aiming GT seriously.




























•Length: 2495mm(CL:1785mm) •Weight: 373g

• Guide: SiC Ocean Guide(Fuji) • Section: 2pcs (Grip Joint) • Reel Seat: DPS20(Fuji) • Suitable reel size D: 6500 / S·D: 14000~18000





This have been designed to be little lighter than 711/10Dual to enable anglers to use light line to cast long distance and to manipulate lure more delicately. You will be noticed some characteristics when you used pencil bait especially and once you hooked huge GT up, you must feel massive power from butt section for sure. You will be surprised that ability of cast and force of restitution which is hidden in blank of 80/8Dual thanks to technology of NANOALLOY® from TORAY. Which means that burden of anglers should be reduced scenically.


Price:

















Triceptor . /4 Line up

3pcs Pac Rod




Triceptor series have been developed as 3pices pack rod for your expedition. Compact sticks with enough power to keep monster fish under control and high portability will not let you worry about fishing in place where you have never been to.

Wide range of capacity of lure have been set on both 65ML and 68M to adjust the situation you will face on fishing trip. Durability and toughness are hidden in these 3 pieces of blanks with lightness, sharpness and sensitivity.



TAKOKING /1 Line up Octopus Game


















Triceptor & TAKO KING Load 1kg

Here is an illustration of the Triceptor and TAKO KING with a static load of 1kg. You can see that the TAKO KING rod has barely bent with the 1kg load as it is not that vital for the rod to bend when using Octopus rigs. The 3 piece Triceptor is a stiff rod which is highly durable and sharp. It is not only great for land-based but also ideal for the off-shore rock-fish game. We have 2 power classes of ML and M with both spinning and bait-casting models respectively. The blanks of the bait-casting models are the same as the spinning models but you can see the difference in the bending curve due to the different settings of the components







Lupus /6 Line up

Trout Game













TORZITE

The Lupus series are designed to cover the river systems from headwaters to the main-stream and possess the controllability required to maneuver the minnows to induce the bites in the intricate river currents.


The sharp castability and the seamless bending curve will assist anglers to adequately twitch the lures in the strong currents, while the powerful butt section will smoothly pump the fish towards you. Yamaga Blanks believe that these are necessary qualities required in the river game. The Mountain-Stream models are for smaller streams running in the mountains and the Main-Stream models are for your larger rivers to target salmon and trout.

Lupus Mountain Stream Model



ROD SPEC Lure: 1~7g Line: 2~6lb Class

This is short length trout rod to perform at its full potential on the mountain stream as known as small and varied. We have been loaded high ability of cast and manipulation of lure to fish on headwaters of mountain stream where the tough for anglers. You will be able to cast comfortably and once you have hooked fish up no matter how big it is, you will be fascinated with power and beautiful bending curve. It will be also recommended if you fish on the river where restricted area such as narrow and bushy in summer time.



Field: Mountain stream

61 Mountain Stream Model



This is the basic length model to cover various situation on the river. One of the remarkable characteristic of Lupus 61 is wide range of use of lures to search selective trout in various ways. You will be able to cast lightly without any stress while being loaded enough power on butt section to keep large trout under control. We believe that you will never leave it behind when you go to fish



a.200mm | b.315mm | Spinning Mode Field: Mountain stream

Mountain Stream Model

ROD SPEC Lure: 3~12g Line: 4~10lb Class

 Length: 2170mm(CL:1110mm)
 Weight: 96g Guide:TZ Titanium frame K Guide+Top Guide:Flange Ring Guide(Fuii) Section:2pcs (Spigot Ferrule) Reel seat :Original Wood grain shee


This is the one for wide and deep river. This is well balanced middle length trout rod which is good to be used at not only just wide area but also pool or back water of dam. You will keep large trout under control with its powerful but section and you will be able to hook small trout up smoothly with its sensitive and flexible tip section. Of course it have been loaded versatility to manipulate not only minnow but also spoon.

Field: Mountain stream a.235mm | b.355mm | Spinning Model

Lupus Main Stream Model



Lupus







a.330mm | b.425mm | Spinning Model

a.325mm | b.420mm | Spinning Mode



Field : Main stream

Field: Main stream

ROD SPEC Lure: 8~30g Line: 10~24lb Class

86 Monster Cherry will suit to the monster hunter who is aiming at trophy fish over 70cm. Compared to other 3 models, this 86 Monster Cherry have been loaded huge power on it. It have gotten more than enough butt power to fight against monster fish without losing sharpness to cast rhythmically, sensitivity to manipulate lure delicately. We can proudly say that this would be flagship model of Lupus series. We have built this up with the knowledge and experiences that have been cultivated from fishing for big one in saltwater so that this is more than enough to be called Monster Cherry for sure.






bent more and more while you are on fighting.





situation, it was loaded with weight

on rods gently.



● L51



YAMAGA Blanks INTERNATIONAL



FWP-90H

for Flesh water Predator

ROD SPEC Lure: 20~100g Line: MAX PE 3

Guide: SiC-S Stainless frame K guide(Fuji)
Section:2pcs (Put over Ferrule) Reel seat: DPS18 (Fuji)
Suitable reel size D:3000~4000 / S:4000~5000

This versatile model is specially designed for big fresh water predators like pike, hucho, catfish etc. Powerful, light and precise. During testing in the European area, we have focused on the guide diameter that it could be used without stress even in extremely cold areas where the guide would be frozen. Also it has enough power to cast big lures up to 100g, but in the other way sensitive enough to fish with small and light lures around 20g. When you require to cast long distance with big lures, specially on wide rivers targeting big hucho, with this rod it is not a problem anymore. FWP-90H has been designed to cast big jig heads, minnows from 10 to 20cm or heavy sponge lures for hucho.

Lure: Big jig heads • Minnows • Plug Target: Pike · Hucho · Catfish Field: River · Lake b.585mm | Spinning Model a.445mm |



EARLY 103M LTD for Surf





•Length: 3150mm(CL:1610mm) •Weight: 176g
•Guide: SiC-S Titanium flame K Guide(Fuji)+Butt Guide: RV Guide (Fuji)
•Section:2pcs (Put over Ferule) •Reel seat: VS517 (Fuji)
•Suitable reel size D:LT4000C~5000C / S:4000~C5000

This is a limited model especially tuned with the highest-grade components to bring out the true potential of the EARLY 103 blank built for surf casting. In order to reduce the weight of the tip, we have changed the guides from SiC-S stainless steel K guides to SiC-S titanium frame. In addition, the butt guide has also been changed to the RV guide which will drastically reduce the flickering of the tip and will smoothly exert line. These upgrades will truly be of advantage to you in the vast surf game to cast further with heightened sensitivity

a.420mm | b.555mm | Spinning Model

Field: Sandy Shore · Rocks · Estuary

Price:



ROD SPEC Lure: 8~50g Line: PE 1~2

 Length: 3295mm (CL:1690mm)
 Weight: 190g Guide: SiC-S Titanium flame K Guide(Fuji)+Butt Guide: RV Guide (Fuji)
Section:2pcs (Put over Ferrule) Reel seat: VSS17 (Fuji)
Suitable reel size D:LT4000C~5000C / S:4000~C5000

This is a limited edition of the EARLY 109MMH with the upgrades in guides, like the 103M limited, and customized the grip from a straight style to a separate grip. Compared to the standard model, the rebalanced limited edition will enable anglers to cast farther with less effort allowing for you to fish all day long without any stress. The outstanding castability of the standard model

Field: Sandy Shore · Rocks



ROD SPEC Lure: 10~50g Line: PE 1~2

I ength: 3180mm (CI:1630mm)
 Weight: 192a

All 3 models in the EARLY limited edition have been built up of the same blank as the standard models, however the tuning of the components have drastically solidified the experience and potential of the original blank. This 105MH Limited edition is no exception with the honing of its sensitivity and technical controllability of heavy lures. We present this rod to those hard-core

anglers out there who are in pursuit of the true essence of the intricate surf game. • Guide: SiC-S Titanium flame K Guide(Fuji)+Butt Guide: RV Guide (Fuji)
• Section:2pcs (Put over Ferrule) • Reel seat: VSS17 (Fuji)
• Suitable reel size D:LT4000C~5000C / S:4000~C5000 Field · Sandy Shore · Rocks a.455mm | b.585mm | Spiining Mode

BlueCurrent 57 JH TZ/NANO PROFESSOR

Price:





The 57JH is especially designed to utilize light weight jig-head rigs with outstanding castability, control and sensitivity. The sharp blank will surely assist anglers for close range targets which are rejuctant to bite. The blank is not only sensitive and flexible but the butt section is also powerful enough to withstand any unexpected encounters. Its not just a rod to target small species, but an aggressive ultra light class rod.

Target: Horse Mackerel (Aji) · Rock fish Field: Port a.205mm | b.270mm | Spinning Model

BlueCurrent 66 JH TZ/NANO PROFESSOR





ROD SPEC Lure: JH 0.2~6g Line: PE ~0.4 / NY • FC 1~3lb

 Section: 2pcs (Spigot Ferrule)
 Reel seat: VSS16(Fuji) Suitable reel size D:LT1000~2000 / S:1000~C2000

The 66JH is a specialized model for use with jig-head rigs with sharp and hyper sensitive characteristics. Although it is flexible the blank possesses a sharp casting feel and will enable anglers to easily control the light jig-heads. This sharpness will also assist you to cast with pinpoint accuracy and transmit the subtle information of currents and water pressure through the blank. It is an ideal choice for light gamers who prefer a more aggressive approach. We are confident that the sharpness in the blank will bring out the best in your abilities

Target: Horse Mackerel (Aji) · Rock fish Field: Port a.265mm | b.330mm | Spinning Model

BlueCurrent ' Plug TZ/NANO PROFESSOR



Lure: Plug Max 7.8g / ComfortWeight 1.6~4.5g Line: PE 0.2~0.4

Length: 2140mm (CL:1090mm) Weight: 67g Guide: TORZITE titanium frame K Guide (Fuji Section: 2pcs (Spigot Ferrule) ● Reel seat: VSS16(Fuji)
 Suitable reel size D:LT2000 / S:2000~C2500

The 70Plug is a plugging model to target Japanese Horse Mackarel and Japanese rock fish with hard bodied lures. It is suitable for use with surface type plugs which are effective when the fish are feeding on Krill and the controllability of super small top water lures are exceptional. The response of the blank is also outstanding for twitching small minnows and the flexibility will drastically reduce miss-bites from your target. In addition, anglers will be able to cast lures weighing up to 7.8g for sinking pencil type lures when searching the vast surf for your targets.



BlueCurrent 3 All-Range TZ/NANO PROFESSOR



ROD SPEC Lure: 0.5~12g Line: PE 0.2~0.6

•Length: 2225mm (CL:1135mm) •Weight: 73g • Guide: TORZITE titanium frame K Guide (Fuji) • Section: 2pcs (Spigot Ferrule) • Reel seat: VSS16(Fuji) • Suitable reel size D:LT2000~2500C / S:2000~2500 The 73All-Bange is a light~middle class versatile rod able to handle various species around the world utilizing various fishing methods. By shortening and sharpening the 85TZ/NANO All-Range, this has allowed for a more technical approach. The enhanced response and controllability of the rod has enabled easier use of jig-heads, various rigs, hard bodied lures and even small egi (squid jigs). We hope you have a chance to take hold of this sharp and highly resilient blank in the field.

Target : Anything Field : Anywhere a.275mm | b.340mm | Spinning Mode

BlueCurrent TZ Trippers

Price:









Length: 2145mm (CL:560mm)
 Weight: 72g

Guide: TORZITE titanium frame K Guide (Fuji)

Section: 2pcs (Spigot Ferrule) Reel seat: VSS16(Fuji)

Suitable reel size D:LT1000~2000 / S:C2000~2500

This is a 4 piece light game model for travelling anglers around the world. You will be able to experience first handedly Yamaga Blanks state of the art designs in this pack-rod which possesses a strong butt section yet allowing the whole rod to smoothly bend. Although the rod may feel stiff, the flexibility of the blank creates a beautiful bending curve and is suitable for not only salt-water species but also trout and even large mouth bass in fresh-water environments. Its ability to handle a wide array o lures will open up new doors for your overseas fishing trips.

Target: Anything Field: Anywhere a.275mm | b.340mm | Spinning Model

BlueCurrent

Price:







ROD SPEC Lure: ~7g Line: PE 0.3~0.8 can strongly recommend this rod for fishing enthusiasts and kids who are not bound to one type of fishing style but those who can enjoy not only the lure game but also utilize bait for when the fishing is slow. If you are not so particular about the style of Length: 1830mm (CL:940mm)Weight: 62g fishing, then just throw some lures and other rigs in your tackle box and simply head to sea. We are confident that you will find Section: 2pcs (Put over Ferrule) Reel seat: IPS16 (Fuji)
 Suitable reel size D:LT1000 / S:1000(C2000) the child within yourself

Target : Anything Field : Anywhere a.240mm | b.300mm | Spinning Mode

*The type of each model icon conforms to the product page of Early Blue Current

2021YAMAGABLANKSORIGINALGOODS



Size: M/L/XL Cotton100% (5.6oz)







Child size: 130cm/150cm Cotton100% (5.6oz)



YB Dry zip hoodie

Price



Cotton15% Polyester85%

2021 YB Long sleeve t-shirt



AMAGA AMAGA Navy

YAMAGA Blanks x Stream Trail

Waterproof (level 2)

XIt is not waterproof product.



capacity:10L size: W36×H37×D11 Cotton100%

size: M/L/XL

size: M/L/XL

(Handle · flapNot included)

model: StreamTrail Mero-0

■Product Specifications

capacity:94L

size:

Function:



Dry fabric on surface raised fabric inside

YB Light weight Dry zip hoodie Price:





Material: Polyester100% UVcut (SPE20) With function Light weight full zip hoodie

Price



YB Logo(Embroidered in Black)







YB Logo(Embroidered in Black)

YB Flat visor mesh cap

YB Work Cap Price:



Navy in White) Shape: Low Profile type

YB Original Low Profile Cap

YB Logo(Embroidered in White) Nanowing®(water repellent fabric) is used (Cotton100%) Black Breathatec® from TORAY which is YB Logo(Embroidered keep you dry and comfortable.

YB Original Dry Polo-Shirt

Size: M/L/XL Polyester100%



BLC III t-shirt Size: M/L/XL Cotton100%

YB tote bag Price:



PG Rod Belt Power grip with Neoprene Rod belt

Pouch type

Color: Black

Size: Free

Price:



YB Zoom Shaft Price:

Telescopic type / 8pcs weight: 310g

It is a telescopic type landing shaft that originated YAMGA Blanks. Although it is compact in size, moderate stiffness and strength, and can be used

widely from light games to sea bass.

YB Self-inflating

Life Jacket

Neck over type

Size: Free

Price:

Color: Black

Deployment length: 2900mm Closed size: 455mm

This is Rod belt that Antiskid rubber have been sewn on part of it. You can use it as rod belt ordinally situation, and if the joint was fixed

L40mm×350mm 1set:2pcs

LL 99mm×500mm 1set:1pcs Price:

too tight, please grab and twist with antiskid rubber to separate them. Incredible power of grip will help you to separate them in each piece safely.

If the rod got wet, the performance of antiskid will not be decreased.

Please take one of them to next

fishing trip for just in case.

(NEW) YB Landing Handle

Body: Made of carbon Surface: Rubber processing Screw standard: W 1/2 length: 275mm weight: 144g



is a carbon handle ideal as for the landing net of seabass wading games. Also, if you set a gaff, you able to use it as a hand gaff in situations such as rocky shore and

Material: Stainless (SUS316L) Size: W20mm×H44mm×D165mm weight:58g

It is a "Stay" which can be attached to the YB landing handle. Useful when you are wading.

TipCover S

Length 360mm

Color: Black

Material: Neoprene & Piece of Velcro Suitable for light class rods (BlueCurrent etc.)

TipCover M

Length 450mm Black: Neoprene & Piece of Velcro Price:

Suitable for medium class rods (Early, Ballistick BlueSniper etc.)

Embroidery Emblem (Iron ons type)





Fish logo sticker

7 Type Price:

Price:

Color: White(Cut out letter) Size:170mm×70mm

%Please note that design of Fish logo sticker might be changed without notice.



Ballistick / SeaBass



Blue Current YAMAGA BLANKS

SeaWalk / Snapper

YB Shoulder Belt Price:

zoom shaft and rods.

Rod Belt

Color: Black

It is a shoulder hang belt, that is able to conveniently transport the YB

Also, we have added D-ring on shoulder pad, you can equip the poach.

YB Landing Handle · Stay

Total Block

Material: Neoprene & Piece of Velcro

S 26mm×190mm 1set:2pcs Price:

L 40mm×350mm 1set:2pcs Price:

LL 99mm×500mm 1set:1pc Price:

LL 99mm×500mm 1set:2pcs Price:

Size: W:90mm

(Lining: Nylon)

your life vest or belt.
Water stop double zipper
**It is not waterproof product.

H:145mm

D:50mm Material: Polyester

Carabiner and strap with it to attach

Price:

YB ORIGINAL POUCH



Mebius / Squid



Calista / Squid



BlueSniper / KingFish



CatiState VAMAGA BLANKS

BlueSniper / Tuna

Cutting Sticker

Size: 309 mm ×127 mm White

Black





4 Colors Price:

YB Cutting Sticker Special Color 2Colors Price:

Size: 182 mm ×76 mm

Orange






White

Cutting Sticker (Mini) 5Colors Price: Size: 170 mm \times 70 mm







EARLY / All Casting Category Spec

Р	Item	Price	JAN CODE	S e	Lt [mm	CL-Lt	Wt [g]	Lure	Line	Guide	Reel Seat	Lock nut	Joint	Drag Max	Carbon (%)		Butt [mm]	Position [mm]	Suitable reel size
8	NEW 99ML for Surf		4560395518529	2	298	0 1525	155	7 ~ 35g	PE 0.8 ~ 1.5	SiC-S/ST/K	VSS16	U	Put over		95.1	1.8	12.7	540	D:LT4000C ~ 5000C / S:4000 ~ 5000
8	NEW 105MMH/B for Surf		4560395518536	2	317	5 1625	189	15 ∼ 50g	PE 1.5 ~ 2.5	SiC-S/ST/K	ACS17	D	Put over		94.3	1.9	15.3	585	-
8	103M for Surf		4560395517089	2	315	0 1610	174	8 ~ 42g	PE 0.8 ∼ 1.5	SiC-S/ST/K	DPS18	U	Put over		94.2	1.7	14.1	555	D:LT4000C~5000C / S:4000~C5000
8	109MMH for Surf		4560395517096	2	329	5 1690	195	8 ∼ 50g	PE 1 ~ 2	SiC-S/ST/K	DPS18	U	Put over		95.6	2.1	16.3	565	D:LT4000C~5000C / S:4000~C5000
8	105MH for Surf		4560395517102	2	318	0 1630	192	10 ∼ 50g	PE 1 ~ 2	SiC-S/ST/K	DPS18	U	Put over		95.9	1.8	14.8	570	D:LT4000C~5000C / S:4000~C5000
10	NEW 86MH for Rock		4560395518543	2	259	0 1325	123	7 ~ 40g	PE 1 ∼ 2	SiC-S/ST/K	VSS16	U	Put over		91.2	1.9	11.7	500	D:LT3000~4000C / S:C3000~4000
10	NEW 104H for Rock		4560395518550	2	316	0 1615	205	15 ∼ 60g	PE 1 ~ 3	SiC-S/ST/K	DPS18	U	Put over		94.0	2.2	14.4	555	D:LT4000C~6000 / S:4000~C5000%
10	NEW 93MH/B for Rock		4560395518567	2	3 281	5 1445	149	10 ∼ 50g	PE 1.2~2.5 / FC 12~20lb	SiC-S/ST/K	ACS17	D	Put over		93.5	2.0	13.0	535	-
10	NEW 93M for Seabass		4560395518598	2	281	9 1445	147	7 ~ 35g	PE 0.8 ~ 1.5	SiC-S/ST/K	VSS16	U	Put over		94.9	2.0	12.7	525	D:LT3000 ~ 4000C / S:3000 ~ 4000
10	NEW 97MMH for Seabass		4560395518604	2	292	5 1500	156	8 ~ 42g	PE 1 ~ 2	SiC-S/ST/K	VSS16	U	Put over		94.9	1.8	12.9	525	D:LT4000C~5000C / S:4000~C5000

Ballistick / Seabass Category Spec

1	.5 8	B6M TZ NANO	4560395515207	2	S	2605	1330	122	6 ∼ 32g	PE $0.8\sim1.5$	TZ/Ti/K※	VSS16	U	Spigot	 99.8	1.6	10.5	475	D:LT3000C ~ 4000C / S:C3000 ~ 4000
1	.5 9	94M TZ NANO	4560395515214	2	S	2850	1455	143	6 ∼ 35g	PE $0.8\sim1.5$	TZ/Ti/K※	VSS16	U	Spigot	 99.8	1.8	11.7	480	D:LT3000C ~ 4000C / S:C3000 ~ 4000
1	5 9	96MMH TZ NANO	4560395515221	2	S	2910	1485	151	8 ~ 38g	PE 1 ∼ 2	TZ/Ti/K※	VSS17	U	Spigot	 99.8	2.0	12.2	495	D:LT3000~5000C / S:4000~C5000
1	.5 1	LO2MH TZ NANO	4560395515238	2	S	3110	1590	177	8 ∼ 42g	PE 1 ∼ 2	TZ/Ti/K※	VSS17	U	Spigot	 99.8	2.3	15.0	510	D:LT4000C~5000C / S:4000~C5000
1	.5 8	310ML RC NANO	4560395516112	2	В	2695	1375	134	7 ∼ 32g	PE $0.8\sim1.5$	SiC-S/Ti/K	ACS16	D	Spigot	 99.8	2.0	11.1	485	
1	.5 9	93M NANO	4560395515122	2	В	2830	1445	159	8 ∼ 42g	PE 1 ∼ 2	SiC-S/Ti/K	ACS17	D	Spigot	 99.8	2.4	13.0	505	
1	5 1	LO3MH NANO	4560395516129	2	В	3135	1600	191	10 ∼ 45g	PE 1.5 ∼ 2.5	SiC-S/Ti/K	ACS17	D	Spigot	 99.8	2.1	14.8	555	
1	.5 H	HIRA 107M TZ NANO	4560395516143	2	S	3230	1650	196	7 ~ 40g	Max PE 1.5	TZ/Ti/K※	DPS18	U	Spigot	 99.6	2.2	16.6	585	D:LT4000C~5000C / S:4000~C5000
1	.5 H	HIRA 107MH TZ NANO	4560395515245	2	S	3230	1650	198	7 ∼ 45g	Max PE 2	TZ/Ti/K※	DPS18	U	Spigot	 99.7	2.0	15.4	755	D:LT4000C~5000C / S:4000~C5000
1	.5 H	HIRA 11MH TZ NANO	4560395515252	2	S	3360	1720	228	8 ∼ 50g	Max PE 2.5	TZ/Ti/K※	DPS18	U	Spigot	 99.8	2.4	16.9	680	D:LT6000 / S:C5000

BlueSniper / Shore Casting & Jigging Category Spec

18 103L PlugSpecial	4560395517423	2 !	3135	1600	240	Jig ~40g / Plug 15~40g	Max PE 2	SiC-S/ST/K	DPS18	U	Spigot	4kg/45°	99.6	2.1	14.8	660	D:3500~4000 / S:4000 ~ 6000
18 96ML	4560395515986	2 !	2935	1500	223	Jig ~60g / Plug ~40g	Max PE 2	SiC-S/ST/K	DPS18	U	Spigot	3kg/45°	99.8	2.5	14.5	660	D:3000 ~ 3500 / S:4000 ~ 6000
18 100M	4560395515993	2 !	3070	1570	245	Jig ∼80g / Plug ∼50g	Max PE 3	SiC-S/ST/K	DPS18	U	Spigot	4.5kg/45°	99.8	2.6	16.4	660	D:4000 / S:6000 ~ 8000
18 97MMH	4560395516006	2 !	2950	1515	296	Jig ~100g / Plug ~60g	Max PE 4	SiC-S/ST/K+OC	DPS20	U	Spigot	6kg/45°	99.8	2.9	16.1	740	D:4000 ~ 4500 / S • D:6000 ~ 8000
18 100MH	4560395516013	2 !	3070	1575	307	Jig ~120g / Plug ~80g	Max PE 4	OC	DPS20	U	Spigot	6kg/45°	99.8	3.3	16.8	740	D:8000 / S · D:6000 ~ 10000
18 106H PlugSpecial	4560395516037	2 !	3215	1650	325	Jig ∼130g / Plug ∼100g	Max PE 5	OC	DPS20	U	Putover	8kg/45°	99.6	2.9	17.6	740	D:10000 ~ 14000 / S:8000 ~ 14000
18 910H	4560395516020	2 !	3030	1550	326	Jig ~150g / Plug ~120g	Max PE 5	OC	DPS20	U	Spigot	8kg/45°	99.8	3.0	17.0	740	D:10000 ~ 14000 / S:8000 ~ 14000

BlueCurrent TZ/NANO / Light Game Category Spec

21	NEW 610Plug Quickness	4560395518642	2	S	2100	1075	64	Plug 1.5~6g / JH 0.5~5g	PE 0.1 ~ 0.4	TZ/Ti/K	VSS16	D	Put over	 99.8	1.3	8.0	355	D:LT1000 ~ 2000 / S:1000~C2000
21	NEW 73Plug Seamless	4560395518659	2	S	2220	1135	67	Plug 1.5~6g / JH 0.3~5g	PE $0.1 \sim 0.4$	TZ/Ti/K	VSS16	D	Put over	 99.8	1.3	8.9	360	D:LT1000 ~ 2000 / S:1000~C2000
22	62TZ NANO JH Special	4560395515955	2	S	1880	965	53	JH ~3g	NY ⋅ FC 1 ~ 3lb	TZ/Ti/K	VSS16	D	Put over	 99.8	1.4	6.9	290	D:LT1000 ~ 2000 / S:1000~C2000
22	67/TZ NANO JH Special	4560395517232	2	S	2020	1035	61	JH \sim 5g / Plug \sim 3.5g	PE ~0.4 / NY · FC 1~3lb	TZ/Ti/K	VSS16	D	Put over	 99.8	1.3	7.9	340	D:LT1000 ~ 2000 / S:1000~C2000
22	71/TZ NANO JH Special	4560395517249	2	S	2175	1115	63	JH 0.3~5g/Rig ~7g/Plug 1.6~4.5g	PE ~0.4 / NY · FC 1~4lb	TZ/Ti/K	VSS16	D	Put over	 99.7	1.4	8.7	343	D:LT1000 ~ 2000 / S:1000~C2000
22	72TZ NANO Jig Special	4560395513913	2	S	2185	1125	70	Jig 1.5 ∼ 15g	PE 0.3 ~ 0.8	TZ/Ti/K	VSS16	D	Put over	 99.3	1.5	9.8	350	D:LT2000 ~ 2500C / S:2000~C2500
22	77TZ NANO Stream Special	4560395513920	2	S	2310	1190	74	Plug 2~9g / Rig 1.5~13g	PE 0.3 ~ 0.8	TZ/Ti/K	VSS16	D	Put over	 99.3	1.6	10.4	370	D:LT2000 ~ 2500C / S:2000~C2500
22	83/TZ NANO Flex	4560395517256	2	S	2520	1290	73	JH 0.8~5g/Rig 1.8~10.5g/Plug 1.5~8g	PE 0.2 ~ 0.6	TZ/Ti/K	VSS16	D	Put over	 99.8	1.4	10.4	407	D:LT2000 ~ 2500C / S:2000~C2500
22	85TZ NANO All Range	4560395515276	2	S	2570	1315	80	3 ~ 21g	PE 0.4 ~ 1	TZ/Ti/K	VSS16	D	Put over	 99.7	1.6	11.2	395	D:LT2000 ~ 2500 / S:2000~2500
22	93/TZ NANO All Range	4560395517263	2	S	2825	1440	90	3 ~ 21g	PE 0.4 ~ 1	TZ/Ti/K	VSS16	D	Put over	 99.7	1.6	12.7	420	D:LT2500C ~ 2500 / S:2500~C3000

BlueCurrent III / Light Game Category Spec

2	4 I	Ⅲ 53	4560395517782	2	S 1	1610	835	53	MAX 4.5g%	PE 0.06~0.3/NY • FC 1~3lb	SiC-S/ST/K	VSS16	D	Put over	 91.3	1.3	6.9	240	D:LT1000 ~ 2000 / S:500~C2000
2	4 I	II510	4560395517805	2	S 1	1775	915	56	MAX 4.5g%	PE 0.06~0.3/NY • FC 1~3lb	SiC-S/ST/K	VSS16	D	Put over	 91.5	1.3	7.2	295	D:LT1000 ~ 2000 / S:500~C2000
2	4 I	I I63	4560395517812	2	S 1	1910	985	59	MAX 5g%	PE 0.06~0.3/NY • FC 1~3lb	SiC-S/ST/K	VSS16	D	Put over	 91.6	1.3	7.7	300	D:LT1000 ~ 2000 / S:500~C2000
2	4 I	Ⅲ 69	4560395517829	2	S 2	2070	1065	66	MAX 7g%	PE 0.08~0.4/NY • FC 1~4lb	SiC-S/ST/K	VSS16	D	Put over	 91.6	1.3	8.2	350	D:LT1000 ~ 2000 / S:1000~C2000
2	4 I	I I 74	4560395517843	2	S 2	2235	1145	71	MAX 10g%	PE 0.1~0.5/NY • FC 1~5lb	SiC-S/ST/K	VSS16	D	Put over	 92.1	1.3	9.5	360	D:LT1000 ~ 2500C / S:1000~2500
2	4 I	II 76 Stream	4560395517935	2	S 2	2290	1175	81	MAX 12g%	PE $0.3 \sim 0.8$	SiC-S/ST/K	VSS16	D	Put over	 96.4	1.5	9.7	360	D:LT2000 ~ 2500C / S:2000~2500
2	4 I	Ⅲ 711	4560395517850	2	S 2	2425	1245	81	MAX 11g%	PE 0.2 ~ 0.6	SiC-S/ST/K	VSS16	D	Put over	 91.6	1.4	9.9	380	D:LT1000 ~ 2500C / S:1000~2500
2	4 I	Ⅲ 82	4560395517867	2	S 2	2495	1280	83	MAX 20g%	PE $0.3 \sim 0.8$	SiC-S/ST/K	VSS16	D	Put over	 90.5	1.4	11.2	405	D:LT2000 ~ 2500C / S:2000~2500
2	6 I	Ⅲ53B	4560395517799	2	B 1	1610	835	67	MAX 4.5g%	PE 0.3~0.5/NY • FC 3~5lb	SiC-S/ST/K※	PMTS17	D	Put over	 91.3	1.3	6.5	320	Overhead reel for finesse game
2	6 I	 ■69B	4560395517836	2	B 2	2070	1065	77	MAX 7g%	PE 0.3~0.6/NY • FC 3~6lb	SiC-S/ST/K※	PMTS17	D	Put over	 91.6	1.3	8.0	380	Overhead reel for finesse game
2	6 I	Ⅲ82B	4560395517874	2	B 2	2495	1280	93	MAX 20g%	PE0.4~0.8/NY · FC4~10lb	SiC-S/ST/K	PMTS17	D	Put over	 90.5	1.4	10.8	445	Overhead reel for finesse game

Calista / Eging Category Spec

	0 0 0	, , ,																	
3	0 86L TZ NANO		4560395515016	2	S 2	582	1325	93	Egi 2.5 ~ 3.5	PE $0.4 \sim 0.8$	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.6	10.2	410	D:LT2500 / S:C3000
3	0 82ML TZ NANO		4560395515023	2	S 2	500	1285	95	Egi 2.5 ~ 3.5	PE 0.5 ~ 1	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.7	10.8	415	D:LT2500~3000C / S:C3000
3	0 89ML TZ NANO		4560395515047	2	S 2	672	1365	100	Egi 2.5 ~ 3.5	PE $0.5\sim1$	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	11.7	425	D:LT2500~3000C / S:C3000
3	0 710M TZ NANO		4560395515368	2	S 2	395	1225	100	Egi 2.5 ~ 4.0	PE $0.6\sim1$	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	11.1	420	D:LT2500~3000C / S:C3000
3	0 82M TZ NANO		4560395516525	2	S 2	485	1280	98	Egi 2.5 ~ 4.0	PE $0.6\sim1$	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	11.5	420	D:LT2500~3000C / S:C3000
3	0 86M TZ NANO		4560395515030	2	S 2	575	1325	99	Egi 2.5 ~ 4.0	PE 0.6 ∼ 1	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	12.1	425	D:LT2500~3000C / S:C3000

Mebius / Eging Category Spec

3:	2 710L	4560395516549	2	S	2390	1225	84	Egi 1.8 ~ 3.5(~ 21g)	PE 0.3 ∼ 0.6	SiC-S/ST/K	VSS16	D	Put over	 96.4	1.5	9.3	385	D:LT2500 / S:2500~C3000
3:	2 88L	4560395516556	2	S	2645	1350	93	Egi 2.5 ~ 3.5(~ 21g)	PE 0.4 ~ 0.8	SiC-S/ST/K	VSS16	D	Put over	 96.5	1.5	10.3	405	D:LT2500 / S:C3000
3	2 85ML	4560395516563	2	S	2555	1305	93	Egi 2.5 ~ 3.5(~ 24g)	PE $0.5\sim0.8$	SiC-S/ST/K	VSS16	D	Put over	 96.5	1.6	10.9	415	D:LT2500~3000C / S:C3000
3	2 79M	4560395516570	2	S	2365	1210	89	Egi 2.5 ~ 4.0(~ 28g)	PE 0.5 ~ 1	SiC-S/ST/K	VSS16	D	Put over	 96.5	1.7	10.4	470	D:LT2500~3000C / S:C3000
3	2 86M	4560395516587	2	S	2595	1325	98	Egi 2.5 ~ 4.0(~ 30g)	PE 0.5 ~ 1	SiC-S/ST/K	VSS16	D	Put over	 96.6	1.7	11.7	420	D:LT2500~3000C / S:C3000
3:	2 83MH	4560395516594	2	S	2515	1285	98	Egi 3.0 ~ 4.5(~ 35g)	PE 0.6 ~ 1.2	SiC-S/ST/K	VSS16	D	Put over	 96.6	1.8	12.0	415	D:LT3000C / S:C3000

BattleWhip / Boat Eging Category Spec

3	34	TR 63/N	4560395517737	2	S	1920	975	75	$30\sim60\mathrm{g}$ / Depth $20\sim50\mathrm{m}$	PE 0.4 ~ 0.8	SiC-S/ST/K%	VSS16	D	Put over	 95.2	0.8	8.5	380	D:LT2500C~3000C / S:2500~C3000
3	34	TR 73/S	4560395517751	2	S	2225	1145	83	$20\sim40\mathrm{g}$ / Depth $\sim30\mathrm{m}$	PE 0.4 ~ 0.8	SiC-S/ST/K※	VSS16	D	Put over	 95.1	0.8	9.6	390	D:LT2500~3000C / S:2500~C3000
3	34	TR 69/D	4560395517744	2	S	2075	1060	80	$50\sim80\mathrm{g}/$ Depth $40\sim90\mathrm{m}$	PE $0.6\sim1$	SiC-S/ST/K※	VSS16	D	Put over	 95.3	0.8	9.5	380	D:LT2500~4000C / S:C3000~4000
3	34]	IM 69S	4560395517911	2	S	2070	1060	86	Egi Max 25(90g)	PE $0.4\sim0.8$	SiC-S/ST/K※	VSS16	D	Put over	 89.1	0.8	8.0	585	D:LT2500~3000C / S:2500~C3000
3	34]	IM 69B	4560395517928	2	В	2070	1060	100	Egi Max 30(110g)	PE 0.4 ~ 0.8	SiC-S/ST/K※	PMTS17	D	Put over	 89.1	0.8	7.8	620	D:100 ~ 200 / S:100 ~ 200
3	34 (OR 72/C	4560395517904	2	S	2190	1125	99	Cast Max 40(150g)	Max PE 1	SiC-S/ST/K	VSS16	D	Put over	 85.6	1.7	9.6	540	D:LT2500~5000C / S:3000~C5000

Galahad / Jigging Category Spec

Р	Item	Price	JAN CODE	S e c	R e e	Lt [mm]	CL-Lt [mm]	Wt [g]	Lure	Line	Guide	Reel Seat	Lock nut	Joint	Drag Max	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]	Suitable reel size
39	632S		4560395517300	1	S I	1915		169	Jig Max 140g	Max PE 2	SiC-S/ST/K	DPS18	U		3kg	84.9	1.9	9.3	637	D:3500 ~ 4000 / S:5000 ~ 6000
39	633S		4560395517317	1	S	1915		178	Jig Max 180g	Max PE 3	SiC-S/ST/K	DPS18	U		4kg	84.5	2.0	9.8	633	D:3500 ~ 4000 / S:5000 ~ 6000
39	634S		4560395517324	1	S	1915		196	Jig Max 220g	Max PE 4	SiC-S/ST/K	DPS18	U		6kg	73.9	2.2	10.4	660	D:4000 ~ 4500 / S · D:6000 ~ 8000
39	585S		4560395517331	1	S	1745		212	Jig Max 280g	Max PE 5	SiC-S/ST/K	DPS18	U		8kg	88.4	2.7	9.8	700	D:4500 ~ 5000 / S • D:8000 ~ 10000
39	526S		4560395517348	1	S	1585		304	Jig Max 350g	Max PE 6	OC	DPS20	U		12kg	86.5	3.6	12.0	693	D:5000 ~ 6500 / S · D:10000 ~ 20000
39	622B		4560395517270	1	B 1	1890		187	Jig Max 150g	Max PE 2	SiC-S/ST/K	PLS18	D		3kg	85.3	1.9	9.0	621	D:10 ~ 15 / S:1000 ~ 1500
39	623B		4560395517287	1	B 1	1890		188	Jig Max 200g	Max PE 3	SiC-S/ST/K	PLS18	D		4kg	85.7	2.1	10.1	623	D:15 ~ 20 / S:1000 ~ 2000
39	624B		4560395517294	1	B 1	1890		191	Jig Max 250g	Max PE 4	SiC-S/ST/K	PLS18	D		6kg	86.0	2.2	10.6	615	D:30 ~ 35 / S:2000
39	526B		4560395517355	1	B 1	1585		303	Jig Max 350g	Max PE 6	OC	T-DPS20	D		12kg	86.5	3.6	11.7	717	D:35 ~ 40 / S:3000 ~ 4000
42	633B 電		4560395516082	1	B 1	1925		200	Jig ∼ 150g	∼ PE 3	SiC-S/ST/K	TCS18	D		4kg	88.5	2.2	8.3	715	D:200 ~ 300 / S:1000 ~ 2000
42	624B 電		4560395513951	1	B 1	1905		199	Jig ∼ 250g	\sim PE 5	SiC-S/ST/K	TCS18	D		6.5kg	93.1	2.3	9.0	720	D:300 ~ 500 / S:1000 ~ 2000
42	586B 電		4560395516099	1	B 1	1740		222	Jig ∼ 350g	\sim PE 6	OC	TCS18	D		10kg	93.8	3.2	10.5	715	D:500 / S:2000 ~ 3000
43	TRAVEX 593S		4560395517362	2	S	1775	1135	206	Jig Max 180g	Max PE 3	SiC-S+SiC/ST/K	DPS18	U	1&H	5kg	89.5	2.5	8.6	800	D:3500 ~ 4000 / S:5000 ~ 6000
43	TRAVEX 594S		4560395517379	2	S	1775	1135	221	Jig Max 240g	Max PE 4	SiC-S+SiC/ST/K	DPS18	U	1&H	6.5kg	89.9	2.7	9.4	780	D:4000 ~ 4500 / S · D:6000 ~ 8000
43	TRAVEX 595S		4560395517386	2	S	1780	1130	279	Jig Max 320g	Max PE 5	OC	DPS20	U	1&H	8.5kg	89.9	3.0	9.9	807	D:4500 ~ 5000 / S · D:8000 ~ 10000

SeaWalk / Light Jigging Category Spec

44	Light Jigging 67UL	4560395517034	2	S	2015	1570	102	Jig 15 \sim 40g / Cast Max 25g	PE $0.4 \sim 0.8$	SiC-S/ST/K	VSS16	U	1&H	 85.0	1.3	7.5	570	D:LT2000 ~ 2500 / S:2000 ~ C3000
44	Light Jigging 64L	4560395516983	2	S	1935	1475	114	Jig 30 \sim 80g / Cast Max 35g	PE $0.6\sim1$	SiC-S/ST/K	VSS16	U	1&H	 80.4	1.5	8.0	585	D:LT2500 ~ 4000C / S:C3000 ~ 4000
44	Light Jigging 64ML	4560395516990	2	S	1935	1475	115	Jig 60 \sim 120g / Cast Max 50g	PE $0.6 \sim 1.2$	SiC-S/ST/K	VSS16	U	1&H	 80.5	1.6	7.9	585	D:LT2500 ~ 4000C / S:C3000 ~ 4000
44	Light Jigging B66L	4560395517003	2	В	1985	1525	131	Jig 40 ∼ 80g	PE $0.6\sim1$	SiC-S/ST/K	PULS17	D	1&H	 80.4	1.6	8.2	585	D:100 ~ 200 / S:100 ~ 300
44	Light Jigging B66ML	4560395517010	2	В	1985	1525	131	Jig 40 ∼ 120g	PE $0.8 \sim 1.2$	SiC-S/ST/K	PULS17	D	1&H	 81.1	1.6	8.2	585	D:100 ~ 200 / S:100 ~ 300
44	Light Jigging B65M	4560395517027	2	В	1960	1490	128	Jig $60\sim150$ g	PE $0.8\sim1.5$	SiC-S/ST/K	PULS17	D	1&H	 80.3	1.5	8.0	595	D:100 ~ 200 / S:100 ~ 300
46	Tairubber 65UL	4560395512343	1	В	1950		119	Weight Max 80g	\sim PE 0.8	SiC-S/ST/K	TCS16	D		 82.0	1.5	7.4	595	D:100 ~ 200 / S:100 ~ 200
46	Tairubber 61L	4560395512350	1	В	1850		125	Weight Max 80g	\sim PE 1	SiC-S/ST/K	TCS16	D		 81.7	1.6	7.5	595	D:100 ~ 200 / S:100 ~ 200
46	Tairubber 60ML	4560395512367	1	В	1825		127	Weight Max 100g	\sim PE 1.2	SiC-S/ST/K	TCS16	D		 82.0	1.7	7.9	600	D:100 ~ 200 / S:100 ~ 200
46	Tairubber 68L	4560395513937	2	В	2070	1610	163	Weight Max 100g	\sim PE 1.2	SiC-S/ST/K	TCS16	D	1&H	 81.2	1.8	9.1	625	D:100 ~ 200 / S:100 ~ 200
46	Tairubber 68ML	4560395513944	2	В	2070	1610	167	Weight Max 150g	\sim PE 1.5	SiC-S/ST/K	TCS16	D	1&H	 89.1	1.8	8.8	620	D:100 ~ 200 / S:100 ~ 200
47	TaiJigging 75ML	4560395514651	2	S	2280	1800	129	Jig 20 ∼ 100g	PE $0.6\sim1.5$	SiC-S/ST/K	IPS16	U	1&H	 91.4	1.6	8.7	605	D:LT2500 ~ 4000C / S:C3000 ~ 4000
47	TaiJigging 611ML	4560395514644	2	S	2130	1650	125	Jig 40 ∼ 120g	PE $0.8 \sim 1.5$	SiC-S/ST/K	IPS16	U	1&H	 88.8	1.7	8.8	605	D:LT2500 ~ 4000C / S:C3000 ~ 4000
47	TaiJigging 63M	4560395516105	1	S	1910		127	Jig 60 ∼ 150g	PE 1 \sim 2	SiC-S/ST/K	IPS16	U		 87.4	2.0	8.3	575	D:LT2500 ~ 5000C / S:C3000 ~ 4000

BlueSniper / Boat Casting Category Spec

_		 																	
4	85/4 Canary	4560395515979	2	S 2	2570	1860	339	25 ~ 100g	PE 3 ∼ 5	SiC-S/ST/K+OC	DPS20%	D	1&H	8kg/45°	95.5	2.3	14.0	870	D:4500 ~ 5500 / S · D:8000 ~ 14000
4	81/6 Blacky	4560395514576	2	S 2	2480	1775	378	30 ∼ 110g	PE 4 \sim 6	OC	DPS20%	D	1&H	13kg/45°	96.0	2.7	13.7	910	D:5000 ~ 5500 / S · D:14000
4	81/8 Blacky	4560395514583	2	S 2	2480	1775	387	45 ~ 120g	PE 6~8	OC	DPS20%	D	1&H	15kg/45°	96.0	2.8	14.2	885	D:6500 / S · D:14000 ~ 20000
4	81/10 Blacky	4560395514590	2	S 2	2480	1775	399	50 ∼ 130g	PE 8 ~ 10	OC	DPS20%	D	1&H	17kg/45°	93.0	3.4	14.6	900	D:6500 / S · D:14000 ~ 20000
5	81/2	4560395514514	2	S 2	2480	1830	233	15 ~ 50g	PE 2 ~ 3	SiC-S/ST/K	DPS18%	D	1&H	4kg/45°	91.0	2.3	11.5	780	D:3500 ~ 4000 / S:6000
5	70/2	4560395514521	2	S 2	2140	1550	220	20 ~ 60g	PE 2 ~ 3	SiC-S/ST/K	DPS18※	D	1&H	4kg/45°	91.0	2.2	10.8	725	D:3500 ~ 4000 / S:6000
5	NEW 72/3	4560395517959	2	S 2	2210	1655	222	30 ∼ 60g	PE 2 ~ 3	SiC-S/ST/K	DPS18※	D	1&H	5kg/45°	81.1	2.1	11.0	685	D:3500 ~ 4000 / S:4000 ~ 6000
5	79/3	4560395512664	2	S 2	2365	1740	263	30 ∼ 70g	PE 2 \sim 4	SiC-S/ST/K+0C	DPS18※	D	1&H	5kg/45°	92.1	2.4	12.6	795	D:4000 ~ 4500 / S • D:6000 ~ 8000
5	75/4	4560395514538	2	S 2	2260	1670	279	30 ∼ 100g	PE 3 ∼ 4	SiC-S/ST/K+OC	DPS18%	D	1&H	7kg/45°	96.0	2.5	12.8	785	D:4000 ~ 4500 / S • D:6000 ~ 8000
5	82/4	4560395514545	2	S 2	2520	1840	310	30 ∼ 110g	PE 4 ~ 5	SiC-S/ST/K+0C	DPS20%	D	1&H	8kg/45°	95.0	2.4	13.4	830	D:4500 ~ 5500 / S · D:8000 ~ 14000
5	82/6	4560395514569	2	S 2	2505	1820	346	50 ∼ 130g	PE 5 ~ 6	ОС	DPS20%	D	1&H	12kg/45°	96.0	2.6	14.0	835	D:5000 ~ 5500 / S · D:14000

BLUE REEF / GT Game Category Spec

5	711/8 StickBait	4560395515313	2	S	2470	1765	395	Max 160g	Max PE 8	OC	DPS20	U	1&H	13kg/45°	95.5	2.8	14.2	875	D:6500 / S · D:14000 ~ 18000
5	80/8 Dual	4560395516198	2	S	2495	1785	373	Max 160g	Max PE 8	OC	DPS20	U	1&H	13kg/45°	99.4	3.0	14.7	875	D:6500 / S · D:14000 ~ 18000
5	711/10 Dual	4560395515320	2	S	2470	1765	400	Max 200g	Max PE 10	OC	DPS20	U	1&H	15kg/45°	95.7	2.9	15.1	870	D:6500 / S · D:14000 ~ 18000
5	710/10 Chugger	4560395515337	2	S	2415	1705	390	Max 220g	Max PE 10	OC	DPS20	U	1&H	15kg/45°	99.2	3.7	15.0	875	D:6500 / S · D:14000 ~ 18000

Triceptor / 3pcs Pac Rod Category Spec

55 65ML (Spinning Model)	4560395517065	3	1975	695	109	Max 28g	Max 20lb	SiC-S/ST/K	VSS17	D	Spigot	 98.3	2.0	9.0	445	D:LT2500 ~ 4000C / S:3000
55 65ML (Bait Model)	4560395517072	3	1975	695	125	Max 28g	Max 20lb	SiC-S/ST/K	PTS17	D	Spigot	 98.3	2.0	8.8	475	D:1000 ~ 2000 / S:200
55 68M (Spinning Model)	4560395515542	3	2035	715	127	Max 35g	Max 25lb	SiC-S/ST/K	VSS17	D	Spigot	 98.0	2.1	10.2	460	D:LT4000C / S:4000
55 68M (Bait Model)	4560395514286	3	3 2035	715	131	May 35n	May 25lh	SiC-S/ST/K	PTS17	D	Spinot	 98.0	2.1	99	485	D:1000 ~ 2000 / S:200

TAKO KING / Octopus Game Category Spec

55 79	4560395514965	2 B 2370	1830 295	Max 50(190g)	Max PE 10	OC	T-DPS20	D	1&H	 95.4	4.4 15.3	680	D:10 ~ 30 / S:300 ~ 400

Lupus / Trout Game Category Spec

56	5 51	4560395515283	2	S	1575	850	78	1 ∼ 7g	2 ~ 6lb Class	TZ/Ti/K※	Wood	D	Spigot	 99.8	1.4	5.7	300	-
56	61	4560395515290	2	S	1855	960	85	2 ~ 10g	$3\sim$ 8lb Class	TZ/Ti/K※	Wood	D	Spigot	 99.8	1.4	6.6	340	-
56	71	4560395515306	2	S	2170	1110	96	3 ~ 12g	$4\sim 10 lb Class$	TZ/Ti/K※	Wood	D	Spigot	 99.8	1.4	7.9	375	-
56	77	4560395514606	2	S	2315	1175	126	4 ∼ 25g	$6\sim 20 lb Class$	TZ/Ti/K※	Wood	U	Spigot	 99.6	1.5	8.8	450	-
56	81	4560395514613	2	S	2470	1270	129	5 ~ 28g	8 ~ 20lb Class	TZ/Ti/K※	Wood	U	Spigot	 99.6	1.5	9.4	455	-
56	86M	4560395514637	2	S	2610	1340	140	8 ~ 30g	10 ∼ 24lb Class	TZ/Ti/K※	Wood	U	Spigot	 99.7	1.6	10.7	470	

Members Limited / EARLY & BlueCurrent Limited Model: Members Only Spec

6	0 E	ARLY 103M LTD	4560395518024	2	S 3	3150	1610	176	8 ~ 42g	PE $0.8\sim1.5$	SiC-S/Ti/K※	VSS17	U	Put over	 94.2	1.7	14.2	585	D:LT4000C ~ 5000C / S:4000 ~ C5000
6	0 E	ARLY 109MMH LTD	4560395518031	2	S 3	3295	1690	190	8 ∼ 50g	PE 1 \sim 2	SiC-S/Ti/K%	VSS17	U	Put over	 95.6	2.1	16.1	620	D:LT4000C ~ 5000C / S:4000 ~ C5000
6	0 E	ARLY 105MH LTD	4560395518048	2	S 3	3180	1630	192	10 ∼ 50g	PE 1 ∼ 2	SiC-S/Ti/K%	VSS17	U	Put over	 95.9	1.8	14.8	620	D:LT4000C ~ 5000C / S:4000 ~ C5000
6	0 E	BLC 57JH PROFESSOR	4560395517171	2	S I	1715	875	58	JH ∼ 5g	PE ~0.4 / NY • FC 1~3lb	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.4	6.7	280	D:LT1000 ~ 2000 / S:1000 ~ C2000
6	0 E	BLC 66JH PROFESSOR	4560395517188	2	S I	1990	1020	63	JH 0.2 ∼ 6g	PE ~0.4 / NY • FC 1~3lb	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.3	7.9	340	D:LT1000 ~ 2000 / S:1000 ~ C2000
6	0 E	BLC 70Plug PROFESSOR	4560395517157	2	S	2140	1090	67	Plug Max 7.8g/Comfort Weight 1.6~4.5g	PE $0.2 \sim 0.4$	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.5	9.0	350	D:LT2000 / S:2000 ~ C2500
6	io B	BLC 73All-Range PROFESSOR	4560395517164	2	S	2225	1135	73	0.5 ~ 12g	PE $0.2 \sim 0.6$	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.5	9.2	350	D:LT2000~2500C / S:2000 ~ 2500
6	0 E	BLC 60 Junior	4560395516150	2	S I	1830	940	62	~ 7g	PE $0.3 \sim 0.8$	AN/ST/K	IPS16	D	Put over	 92.5	1.3	7.8	325	D:LT1000/ S:1000(C2000)
6	0 E	BLC 70TZ Trippers	4560395516167	4	S 2	2145	560	72	∼ 12g	PE $0.3 \sim 0.8$	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.4	8.3	360	D:LT1000 ~ 2000 / S:C2000 ~ 2500


Details of notation

Reel/S=Spinning B=Overhead reel Weight/(p)=Proto model Weight Guide/TZ=TORZITE ring ST=Stainless frame Ti=Titanium frame OC=Ocean guide (Only SiC) K or KR=K guide or KR guide or KR guide AN=Alconite ring

Lock nut/U=Up lock D=Down lock Joint/Spigot=Spigot Ferrule Put over=Put over Ferrule 18H=Grip Joint Tip(mm)/Diameter of just below top guide Butt(mm)&Position(mm)/Position(mm)/Position(mm) stand for the length from end of grip to point that is measured for Butt(mm)

%"SiC-S ring" is up dated model of SiC guide. Some of Y8 products are currently on switching from SiC guide to SiC-S ring guide. Depend on products, there SiC models and SiC-S ring models are existed in the market. Please understand that we do not accept exchange to rod with other type of guide ring.

*Regarding the reel seat the product photo in this catalog, if there is a change of color by the manufacturer, the color may be changed without notice. Please kindly understand this matter.



Precautions for use

- Do not cast with tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your
- If you continue to reel in your rig (lure, popper, jig etc) after it has reached the top guide, this will cause the rod to break.
- If you force the joint section of the rod when joining together, this will cause cracking or splitting of the joints.
- If you use the rod while the joint section is still loose, this may cause breakage.
- If the joint section is stuck together, use a rubber sheet for added grip while twisting away from each other.
- Beware of power cables, overhead power lines or phone lines. The material (carbon) will easily pass through electricity causing serious injury or death.
- If you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious injury or death.

Maintenance and storage

- •Wash rod with running water to rid of any filth and salt. Then wipe off any excess water.
- If you store your rod without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated are as with no high temperature.
- Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

Contents in this catalog

- Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.
- Prices and specifications listed on this catalog may be altered without notice.
- The colors presented in the pictures may differ from the actual color. Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

Requesting repairs

- Please be aware that personally modified rods will not be covered by warranty (even if it is within the warranty period).
- If you are requesting for repair, please send in the whole rod (not just the section of the breakage).

Repairing and After service

- •Please take or send products which is required repairing to sales outlet. At that moment, please send a whole rod (not only the section of the breakage)
- •Please be aware that any rod that was personally modified will not be covered by warranty (even if it is under warranty)
- Any repairing that we have judged as changed/tampered the specification or made to order is unacceptable.

YAMAGA Blanks Movies

https://yamaga-blanks.com/

YAMAGA Blanks

https://www.youtube.com/user/YAMAGABlanks

Official Web Site







YAMAGA Blanks Web Contents





About contents on this catalog

- Specifications might be changed without previous notice.
- •Some of images on this catalog are proto type so it might be different from actual products.
- •Images on this catalog might be different from actual products depend on condition of printing.











YAMAGA TSURIGU Co.,LTD **YAMAGA Blanks** 945 OBARU YAMAGA-CITY KUMAMOTO-PREF 861-0543 JAPAN E-Mail: info@yamaga-blanks.com

67