



Calista

Calista / Eging Series/ 7 Line up Target / Squid

We have succeeded to utilize NANOALLOY® technology from TORAY totally as egging rod of new generation.

The ability of distance cast have been increased thanks to TORZITE ring titanium guide (SIC titanium guide on top guide only) from FUJI. Blanks made of NANOALLOY® will be followed in a moment when it is loaded and will be returned instantly thanks to high repulsive force.

Because of these character angler will be able to jerk EGI sharply with less power than ever and make monster squid float quickly without any breakage of legs of squid when you fight. Blanks with moderate stiffness and suppleness will reduce burden of anglers and enable you to lure squid more delicately.

Calista 86L/TZ NANO

Lure: Egi 2.5~3.5 Line: PE 0.4~0.8

2pcs Length: 2582mm Weight: 93g Price:

This is the light class rod which is good for jerking make use of line slack. This is suit to the game that lure squid delicately and sense slightes touch of squid with fine PE line. We have expressed 86L as "light class rod" which means it will be enable you to manipulate lure with less power than other models and it have been loaded enough butt power to keep squid over 2kg under control. This is the best egging rod for angler who would like to fish with super fine PE line.

Calista 82ML/TZ NANO

Lure: Egi 2.5~3.5 Line: PE 0.5~1

2pcs Length: 2500mm Weight: 95g Price:

This is almighty egging rod that suit to not only from breakwater or rocks but also egging game on boat. This have been finished as a sensitive rod with high repulsive force to be enable anglers to jerk lure making use of line slack or jerk aggressively. Angler will be able to manipulate lure delicately when you sight fishing make use of this length. And it have been gotten ability of distance cast thanks to Torzite ring guide and blanks with NANOALLOY® carbon material from TORAY.

Calista 89ML/TZ NANO

Lure: Egi 2.5~3.5 Line: PE 0.5~1

2pcs Length: 2672mm Weight: 100g Price:

This is the well balanced model that is enable anglers to jerk various ways from vanishing wave block, rocks or high scaffolding breakwater. It have been gotten high versatility to lure squid by various way of jerking and you will be able to cast long distance with it without any stress. This will be played an active part in spring sean and also fall season as well for sure. And another characteristic of it is high sensitivity to sense even structure of bottom of the sea and softness of seaweed. This is the super sensitive model which is not only to sense contact of squid but also to explore underwater world as you are searching by hands.

Calista 710M/TZ NANO

Lure: Egi 2.5~4 Line: PE 0.6~1

2pcs Length: 2395mm Weight: 100g Price:

This is the Calista with high response in a short length blank which is good for the anglers who would like to jerk Egi more sharply and more aggressively than others. If you would like to give Egi effective action with less power than ever, we recommend you to choose this 710M which will give your wrist less burden thanks to blanks with NANOALLOY® from TORAY. When you wish to let Egi move from right to left or up and down at your will, Calista710 which have been gotten tip section with sensitiveness and moderate firmness combined to butt section with toughness will make you satisfy for sure. Although it is short length, you will be able to cast as long distance as Calista 86M TZ Nano and it will cover various way of fishing as such as blind or sight. Of course you can use it for squid fishing from boat as well.



Calista 82M/TZ NANO

Lure: Egi 2.5~4 Line: PE 0.6~1

2pcs Length: 2485mm Weight: 98g Price:

It have been loaded high cast ability and manipulation capability to blanks themselves so that enable you to make variety of rod action as such as jerking quickly in short pitch, jerking which take advantage of line slack or else. Although it have massive power to set hook on and land monster squid, tip section have outstanding high sensitiveness to sense tiny contact of monster squid. Highly remarkable point is that lightness you can feel when you actually cast and making action with it. That characteristic will reduce physical burden of anglers considerably. We would like to say that this 82M have gotten lightness feel of manipulating like a 710M, then loaded butt power as same as 86M.You will be able to fish for all season at variety of field as such as rocks, piers or surf with it. This all-rounder model must be suited to super keen squid hunter.

Lure: Egi 2.5~4 Line: PE 0.6~1

2pcs Length: 2575mm Weight: 99g Price:


This is the standard model which is great for hard darting action. You will notice high repulsive force and high response feeling on blanks themselves once you fish with it. But you will be able to jerk heavy lure very lightly with less burden on wrist of angler thanks to NANOALLOY® carbon material which have gotten high resiliency on blank. It will be bent from tip section to belly section when squid is hooked without any breakage of legs of it.

Calista 90M/TZ NANO

Lure: Egi 2.5~4 Line: PE 0.6~1

2pcs Length: 2745mm Weight: 104g Price:

This is perfect rod to make lure fall for a long time because of its length. We have adjusted this rod to become not too stiff to jerk hard without any burden of angler's wrist. This is the excellent model to let lure fall for a long time in shallow area easily as we mentioned and you will be able to strike surely with it even when line moved slightly because of sensitive contact from spooky squid. Of course it will cover various situation such as field where you are going to need length of rod itself and enable anglers jerk lures by various ways.





Mebius / Eging Model / 6 Line up
Target / Squid

We hope that fishing rod from YAMAGA Blanks is going to be used by much more number of anglers. That is ambition what we put into Mebius series. It is quite difficult to keep low budget while pursuing performances and quality.

But we have succeeded to achieve those elements as making extensive use of our techniques of design and quality of factory. That is how we build fishing rods and once you fish with Mebius series you will definitely know as much about our policy and performance of blanks.

We offer you 6 different type of character for Mebius series as such as short length, light weight model or medium heavy class to cover various situation that you are going to face.

Of course you can take one as main rod, you can also take one as a substitution for specific circumstances.

We put our full of passion, spirit, knowledges and techniques of YAMAGA Blanks as a rod manufacturing bland into this Mebius series.



 Mebius 710L

 Lure: Egi 1.8~3.5 (~21g)
 Line: PE 0.3~0.6

 2pcs
 Length: 2390mm
 Weight: 84g
 Price:

If you wish to use super fine PE line to sense slightly changes of pressure of current and lure out carefully, this sensitive short length model is the one. Although it is unsuitable for letting your Egi move fast or using Egi which receives strong resistance of water because of that flexibility which is designed intendedly, when squid is less activity than usual then you are required to feel slightly changes of current and need to manipulate and lure out delicately, sensitiveness which is loaded to 710 enable you to cast light weight of Egi, sense tiny contact of squid and keep squid over 2kg under control. Of course you can take 710 for fishing from boat.

Mebius 88L

Lure: Egi 2.5~3.5 (~21g) Line: PE 0.4~0.8

2pcs Length: 2645mm Weight: 93g Price:

This is the light class model which is good for short pitch jerk and jerk making use of line slack. You can cast even light weight of Egi with comfortable feeling thanks to flexibility and moderate repulsive force. So this is good to be used on sight fishing technically. Yet it have enough power to keep huge squid under control, you can manipulate Egi with less power than others. Once you fish with it you will recognize that it have gotten high potential to be used in all season. 88L have been designed to cast, manipulate Egi and hooking up with super fine PE line without any stress. This is the one for angler who is pursuing result more than anybody else.

Mebius 85ML

Lure: Egi 2.5~3.5 (~24g) Line: PE 0.5~0.8

20cs Length: 2555mm Weight: 93g Price

85ML is well balanced to let anglers feel comfortable when they fish and succeeded to reduce burden of anglers maximally. It have been designed to be more flexible than 86M and finished to become technical rod which is enable anglers to manipulate various weight of Egi at your will. You will be able to take advantage of versatility of 85ML as such as luring out delicately on sight fishing, jerk making use of line slack and short pitch jerking. Yet this is not specialized model for monster hunting, we recommend 85ML for any level of anglers as an all-rounder to cover any seasons and various situation.

Mebius 79M

Lure: Egi 2.5~4 (~28g) Line: PE 0.5~1

2pcs Length: 2365mm Weight: 89g Price:

Blanks of 79M have been brushed up to be taking advantage of length. You will feel high response speed of blanks and high usability as characteristics of short length model while pursuing long casting performance. Yet it have enough power to cast and manipulate even size 4 Egi (about 25g), It have been loaded moderate repulsive force, flexibility and lightness on blanks. If you are required lure speedy when the water is worm, taking time to lure spooky one out, or aim good one from the boat, this 79M will be your huge advantage for sure.

Mebius 86M

Lure: Egi 2.5~4 (~30g) Line: PE 0.5~1

2pcs Length: 2595mm Weight: 98g Price:

It is standard model of Mebius series. Although it is medium class rod, it have gotten sensitive, flexible tip and belly section to be adjusted modern eging scene technically. It have been designed to be well balanced to cast and manipulate Egi with less input by angler reducing burden of angler's wrist. This 86M is the most versatile model of this series. You can cast long distance and manipulate at your will even size 4 Egi (about 30g) without any anxious.

Mebius 83MH
Lure: Egi 3~4.5 (~35g) Line: PE 0.6~1.2
2pcs Length: 2515mm Weight: 98g Price

Although this is the medium heavy model which have been loaded massive power on butt section, blanks of 83MH have lightness and flexibility. It is good for size 3.5 \sim 4 of Egi mainly, you can of course use heavy type of size 4.5 of Egi. This 83MH have been designed to be loaded enough power to set hook on huge squid even heavier than 2kg and lightness and flexibility of blanks will reduce unwanted kickback when you jerk. This MH model is for keen angler who wish to hunt monster size and strongly hope to stay focused on fishing even you are waiting for migration of squid.




Calista TZ NANO

Load 500g→

Although Calista series have been loaded flexibility and lightness. Also, repulsive force that has been loaded on blanks is much stronger than Mehius series.

Even though 4 type of M class in this series, those are classified by situations of eging scene and size of squid. All of them bend well even a small amount of input and reshape itself speedy and powerfully. If you aim squid over 3kg mainly, 82M,86M or 90M are recommended.

Other power class will cover small size of squid Up to 2kg.





Mebius Load 500g→

These are comparison images of Mebius series which are loaded 500g weight on tip.

Mebius series have been loaded more flexibility than calista series to get more versatility and usability. We have focused on cast feeling of Mebius series. Wide range of release point and repulsive force will provide you excellent feeling and distance of cast. Comfortability of casting and toughness as eging rod are directly linked to versatility for aiming at various target.

Enough versatility that to be used for horse mackerel, rockfish, black sea bream, seabass or light jigging game is hidden in those blanks.







Triceptor

Triceptor / 3pcs-PackRod Series / 4 Line up

Target / Predator · Seabass · Rockfish · Small sized trevally

Triceptor series have been developed as 3pices pack rod for your expedition.

Compact sticks with enough power to keep monster fish under control and high portability will not let you worry about fishing in place where you have never been to.

Wide range of capacity of lure have been set on both 65ML and 68M to adjust the situation you will face on fishing trip. Durability and toughness are hidden in these 3 pieces of blanks with lightness, sharpness and sensitivity.

NEW Triceptor 65ML Spinning and Overhead reel Model

Lure: Max 28g Line: Max 20lb

3pcs Length: 1975mm Weight:(S)109g/(O)125g Price:


New model for 2018, this 65ML 3pcs pack rod have been designed to let you cast small sized lure without any stress. Thanks to flexibility on tip and belly section, you can cast tiny lure in pin spot with high accuracy and very easy to make various kind of action such as combinations of jerking and twitching as you wish. Almost same power as 68M have been loaded on butt section, so you do not have to worry about unexpected huge fish. Although this is expedition rod for monster fish such as Barramundi, Toman or peacock bass, suits to seabass game off the boat, rockfish game or light game off the rocky shore.

Triceptor 68M Spinning and Overhead reel Model

Lure: Max 35g Line: Max 25lb

3pcs Length: 2035mm Weight:(S)127g/(O)131g Price:

This is the one for expedition to aim monstrous fish such as Barramundi or Toman. If you are involved in long drawn-out battle with monstrous fish, you will not lose your initiative at all. Compared to 65ML, 68M have been designed to be little stiffer and sharper so you can get more accuracy and keep more concentration when you have to choose large and heavy lure. This 68M enable you to manipulate various kind of lures to aim not only target in fresh water but also target in salt water such as small trevally or dolphin fish.





TAKO KING / Octopus Game Model / One Model **Target** / Octopus

TAKO KING 79

Lure: Max 50(190g) Line: Max PE 10

2pcs Length: 2370mm Weight: 295g Price:

This have been loaded enough power to pull octopus over 1kg out aggressively and strength on tip section to manipulate lure heavier than 75g at your own will. This is not just stiff stick of course, but this is the rod which enable anglers to cast lure weight 75g comfortably. This will be good for searching octopus with falling lure vertically on wharf of port at night or explore widely with long casting at field where scree on the bottom.

TAKO KING 79

a.410mm b.610mm Suitable reel size D:10~30 / S:300~400

Guide: SiC Ocean guide(Fuji) Reel Seat: T-DPS20(Fuji) Joint: Grip joint



CATFISH & SNAKEHEAD

BaronKnight / CatFish&SnakeHead Model / 4 Line up Target / Japanese Catfish · Snakehead

Bronknight series have been developed for neighbor predator as known as catfish or snakehead. We present you Bronknight CF for catfish and SH for snakehead and both have been loaded comfortable casting feel and power on blanks as a one of excellent rod from YAMAGA Blanks. Not only the game of catfish and snakehead, you can aim any target around you with these sticks while taking advantage of high accuracy and response speed which are hidden in blanks of Baronknight series.





BaronKnight CF66 CatFish Model

Lure: ~28g Line: PE 3~6 / NY ~20lb

2pcs Length: 1986mm Weight: 148g Price:

This is the standard of Baronknight catfish series enable you to cover various field as such as narrow creek, tiny stream or even large river. This remarkable characteristic is going to be huge advantage of anglers to lure spooky target out efficiently and effectively. Massive power on butt section and appropriate length of handle gives angler a sense of reassurance while fighting. Taking advantage of characteristic and length of blanks which are made of carbon, any level of anglers will be able to handle this well balanced model "Baronknight CF66" easily.

BaronKnight CF71 CatFish Model

Lure: ~35g Line: PE 3~6 / NY ~25lb

2pcs Length: 2165mm Weight: 160g Price:

This is well balanced mid length model for the situation that you are required to cast long distance, fish in mid~lower part of river or creek with high bank. You can control the course of retrieve and enjoy the game at most of field as you have planned. Yet you can feel sharpness on casting and lightness on handling, when you land even big one you will be impressed the massive power of butt section for sure. You can cast even light weight of lure without any stress thanks to its tip section which have been loaded flexibility. This is the one that you can aim at other side of the bank with long distance cast or aim pin spot with delivering your lure technically.

BaronKnight SH72 SnakeHead Model

Lure: Max 28g Line: Max PE 6 Drag Max: 6kg/45°

2pcs Length: 2220mm Weight: 203g Price:

First of all, you will be surprised on the lightness, and it was once you cast lure with it, you will sense the potential of cast ability for sure. We tried to reflect on the technology, knowledge and experiences which cultivated from salt lure game into the snakehead game, Baronknight72 has been finished to be loaded with accuracy of casting, delicate action with tip section, and butt section with a massive power to achieve the finest result

BaronKnight SH78 / SnakeHead Model

Lure: Max 32g Line: Max PE 8 Drag Max: 7kg/45°

2pcs Length: 2340mm Weight: 211g Price:

SH78 have been extended to the length of SH72, while the progressing ability of long cast, keeps flexibility on the blank to pursue usability of Jure. This is one of the best rod to cast long distance making use of the powerful butt section and lure spooky snakehead with delicate action with sensitive tip section at long range. Although SH78 have been loaded with more powerful butt section, than SH72 to enable you to pull out big ones that's up to 80cm from the water. On the whole rod, SH78 is a little softer than SH72.

BaronKnight CF66 BaronKnight CF71 BaronKnight SH72 BaronKnight SH78

Guide: [CF66 · CF71] SiC-S Stainless frame K guide [SH72 · SH78] SiC-S Titanium frame K guide(Fuji) Reel Seat: [CF66 · CF71] TCS17 [SH72 · SH78] T-DPS20(Fuji) Joint: Grip joint

Estuarine

Estuarine/ Predator Hunting Model / 6 Line up

Target / Toman · Barramundi · Huge Catfish · Trevally etc

Estuarine series has been designed to be adjusted for various field in overseas. Drive into the back country, walk through the bushes and drift the boat under the overhung trees. Then monsters that are beyond your imaginations will be waiting for you out there.

We have loaded massive power to these blanks for anglers who are aiming at monsters hiding on the untouched field. The targets are not only for freshwater fish such as huge cat fish, barramundi and giant snakehead but also saltwater fish such as medium sized trevally from boat. Please take Estuarine series with you as your expedition partner.

"Estuarine" Raptor 60M / 63MH Spinning and Overhead reel Model

[60M] Lure: Max 3/4oz Line: 8~15lb DragMax: 2kg/45°

2pcs Length: 1845mm Weight:(S)108g/(B)109g Price:

[63MH] Lure: Max 1oz Line: 8~20lb DragMax: 2.5kg/45° 2pcs Length: 1930mm Weight: (S)115g/(B)119g Price:

This unique 2 pcs rod has a high strength lifting power plus a sensitive tip that allows

you to even cast smaller lures and work them properly. Many tests were done in rivers casting, light troll for Barramundi or even casting by reef edge for small trevally and has proven to take all sorts of punishment

"Estuarine" Glazer 58MH / 60X Spinning and Overhead reel Model

[58MH] Lure: Max 1oz Line: 8~16lb DragMax: 2.5kg/45° 1pc Length: 1720mm Weight: (S)107g/(B)111g Price:

[60X] Lure: Max 1-1/2oz Line: Max 10~25lb DragMax: 4kg/45° 1pc Length: 1830mm Weight: (S)127g/(B)129g Price

Many tests has been done on these rods to prove that rod could not only hook fish but get your fish quickly out of snags or heavy cover and without losing your fish. Both models have sensitive tip, high strength and strong lifting power, thus anglers are able to target species that lurk in heavy covers and giving you assurance to stop them from busting you off.

"Estuarine" Xtremo 60 / 65 Spinning and Overhead reel Model

[60] Lure: Max 2oz Line: Max 40lb DragMax: 5kg/45° 2pcs Length: 1835mm Weight:(S)158g/(B)156g Price:


[65] Lure: Max 2oz Line: Max 40lb DragMax: 6kg/45°

2pcs Length: 1950mm Weight:(S)192g/(B)194g Price:

For those who seek out those beast lurking among heavy covers or structures, you need a rod with strong back bone that can subdue them out of their covers and able to work or troll deep diving minnows. Many tests has been done to prove the rod capability to take any abuse & in short distance fight between predator & angler even with high drag setting!







Guide: SiC-S Stainless frame K guide(Fuji) Joint: [Raptor] Put over Ferrule [Xtremo] Grip joint Reel Seat: (Spinning Model)[Xtremo] DPS18/BACK STOP Dubble nut [Rest of All]VSS17 / (Overhead reel Model)[Xtremo] TCS18 [Rest of All] TCS17(Fuji)



Lupus / Trout Model / 7 Line up

Lupus series have been developed to cover trout fishing on small creek or even on main stream of large river. You will never lose your concentration while you are casting and manipulating lure with Lupus series. Mountain stream models for creeks and main stream models for trophy rainbow or cherry salmon on large rivers.

Lupus 51 Mountain Stream Model / Lure: 1~7g Line: 2~6lb Class 2pcs Length: 1575mm Weight: 78g Price:

This is the short length model for trout game with minnow at small head stream. High accuracy and manipulate ability are hidden in nice and flexible blanks will keep unexpected big trout under control easily.

Lupus 61 Mountain Stream Model / Lure: 2~10g Line: 3~8lb Class 2pcs Length: 1855mm Weight: 85g Price:

This is the basic of Lupus mountain stream series to cover various target, field and situation. Various kind of lures will be covered and it have enough power to keep bigger trout than you have thought under control and land it with ease.

Lupus 71 Mountain Stream Model / Lure: 3~12g Line: 4~10lb Class 2pcs Length: 2170mm Weight: 96g Price:

If you fish on pool of medium size of river or back water of dam often, this 71 will be the best partner of you. 71 will deliver minnow or spoon to farther than you have expected and you will be able to approach delicately utilizing its flexible tip. Of course, enough power for big trout over 40cm have been loaded on butt section.





Lupus 77 Main Stream Model / Lure: 4~25g Line: 6~20lb Class 2pcs Length: 2315mm Weight: 126g Price:

Although 77 is categorized on light class rod for cherry salmon, enough power to aim monster YAMAME or cracker rainbow on main stream. High accuracy and sensitivity will help you to approach spooky and selective cherry salmon on lake and reservoir.

Lupus 81 Main Stream Model / Lure: 5~28g Line: 8~20lb Class 2pcs Length: 2470mm Weight: 129g Price:

This 81 have been designed as the basic rod for cherry salmon. You can keep minnow or sinking pencil under the current even in rapid water while utilizing sensitiveness and flexibility of tip section. Your tactics and method will be expanded with this Lupus 81 for sure.


Lupus 87 Main Stream Model / Lure: 5~28g Line: 8~20lb Class 2pcs Length: 2635mm Weight: 135g Price:


If you fish large river where you have to deliver lure farther without losing lightness and sharpness, Lupus 87 will be the one. As almost same power as 81 on the butt section, so please choose one of these depend your taste and condition of your main river.

Lupus 86M Main Stream Model / Lure: 8~30g Line: 10~24lb Class 2pcs Length: 2610mm Weight: 140g Price:

This 86M is for super keen monster hunter. Even though it has been loaded massive power on butt section to keep trophy trout over 70cm, you will notice that how lightness and sharpness 86M is when you cast and manipulate lure. This is deserved to be called "flag ship model" of Lupus series.

Lupus 81 Lupus 81 Lupus 81 Lupus 87 Lupus 87 Lupus 87 Lupus 88 Lupus 87 Lupus 88 Lupus 87 Lupus 88 Lupus 87 Lupus 88 Lupus 86M Lupus 86M







For SaltWater

YAMAGA Blanks have been proven ourselves in the very competitive market of deep jigging to aim large blue runner, plug casting for Tuna or GT utilizing strengthened blanks with massive repulsive force and ultralight spinning for horse mackerel which is required sensitiveness and lightness to get the fish of lifetime by transmitting slightest of movement and vital information. Lightness to keep casting and manipulating comfortably, toughness to fight without worry, and deliver your lure farther than you have wished to. We have pursued these three elements to build fine fishing rod since we have started off. Then we had decided to produce saltwater fly rods utilizing our techniques and knowledges that we have accumulated for a long time period. With YAMAGA saltwater fly rod series "ENNE", you can cast short to mid distance with accuracy and comfort thanks to the delicate tip section utilizing modulus-optimized tip sections utilizing conventional graphite prepregs. And when you need long distance, the butt section built with NANOALLOY® technology bend deep and smooth storing huge power, then on the final delivery they shoot line out with authority and accuracy. When fish is on, the blanks bend smoothly like seamless and butt sections which have strong repulsive force will allow anglers to continuously apply good amount of pressure on fish, leading to short, efficient and fish-friendly fight. Anglers' responsibility is to keep bending it at the optimum angle and wind in the slack.

Saltwater fly fishing which require a lot of strength considerations, durability, accuracy and speed under truly abusive situations is next our field of challenge and we have confidence as a rod manufacuturer to support salt water fly fisherman in all around the world with "ENNE".

ENNE Type-C01 8'11" #8

Target / Seabass · Bonefish · Permit · Striped bass

ENNE Type-D01 8'11" #9
Target / Seabass · Dolphinefish · Bonefish · Permit

ENNE Type-E01 8'11" #10
Target / Dolphinefish · Large Permit · Large Bonefish · Small Tarpon

ENNE Type-G01 8'11" #12

Common characteristic

Guide : TZ Titanium frame guide (Fuji)
+Hard chrome snake guide (Pacific Bay)

Date of release & Prices will be on following announcement


Other wt of salt water series & Fresh water series are now on developing.

The images of rods are proto type.

Specifications might be changed witout notice.

2019 YAMAGA Blanks Original Goods





Fish logo sticker

Blue Current YAMAGA BLANKS

BlueCurrent / Horse mackerel

Ballistick

Ballistick / SeaBass

*Please note that design of Fish logo sticker might be changed without notice.

8 Type Price:



EARLY

Mebius / Squid

Early+ / SeaBass





SeaWalk / Snapper

Color: White (Cut out letter)

Calista / Squid

BLUESNIPER

BlueSniper

BlueSniper / KingFish


Cutting Sticker (Mini)

BlueSniper / Tuna


Cutting Sticker







5 Colors Price:





YAMAGA Blanks YAMAGA 1 Blanks

Size: 170 mm ×70 mm

Size: 309 mm ×127 mm

Black

YAMAGA Blanks Members Limited Rod Series

Products on this page are manufactured limited number in particular season.
Please get in touch with retail shop or our official agent in your region for details.

BlueCurrent 57JH TZ/NANO PROFESSOR

Length: 1715mm Closed Length: 875mm Weight: 58g Carbon: 99.8% 2pcs/Spigot ferrule Lure: Jighead ~5g Line: PE ~0.4/NY•FC1~3lb

The new BlueCurrent Professor series are specialized models which have been refined to achieve super smooth bend curve remaining sharpness with re-tuned blanks and spigot ferrule. If the distance in between you and fish is very close and you are required to become sneaky to approach spooky one, this 57JH which is shortest and finest stick of this series will be your perfect choice. Super light and fine blanks will enable you to cast and manipulate tiny jig head at your will. And butt power will not let you afraid of large fish hooked up accidentally.

•TZ Titanium frame K guide(Fuji) • NANOALLOY® technology is employed

BlueCurrent 66JH TZ/NANO PROFESSOR

Length: 1990mm Closed Length: 1020mm Weight: 63g Carbon: 99.8% 2pcs/Spigot ferrule Lure: Jighead 0.2~6g Line: PE~0.4/NY•FC1~3lb

Compared to previous 66TZ/Nano, sensitivity, sharpness and flexibility of new 66JH have been refined. If you are going to aim target at Mid-range with light jig head, this 66JH will help you to deliver your rig delicately and approach selective fish technically. Once you fish with it, you will notice the differences between this 66JH and previous one.

•TZ Titanium frame K guide(Fuji) • NANOALLOY® technology is employed

w BlueCurrent 70 Plug TZ/NANO PROFESSOR

Length: 2140mm Closed Length: 1090mm Weight: 67g Carbon: 99.8% 2pcs/Spigot ferrule Lure: Plug Max7.8g(ComfortWeight 1.6~4.5g) Line: PE 0.2~0.4

If you are super keen with plugging game, this 70Plug is specialized for it! Especially if you are aiming at light game target such as mackerel or Rockfish, there is nothing but this 70Plug. You can give action such as light twitch or jerk to plug from 1.6g to 4.5g very comfortably and flexible tip will not let you lose small bite of selective fish. Some times you will be faced situations that fish is feeding on surface little farther than you thought you can choose plug up to 7.8g and shoot it like a ballet and just retrieve it. You can get finest result that you have ever achieved.

•TZ Titanium frame K guide(Fuji) • NANOALLOY® technology is employed

w BlueCurrent 73 All-Range TZ/NANO PROFESSOR

Length: 2225mm Closed Length: 1135mm Weight: 73g Carbon: 99.8% 2pcs/Spigot ferrule Lure: 0.5~12g Line: PE 0.2~0.6

This 73All Range is shorter length version of 85TZ/Nano All Range. The versatility and specialty have been fused on blanks of 73All Range. So if you with to manipulate various kind of lure such as jig head, plug, metal jig or even Egi, this All range will be your best partner. You will sense that potential of 73All range way

beyond your imagination once you fish with it.

• TZ Titanium frame K guide(Fuji) • NANOALLOY® technology is employed

BlueCurrent 70TZ Trippers

Length: 2145mm Closed Length: 560mm Weight: 72g Carbon: 99.8% 4pcs/Spigot ferrule Lure: ~12g Line: PE 0.3~0.8

This is 4pcs model of BlueCurrent. Although it is going to be perfect rod when you are on traveling, of course you can take it to your main field as a daily use rod. We have loaded enough sensitiveness and sharpness as one of BlueCurrent so we recommend you to use it not only for light salt game but also for trout in the small stream. The closed length of it is 560mm to put in the suits case. We believe that you cannot help taking it whenever and wherever you go out. Enjoy fishing with it as you like.

• TZ Titanium frame K guide(Fuji)

BlueCurrent ShallowSniper 610/TZ

Length: 2120mm Closed Length: 1095mm Weight: 73g Carbon: 99.8% 2pcs/Put over ferrule Lure: 5~16g Line: PE 0.6~1

We have selected high resilience fibers of carbon to achieve sensitiveness and speed of response. This is special tuned model to aim seabass and black sea bream. You will be surprised that how clear signal and strong vibration which are transmitted through this blanks. • TZ Titanium frame K guide(Fuji)

BlueCurrent 60 Junior

Length: 1830mm Closed Length: 940mm Weight: 62g Carbon: 92.5% 2pcs/Put over ferrule Lure: ~7g Line: PE 0.3~0.8

Although it is designed for kids over 5 years old, of course it has gotten durability, strength and toughness as spin off of BlueCurrent series. We have achieved versatility to use many kinds of lures with high cost performance. It is well balanced to be used by kids and adult also. We believe it is going to be one you will always take to fish no matter lure or bait. • Alconite Stainless frame K Guide(Fuii)



Precautions for use

• Do not cast with tangled line or line trouble in the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your

If you continue to reel in your rig (lure, popper, jig etc) after it has reached the top guide, this will cause the rod to break

If you force the joint section of the rod when joining together, this will cause cracking or splitting of the joints.

• If you use the rod while the joint section is still loose, this may cause breakage

If the joint section is stuck together, use a rubber sheet for added grip while twisting away from each other.

Beware of power cables, overhead power lines or phone lines. The material (carbon) will easily pass through electricity causing serious injury or death.

If you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious injury or death.

Maintenance and storage

•Wash rod with running water to rid of any filth and salt. Then wipe off any excess water.

If you store your rod without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated are as with no high

•Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

Contents in this catalog

Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.

Prices and specifications listed on this catalog may be altered without notice.

The colors presented in the pictures may differ from the actual color. Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

Requesting repairs

• Please be aware that personally modified rods will not be covered by warranty (even if it is within the warranty period).

• If you are requesting for repair, please send in the whole rod (not just the section of the breakage).

Repairing and After service

Please take or send products which is required repairing to sales outlet. At that moment, please send a whole rod (not only the section of the breakage)

Please be aware that any rod that was personally modified will not be covered by warranty (even if it is under warranty)

Any repairing that we have judged as changed/tampered the specification

About contents on this catalog

- Price and specifications might be changed without previous notice.
- Some of images on this catalog are proto type so it might be different from actual products.
 Images on this catalog might be different from actual products depend on condition of printing.
- •There are some images of single lock nut even though it is mentioned as double lock nut on specifications.
- Products that have been shipped after December 2017 have been modified to double lock nut type.

YAMAGA Blanks Web Contents

YAMAGA Blanks Official Web Site http://yamaga-blanks.com/





YAMAGA Blanks Movies

https://www.youtube.com/user/YAMAGABlanks









https://www.facebook.com/YAMAGA-Blanks-288885410654/



YAMAGA Blanks FaceBook Page

		_			
Ga	lah	ad/	Jigging	Series	Sp

Р	Item	Price	Sec	Reel	Lt	CL-Lt	Wt	Lure	Line	Guide	Reel	Lock	Joint	Drag	Carbon	Tip	Butt	Position	Suitable reel size
					[mm]	[mm]	[g]				Seat	nut		Max	(%)	[mm]	[mm]	[mm]	
6	New 632S	¥38,000-	1	S	1915		169	Jig Max 140g	Max PE 2	SiC-S/ST/K	DPS18	U		3kg	84.9	1.9	9.3	637	D:3500~4000/S:5000~6000
6	New 633S	¥39,000-	1	S	1915		178	Jig Max 180g	Max PE 3	SiC-S/ST/K	DPS18	U		4kg	84.5	2.0	9.8	633	D:3500~4000/S:5000~6000
6	New 634S	¥40,000-	1	S	1915		196	Jig Max 220g	Max PE 4	SiC-S/ST/K	DPS18	U		6kg	73.9	2.2	10.4	660	D:4000~4500/S:6000~8000
6	New 585S	¥42,000-	1	S	1745		206(p)	Jig Max 280g	Max PE 5	SiC-S/ST/K	DPS18	U		8kg	88.4	2.7	9.8	700	D:4500~5000 / S:8000~10000
6	New 526S	¥47,000-	1	S	1585		304	Jig Max 350g	Max PE 6	oc	DPS20	U		12kg	86.5	3.6	12.0	693	D:5000~6500/S:10000~20000
6	New 622B	¥38,000-	1	В	1890		187	Jig Max 150g	Max PE 2	SiC-S/ST/K	PLS18	D		3kg	85.3	1.9	9.0	621	D:10~15 / S:1000~1500
6	New 623B	¥39,000-	1	В	1890		188	Jig Max 200g	Max PE 3	SiC-S/ST/K	PLS18	D		4kg	85.7	2.1	10.1	623	D:15~20 / S:800~2000
6	New 624B	¥40,000-	1	В	1890		191	Jig Max 250g	Max PE 4	SiC-S/ST/K	PLS18	D		6kg	86.0	2.2	10.6	615	D:30~35 / S:2000
6	New 526B	¥47,000-	1	В	1585		303	Jig Max 350g	Max PE 6	oc	T-DPS20	D		12kg	86.5	3.6	11.7	717	D:35~40 / S:4000~5000
8	New TRAVEX 593S	¥37,000-	2	S	1775	1135	206	Jig Max 180g	Max PE 3	SiC-S/ST/K	DPS 18	U	1&H	5kg	89.5	2.5	8.6	800	D:3500~4000/S:5000~6000
8	New TRAVEX 594S	¥38,000-	2	S	1775	1135	221	Jig Max 240g	Max PE 4	SiC-S/ST/K	DPS 18	U	1&H	6.5kg	89.9	2.7	9.4	780	D:4000~4500/S:6000~8000
8	New TRAVEX 595S	¥40,000-	2	S	1780	1130	279	Jig Max 320g	Max PE 5	oc	DPS 20	U	1&H	8.5kg	89.9	3.0	9.9	807	D:4500~5000 / S:8000~10000
9	633B for EPR	¥35,000-	1	В	1925		200	Jig ∼150g	~PE 3	SiC-S/ST/K	TCS18	D		4kg	88.5	2.2	8.3	715	D:150~300 / S:800~2000
9	624B for EPR	¥36,000-	1	В	1905		199	Jig ∼250g	~PE 5	SiC-S/ST/K	TCS18	D		6.5kg	93.1	2.3	9.0	720	D:300~500 / S:2000~3000
9	586B for EPR	¥38,000-	1	В	1740		222	Jig ∼350g	~PE 6	oc	TCS18	D		10kg	93.8	3.2	10.5	715	D:500 / S:3000~4000
10	63/2 Slow	¥37,000-	1	В	1930		134	Jig Comfort Weight 120g	~PE 1.5	SiC-S/Ti/K	TCS17	D		2kg	99.8	2.4	8.5	635	D:2000 • 200 / S:1000~1500
10	63/3 Slow	¥38,000-	1	В	1930		141	Jig Comfort Weight 160g	~PE 2	SiC-S/Ti/K	TCS17	D		2.5kg	99.8	2.5	8.9	635	D:10 / S:1500~2000
10	62/3 Slow	¥41,000-	1	В	1910		148	Jig Comfort Weight 200g	~PE 2	SiC-S/Ti/K	TCS17	D		2.5kg	99.8	2.6	9.0	635	D:10 / S:1500~2000
10	62/4 Slow	¥42,000-	1	В	1910		151	Jig Comfort Weight 250g	∼PE 2.5	SiC-S/Ti/K	TCS17	D		3kg	99.8	2.6	9.3	635	D:10 / S:1500~2000

SeaWalk / Light Jigging Series Spec

12 Light Jigging 67UL	¥26,500-	2	S	2015	1570	102	Jig 15∼40g / Cast Max 25g	PE 0.4~0.8	SiC-S/ST/K	VSS16	U	1&H	 85.0	1.3	7.5	570	D:2000~2500/S:~C3000
12 Light Jigging 64L	¥27,000-	2	S	1935	1475	114	Jig 30∼80g / Cast Max 35g	PE 0.6~1	SiC-S/ST/K	VSS16	U	1&H	 80.4	1.5	8.0	585	D:2500~3000/S:3000~4000
12 Light Jigging 64ML	¥28,000-	2	S	1935	1475	115	Jig 60∼120g / Cast Max 50g	PE 0.6~1.2	SiC-S/ST/K	VSS16	U	1&H	 80.5	1.6	7.9	585	D:2500~3000/S:3000~4000
12 Light Jigging B66L	¥28,000-	2	В	1985	1525	131	Jig 40∼80g	PE 0.6~1	SiC-S/ST/K	PULS17	D	1&H	 80.4	1.6	8.2	585	D:100~200 / S:100~300
12 Light Jigging B66ML	¥28,500-	2	В	1985	1525	131	Jig 40∼120g	PE 0.8~1.2	SiC-S/ST/K	PULS17	D	1&H	 81.1	1.6	8.2	585	D:100~200 / S:100~300
12 Light Jigging B65M	¥29,000-	2	В	1960	1490	128	Jig 60∼150g	PE 0.8~1.5	SiC-S/ST/K	PULS17	D	1&H	 80.3	1.5	8.0	595	D:100~200 / S:100~300
14 Taijigging 75L NANO	¥30,000-	2	S	2280	1800	127	Jig 10∼80g	PE 0.4~1	SiC-S/ST/K	IPS16	U	1&H	 87.4	1.5	8.5	625	D:2500~3000/S:2500~3000
14 Taijigging 75ML	¥29,500-	2	S	2280	1800	129	Jig 20~100g	PE 0.6~1.5	SiC-S/ST/K	IPS16	U	1&H	 91.4	1.6	8.7	605	D:2500~3000 / S:3000~4000
14 Taijigging 611ML	¥28,500-	2	S	2130	1650	125	Jig 40~120g	PE 0.8~1.5	SiC-S/ST/K	IPS16	U	1&H	 88.8	1.7	8.8	605	D:2500~3000/S:3000~4000
14 Taijigging 63M	¥29,000-	1	S	1910		127	Jig 60∼150g	PE 1~2	SiC-S/ST/K	IPS16	U		 87.4	2.0	8.3	575	D:2500~3500/S:3000~4000
15 Tairubber 65UL	¥24,500-	1	В	1950		119	Weight Max 80g	∼PE 0.8	SiC-S/ST/K	TCS16	D		 82.0	1.5	7.4	595	D:100~200 / S:100~200
15 Tairubber 61L	¥23,000-	1	В	1850		125	Weight Max 80g	~PE 1	SiC-S/ST/K	TCS16	D		 81.7	1.6	7.5	595	D:100~200 / S:100~200
15 Tairubber 60ML	¥23,500-	1	В	1825		127	Weight Max 100g	~PE 1.2	SiC-S/ST/K	TCS16	D		 82.0	1.7	7.9	600	D:100~200 / S:100~200
15 Tairubber 68L	¥29,000-	2	В	2070	1610	163	Weight Max 100g	~PE 1.2	SiC-S/ST/K	TCS16	D	1&H	 81.2	1.8	9.1	625	D:100~200 / S:100~200
15 Tairubber 68ML	¥29,500-	2	В	2070	1610	167	Weight Max 150g	∼PE 1.5	SiC-S/ST/K	TCS16	D	1&H	 89.1	1.8	8.8	620	D:100~200 / S:100~200

BlueSniper / Boat Casting Series Spec

1	8 8	81/2	¥42,000-	2	S	2480	1830	233	15~50g	PE 2~3	SiC-S/ST/K	DPS18%	D	1&H	4kg/45°	91.0	2.3	11.5	780	D:3500~4000/S:6000
1	8	70/2	¥40,000-	2	S	2140	1550	220	20~60g	PE 2∼3	SiC-S/ST/K	DPS18%	D	1&H	4kg/45°	91.0	2.2	10.8	725	D:3500~4000 / S:6000
1	8	79/3	¥42,000-	2	S	2365	1740	263	30~70g	PE 2∼4	SiC-S/ST/K+OC	DPS18%	D	1&H	5kg/45°	92.1	2.4	12.6	795	D:4000~4500/S:6000~8000
1	8	75/4	¥44,000-	2	S	2260	1670	279	30~100g	PE 3∼4	SiC-S/ST/K+OC	DPS18%	D	1&H	7kg/45°	96.0	2.5	12.8	785	D:4000~4500/S:6000~8000
1	8 8	82/4	¥46,000-	2	S	2520	1840	310	30~110g	PE 4∼5	SiC-S/ST/K+OC	DPS20%	D	1&H	8kg/45°	95.0	2.4	13.4	830	D:4500~5500/S:8000~14000
1	8 8	80/5	¥47,000-	2	S	2440	1795	333	40~120g	PE 5∼6	oc	DPS20%	D	1&H	10kg/45°	96.0	2.5	13.6	825	D:5000~5500 / S:14000
1	8 8	82/6	¥49,000-	2	S	2505	1820	346	50~130g	PE 5∼6	oc	DPS20%	D	1&H	12kg/45°	96.0	2.6	14.0	835	D:5000~5500 / S:14000
1	8 8	85/4 Canary	¥50,000-	2	S	2570	1860	339	25~100g	PE 3∼5	SiC-S/ST/K+OC	DPS20%	D	1&H	8kg/45°	95.5	2.3	14.0	870	D:4500~5500/S:8000~14000
1	8 8	81/6 Blacky	¥52,000-	2	S	2480	1775	378	30~110g	PE 4∼6	oc	DPS20%	D	1&H	13kg/45°	96.0	2.7	13.7	910	D:5000~5500 / S:14000
1	8 8	81/8 Blacky	¥55,000-	2	S	2480	1775	387	45~120g	PE 6∼8	oc	DPS20%	D	1&H	15kg/45°	96.0	2.8	14.2	885	D:6500 / S:14000~20000
1	8 8	81/10 Blacky	¥56,000-	2	S	2480	1775	399	50~130g	PE 8~10	oc	DPS20%	D	1&H	17kg/45°	93.0	3.4	14.6	900	D:6500 / S:14000~20000

BLUE REEF / GT Casting Series Spec

2	0 711/8 StickBait	¥55,000-	2	S	2470	1765	395	Max 160g	Max PE 8	OC	DPS20	U	1&H	13kg/45°	95.5	2.8	14.2	875	D:6500 / S:14000~18000
2	0 80/8 Dual	¥58,000-	2	S	2495	1785	373	Max 160g	Max PE 8	oc	DPS20	U	1&H	13kg/45°	99.4	3.0	14.7	875	D:6500 / S:14000~18000
2	0 711/10 Dual	¥57,000-	2	S	2470	1765	400	Max 200g	Max PE 10	oc	DPS20	U	1&H	15kg/45°	95.7	2.9	15.1	870	D:6500 / S:14000~18000
2	0 710/10 Chugger	¥53,000-	2	S	2415	1705	390	Max 220g	Max PE 10	oc	DPS20	U	1&H	15kg/45°	99.2	3.7	15.0	875	D:6500 / S:14000~18000

BattleWhip IKA-METAL / Boat IKA-METAL Series Spec

2	2 69LS-S (9	Solid Tip)	¥28,000-	2	S	2075	1065	90	Egi ∼70g	PE 0.4~1	SiC-S/ST/K※	VSS16	D	Put over	 90.2	1.1	8.7	480	D:2500 / S:2500~C3000
2	2 69LS-B (Solid Tip)	¥29,000-	2	В	2075	1065	106	Egi ∼70g	PE 0.4~1	SiC-S/ST/K※	TCS16	D	Put over	 90.2	1.1	8.1	570	D:100~200 / S:100~200
2	2 69L-S (T	ubular Tip)	¥28,000-	2	S	2075	1065	79	Egi ∼80g	PE 0.4~1	SiC-S/ST/K※	VSS16	D	Put over	 90.5	1.4	8.8	480	D:2500 / S:2500~C3000
2	2 69L-B (T	ubular Tip)	¥29,000-	2	В	2075	1065	97	Egi ∼80g	PE 0.4~1	SiC-S/ST/K※	TCS16	D	Put over	 90.5	1.4	8.3	570	D:100~200 / S:100~200

BlueCurrent / Light Game Series BlueCurrent Spec

24	New 67/TZ NANO JH SP	¥37,000-	2	S	2020	1035	61	JH~5g/Plug~3.5g	PE ~0.4 / NY • FC 1~3lb	TZ/Ti/K	VSS16	D	Put over	 99.8	1.3	7.9	340	D:1000~2000 / S:1000~C2000
24	New 71/TZ NANO JH SP	¥38,000-	2	S	2175	1115	63	JH0.3~5g/Rig~7g/Plug1.6~4.5g	PE ~0.4 / NY • FC 1~4lb	TZ/Ti/K	VSS16	D	Put over	 99.7	1.4	8.7	343	D:1000~2000 / S:1000~C2000
24	New 83/TZ NANO Flex	¥42,000-	2	S	2520	1290	73	JH 0.8~5g/Rig1.8~10.5g/Plug1.5~8g	PE 0.2~0.6	TZ/Ti/K	VSS16	D	Put over	 99.8	1.4	10.4	407	D:2000 / S:2000~C2500
24	New 93/TZ NANO All Range	¥47,000-	2	S	2825	1440	90	3~21g	PE 0.4~1	TZ/Ti/K	VSS16	D	Put over	 99.7	1.6	12.7	420	D:2500 / S:2500~C3000
24	62TZ NANO JH SP	¥35,000-	2	S	1880	965	53	JH ∼3g	NY•FC 1~3lb	TZ/Ti/K	VSS16	D	Put over	 99.8	1.4	6.9	290	D:1000~2000 / S:1000~C2000
24	72TZ NANO Jig SP	¥38,000-	2	S	2185	1125	70	Jig 1.5∼15g	PE 0.3~0.8	TZ/Ti/K	VSS16	D	Put over	 99.3	1.5	9.8	350	D:2000 / S:2000~C2500
24	77TZ NANO Stream SP	¥39,000-	2	S	2310	1190	74	Plug 2~9g / Rig 1.5~13g	PE 0.3~0.8	TZ/Ti/K	VSS16	D	Put over	 99.3	1.6	10.4	370	D:2000 / S:2000~C2500
24	85TZ NANO All Range	¥45,000-	2	S	2570	1315	80	3~21g	PE 0.4~1	TZ/Ti/K	VSS16	D	Put over	 99.7	1.6	11.2	395	D:2000~2500/S:C2000~2500
26	58TZ JH SP	¥32,000-	2	S	1730	890	50	JH ∼3g	NY•FC 1~3lb	TZ/Ti/K	VSS16	D	Put over	 99.8	1.4	6.6	285	D:1000~2000 / S:1000~C2000
26	65TZ JH SP	¥33,000-	2	S	1960	1010	58	JH 0.2∼5g	PE 0.2~0.4 / FC 0.8~3lb	TZ/Ti/K	VSS16	D	Put over	 99.4	1.3	7.4	325	D:1000~2000 / S:1000~C2000
26	610TZ JH SP	¥34,000-	2	S	2088	1073	61	JH 0.3∼6g	PE 0.2~0.4 / FC 1~3.5lb	TZ/Ti/K	VSS16	D	Put over	 99.4	1.4	8.0	355	D:1000~2000 / S:1000~C2000
26	72TZ	¥35,000-	2	S	2195	1127	63	JH 0.2~5g / Rig 0.2~7g	PE 0.2~0.6	TZ/Ti/K	VSS16	D	Put over	 99.6	1.4	8.8	355	D:2000 / S:C2000
26	76TZ	¥36,000-	2	S	2288	1176	69	JH0.3~5g/Rig0.3~10g/Plug1.8~7g	PE 0.3~0.6	TZ/Ti/K	VSS16	D	Put over	 99.6	1.4	9.7	390	D:2000 / S:C2000~2500
27	New 76 Stream	¥26,000-	2	S	2290	1175	81	Max12g	PE 0.3~0.8	SiC-S/ST/K	VSS16	D	Put over	 96.4	1.5	9.7	360	D:2000 / S:2000~2500
28	510	¥20,500-	2	S	1780	917	59	JH ∼3g	NY•FC 1~3lb	SiC-S/ST/K	IPS16	D	Put over	 91.9	1.2	7.0	290	D:1000~2000 / S:1000~C2000
28	68 II	¥21,000-	2	S	2042	1050	68	JH 0.3~5g / Sinker 1.8~6g	PE0.2~0.4/NY • FC1~3lb	SiC-S/ST/K	IPS16	D	Put over	 94.0	1.3	7.6	350	D:1000~2000 / S:1000~C2000
28	74 II	¥22,000-	2	S	2230	1140	74	JH 0.3~5g / Sinker 1.8~8g	PE0.2~0.5/NY+FC1~4lb	SiC-S/ST/K	IPS16	D	Put over	 94.4	1.3	9.2	355	D:2000 / S:C2000
28	80 II	¥24,000-	2	S	2440	1250	80	JH 0.5~5g / Sinker 1.8~10g	PE 0.3~0.6	SiC-S/ST/K	IPS16	D	Put over	 94.5	1.3	9.8	380	D:2000 / S:2000~2500
28	82F NANO	¥28,000-	2	S	2495	1275	80	Max 18g	Max PE 0.6	SiC-S/ST/K	IPS16	D	Put over	 90.5	1.4	10.9	410	D:2000 / S:C2000~2500
29	63 (B)	¥25,000-	2	В	1920	975	76	Max 5g	Max PE 0.6	SiC-S/ST/K※	PMTS17	D	Put over	 91.8	1.4	8.1	355	Finess
29	71 (B)	¥26,000-	2	В	2160	1110	80	Max 8g	Max PE 0.8	SiC-S/ST/K※	PMTS17	D	Put over	 90.9	1.4	8.6	385	Finess
29	78 NANO (B)	¥27,000-	2	В	2335	1185	87	Max 15g	Max PE 0.8	SiC-S/ST/K※	PMTS17	D	Put over	 91.7	1.5	10.0	410	Finess

34	New 103M	¥32,000-	2	S	3150	1610	174	8~42g	PE 0.8~1.5	SIC-5/51/K	DPS18	U	Put over	 94.2	1./	14.1	555	D:3000~3500/S:4000~C5000
34	New 109MMH	¥33,000-	2	S	3295	1690	195	8∼50g	PE 1~2	SiC-S/ST/K	DPS18	U	Put over	 95.6	2.1	16.3	565	D:3000~4000/S:4000~C5000
34	New 105MH	¥34,000-	2	S	3180	1630	192	10~50g	PE 1~2	SiC-S/ST/K	DPS18	U	Put over	 95.9	1.8	14.8	570	D:3000~4000/S:4000~C5000
32	88ML	¥26,000-	2	S	2630	1340	140	7~28g	PE 0.8~1.5	SiC-S/ST/K	VSS16*	U	Put over	 95.8	1.7	10.9	520	D:2500 / S:2500~C3000
32	95ML	¥27,000-	2	S	2855	1465	147	7~28g	PE 0.8~1.5	SiC-S/ST/K	VSS16*	U	Put over	 95.6	1.7	11.5	550	D:2500~3000/S:C3000~4000
32	92XML	¥28,000-	2	S	2780	1425	147	7~32g	PE 0.8~2	SiC-S/ST/K	VSS16*	U	Put over	 95.6	1.7	11.4	535	D:2500~3000/S:C3000~4000
32	81M	¥25,000-	2	S	2475	1275	130	6~32g	PE 0.8~1.5	SiC-S/ST/K	VSS16%	U	Put over	 95.6	1.7	10.4	520	D:2500 / S:2500~C3000
32	86M	¥27,000-	2	S	2580	1325	142	6~32g	PE 0.8~1.5	SiC-S/ST/K	VSS16*	U	Put over	 95.6	1.7	10.9	540	D:2500 / S:C3000
32	96M	¥28,500-	2	S	2895	1485	170	7~35g	PE 0.8~2	SiC-S/ST/K	VSS17※	U	Put over	 94.6	1.7	12.5	570	D:3000 / S:3000~4000
32	100M	¥29,000-	2	S	3055	1570	187	10~35g	PE 1~2.5	SiC-S/ST/K	DPS18*	U	Put over	 94.7	1.8	13.2	590	D:3000 / S:3000~4000
32	102MH	¥31,000-	2	S	3100	1585	213	12~50g	PE 1.2~3	SiC-S/ST/K	DPS18%	U	Put over	 96.5	2.1	13.6	625	D:3000~3500 / S:4000
32	98H	¥32,000-	2	S	2935	1505	224	18~60g	PE 1.5~3	SiC-S/ST/K	DPS18*	U	Put over	 96.6	2.5	13.2	600	D:3500~4000 / S:4000~5000

Ballistick / Seabass & Flatfish Series Spec

P item	Price	Sec	Reel	Lt [mm]	CL-Lt [mm]	Wt [g]	Lure	Line	Guide	Reel Seat	Lock nut	Joint	Drag Max	Carbon (%)	Tip [mm]		Position [mm]	Suitable reel size
35 92ML TZ NANO		2	S	2790	1425	120	5~24g	PE 0.6~1.2	TZ/Ti/K※	VSS16	U	Spigot		99.8	1.5	11.0	470	D:2500~3000/S:C3000~4000
35 86M TZ NANO		2	S	2605	1330	122	6~32g	PE 0.8~1.5	TZ/Ti/K※	VSS16	U	Spigot		99.8	1.6	10.5	475	D:2500~3000/S:C3000~4000
35 94M TZ NANO		2	S	2850	1455	143	6~35g	PE 0.8~1.5	TZ/Ti/K※	VSS16	U	Spigot		99.8	1.8	11.7	480	D:2500~3000/S:C3000~4000
35 96MMH TZ NANO		2	S	2910	1485	151	8~38g	PE 1~2	TZ/Ti/K※	VSS17	U	Spigot		99.8	2.0	12.2	495	D:3000 / S:3000~4000
35 102MH TZ NANO		2	S	3110	1590	177	8~42g	PE 1~2	TZ/Ti/K※	VSS17	U	Spigot		99.8	2.3	15.0	510	D:3000~3500 / S:4000
37 HIRA 107M TZ NANO		2	S	3230	1650	196	7~40g	Max PE 1.5	TZ/Ti/K※	DPS18%	U	Spigot		99.6	2.2	16.6	585	D:3000~3500 / S:4000
37 HIRA 107MH TZ NANO		2	S	3230	1650	198	7~45g	Max PE 2	TZ/Ti/K※	DPS18%	U	Spigot		99.7	2.0	15.4	755	D:3000~3500 / S:4000
37 HIRA 11MH TZ NANO		2	S	3360	1720	228	8~50g	Max PE 2.5	TZ/Ti/K※	DPS18%	U	Spigot		99.8	2.4	16.9	680	D:3500~4000/S:4000~6000
37 HIRA 11H TZ NANO		2	S	3360	1720	241	10~60g	Max PE 3	TZ/Ti/K※	DPS18%	U	Spigot		99.8	2.4	16.7	705	D:3500~4000/S:4000~6000
36 810ML RC NANO (B)		2	В	2695	1375	134	7∼32g	PE 0.8~1.5	SiC-S/Ti/K	ACS16	D	Spigot		99.8	2.0	11.1	485	
36 85M NANO (B)		2	В	2560	1314	136	8~42g	PE 1~2	SiC-S/Ti/K	ACS16	D	Spigot		99.8	2.3	12.1	480	
36 93M NANO (B)		2	В	2830	1445	159	8~42g	PE 1~2	SiC-S/Ti/K	ACS17	D	Spigot		99.8	2.4	13.0	505	
36 103MH NANO (B)		2	В	3135	1600	191	10~45g	PE 1.5~2.5	SiC-S/Ti/K	ACS17	D	Spigot		99.8	2.1	14.8	555	
36 710XH BIG BAIT (B)		2	В	2385	1950	210	Max 120g	Max PE 3	SiC-S/Ti/K	ACS17	D	1&H		96.1	2.3	12.6	575	

BlueSniper / Shore Casting Series Spec

38 96ML	2	S	2935	1500	223	Jig~60g/Plug~40g	Max PE 2	SiC-S/ST/K	DPS18	U	Spigot	3kg/45°	99.8	2.5	14.5	660	D:3000~3500/S:4000~6000
38 100M	2	S	3070	1570	245	Jig~80g/Plug~50g	Max PE 3	SiC-S/ST/K	DPS18	U	Spigot	4.5kg/45°	99.8	2.6	16.4	660	D:4000 / S:6000~8000
38 97MMH	2	S	2950	1515	296	Jig~100g/Plug~60g	Max PE 4	SiC-S/ST/K+OC	DPS20	U	Spigot	6kg/45°	99.8	2.9	16.1	740	D:4000~4500/S:6000~8000
38 100MH	2	S	3070	1575	307	Jig~120g/Plug~80g	Max PE 4	oc	DPS20	U	Spigot	6kg/45°	99.8	3.3	16.8	740	D:4500 / S:6000~10000
38 106H PlugSpecial	2	S	3215	1650	325	Jig~130g/Plug~100g	Max PE 5	oc	DPS20	U	Put over	8kg/45°	99.6	2.9	17.6	740	D:5000~5500/S:8000~14000
38 910H	2	S	3030	1550	326	Jig~150g/Plug~120g	Max PE 5	oc	DPS20	U	Spigot	8kg/45°	99.8	3.0	17.0	740	D:5000~5500/S:8000~14000

Calista / Eging Series Spec

42 86L TZ NANO	2	S	2582	1325	93	Egi 2.5~3.5	PE 0.4~0.8	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.6	10.2	410	D:2500 / S:C3000
42 82ML TZ NANO	2	S	2500	1285	95	Egi 2.5~3.5	PE 0.5~1	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.7	10.8	415	D:2500 / S:C3000
42 89ML TZ NANO	2	S	2672	1365	100	Egi 2.5~3.5	PE 0.5~1	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	11.7	425	D:2500 / S:C3000
42 710M TZ NANO	2	S	2395	1225	100	Egi 2.5∼4	PE 0.6~1	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	11.1	420	D:2500 / S:C3000
42 82M TZ NANO	2	S	2485	1280	98	Egi 2.5~4	PE 0.6~1	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	11.5	420	D:2500 / S:C3000
42 86M TZ NANO	2	S	2575	1325	99	Egi 2.5~4	PE 0.6∼1	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	12.1	425	D:2500 / S:C3000
42 90M TZ NANO	2	s	2745	1410	104	Eqi 2.5~4	PE 0.6~1	TZ/Ti/K※	VSS16	D	Spigot	 99.8	1.8	12.6	420	D:2500 / S:C3000

Mebius / Eging Series Spec

•																	
ſ	44 710L	2	S	2390	1225	84	Egi 1.8~3.5(~21g)	PE 0.3~0.6	SiC-S/ST/K	VSS16	D	Put over	 96.4	1.5	9.3	385	D:2500 / S:2500~C3000
	44 88L	2	S	2645	1350	93	Egi 2.5~3.5(~21g)	PE 0.4~0.8	SiC-S/ST/K	VSS16	D	Put over	 96.5	1.5	10.3	405	D:2500 / S:C3000
	44 85ML	2	S	2555	1305	93	Egi 2.5~3.5(~24g)	PE 0.5~0.8	SiC-S/ST/K	VSS16	D	Put over	 96.5	1.6	10.9	415	D:2500 / S:C3000
	44 79M	2	S	2365	1210	89	Egi 2.5~4(~28g)	PE 0.5∼1	SiC-S/ST/K	VSS16	D	Put over	 96.5	1.7	10.4	470	D:2500 / S:C3000
	44 86M	2	S	2595	1325	98	Egi 2.5~4(~30g)	PE 0.5~1	SiC-S/ST/K	VSS16	D	Put over	 96.6	1.7	11.7	420	D:2500 / S:C3000
	44 83MH	2	5	2515	1285	98	Fai 3~4.5(~35a)	PF 0.6~1.2	SiC-S/ST/K	VSS16	D	Put over	 96.6	1.8	12.0	415	D:2500 / S:C3000

BaronKnight / Catfish & Snakehead Series Spec

4	8 CF66	2	В	1986	1624	148	~28g	PE 3~6/NY~20lb	SiC-S/ST/K	TCS17	D	1&H		84.8	2.2	10.7	510	
4	8 CF71	2	В	2165	1800	160	~35g	PE 3~6/NY~25lb	SiC-S/ST/K	TCS17	D	1&H		84.2	2.2	11.6	500	
4	8 SH72	2	В	2220	1750	203	Max 28g	Max PE 6	SiC-S/Ti/K	T-DPS20	D	1&H	6kg/45°	91.9	2.8	13.6	575	
- 4	8 SH78	2	В	2340	1890	211	Max 32g	Max PE 8	SiC-S/Ti/K	T-DPS20	D	1&H	7kg/45°	91.8	2.5	14.2	580	

Triceptor / 3pcs Pac-Rod Series Spec

4	7 New 65ML (S)	3	S	1975	695	109	Max 28g	Max 20lb	SiC-S/ST/K	VSS17	D	Spigot	 98.3	2.0	9.0	445	D:2500~3000 / S:3000
4	7 New 65ML (B)	3	В	1975	695	125	Max 28g	Max 20lb	SiC-S/ST/K	PTS17	D	Spigot	 98.3	2.0	8.8	475	D:1000~2000 / S:200
4	7 68M (S)	3	S	2035	715	127	Max 35g	Max 25lb	SiC-S/ST/K	VSS17	D	Spigot	 98.0	2.1	10.2	460	D:3000 / S:4000
4	7 68M (B)	3	В	2035	715	131	Max 35g	Max 25lb	SiC-S/ST/K	PTS17	D	Spigot	 98.0	2.1	9.9	485	D:1000~2000 / S:200

TAKO KING / Octopus Game Series Spec

47 79 2 B 2370 1830 295 Max 50(190g) Max PE 10 OC T-DPS20 D 18H 95.4 4.4 15.3 680 D:10~30/S:300~400

Estuarine / Predator Series Spec

49 Raptor 60M (S)	2	S	1845	965	108	Max 3/4oz	8~15lb	SiC-S/ST/K	VSS17	D	Put over	2kg/45°	93.8	1.9	7.8	435	D:3000 / S:4000
49 Raptor 60M (B)	2	В	1845	965	109	Max 3/4oz	8∼15lb	SiC-S/ST/K	TCS17	D	Put over	2kg/45°	93.8	1.9	7.7	435	
49 Raptor 63MH (S)	2	S	1930	1005	115	Max 1oz	8~20lb	SiC-S/ST/K	VSS17	D	Put over	2.5kg/45°	93.8	2.0	8.5	445	D:3000 / S:4000
49 Raptor 63MH (B)	2	В	1930	1005	119	Max 1oz	8~20lb	SiC-S/ST/K	TCS17	D	Put over	2.5kg/45°	93.8	2.0	8.4	445	
49 Glazer 58MH (S)	1	S	1720		107	Max 1oz	8∼16lb	SiC-S/ST/K	VSS17	D		2.5kg/45°	93.3	2.2	8.6	420	D:3000 / S:4000
49 Glazer 58MH (B)	1	В	1720		111	Max 1oz	8∼16lb	SiC-S/ST/K	TCS17	D		2.5kg/45°	93.3	2.2	8.6	420	
49 Glazer 60X (S)	1	S	1830		127	Max 1-1/2oz	Max 10~25lb	SiC-S/ST/K	VSS17	D		4kg/45°	93.5	2.4	9.9	440	D:3000 / S:4000
49 Glazer 60X (B)	1	В	1830		129	Max 1-1/2oz	Max 10~25lb	SiC-S/ST/K	TCS17	D		4kg/45°	93.5	2.4	9.8	440	
49 Xtremo 60 (S)	2	S	1835	1460	158	Max 2oz	Max 40lb	SiC-S/ST/K	DPS18*	U	1&H	5kg/45°	94.4	2.9	11.2	505	D:3500~4000/S:4000~5000
49 Xtremo 60 (B)	2	В	1835	1460	156	Max 2oz	Max 40lb	SiC-S/ST/K	TCS18	D	1&H	5kg/45°	94.4	2.9	11.2	505	
49 Xtremo 65 (S)	2	S	1950	1555	192	Max 2oz	Max 40lb	SiC-S/ST/K	DPS18%	U	1&H	6kg/45°	89.1	3.0	12.3	630	D:3500~4000/S:4000~5000
49 Xtremo 65 (B)	2	В	1950	1555	194	Max 2oz	Max 40lb	SiC-S/ST/K	TCS18	D	1&H	6kg/45°	89.1	3.0	12.3	630	

Lupus / Trout Series Spec

-																
50 51	2	S	1575	850	78	1~7g	2~6lb Class	TZ/Ti/K※	Wood	D	Spigot	 99.8	1.4	5.7	300	
50 61	2	S	1855	960	85	2~10g	3∼8lb Class	TZ/Ti/K※	Wood	D	Spigot	 99.8	1.4	6.6	340	
50 71	2	S	2170	1110	96	3~12g	4~10lb Class	TZ/Ti/K※	Wood	D	Spigot	 99.8	1.4	7.9	375	
50 77	2	S	2315	1175	126	4~25g	6~20lb Class	TZ/Ti/K※	Wood	U	Spigot	 99.6	1.5	8.8	450	
50 81	2	S	2470	1270	129	5~28g	8~20lb Class	TZ/Ti/K※	Wood	U	Spigot	 99.6	1.5	9.4	455	
50 87	2	S	2635	1350	135	5~28g	8~20lb Class	TZ/Ti/K※	Wood	U	Spigot	 99.6	1.6	10.2	465	
50 86M	2	S	2610	1340	140	8~30g	10~24lb Class	TZ/Ti/K※	Wood	U	Spigot	 99.7	1.6	10.7	470	

BlueCurrent Limited / For Members Series Spec

56 New 57JH TZ/NANO	2	S	1715	875	58	JH∼5g	PE~0.4/NY+FC1~3lb	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.4	6.7	280	D:1000~2000/S:1000~C2000
56 New 66JH TZ/NANO	2	S	1990	1020	63	JH 0.2∼6g	PE~0.4/NY+FC1~3lb	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.3	7.9	340	D:1000~2000/S:1000~C2000
56 New 70Plug TZ/NANO	2	S	2140	1090	67	Plug Max 7.8g/Com1.6~4.5g	PE 0.2~0.4	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.5	9.0	350	D:2000/S:2000~C2500
56 New 73All-Range TZ/NANO	2	S	2225	1135	73	0.5~12g	PE 0.2~0.6	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.5	9.2	350	D:2000/S:2000~2500
56 70TZ Trippers	4	S	2145	560	72	~12g	PE 0.3~0.8	TZ/Ti/K	VSS16	D	Spigot	 99.8	1.4	8.3	360	D:1000~2000 / S:C2000~2500
56 ShallowSniper 610/TZ	2	S	2120	1095	73	5~16g	PE 0.6~1	TZ/Ti/K+KR	IPS16	D	Put over	 99.8	1.5	10.1	340	D:2000~2500/S:2500
56 60 Junior	2	S	1830	940	62	~7a	PE 0.3~0.8	AN/ST/K	IPS16	D	Put over	 92.5	1.3	7.8	320	D:1000/S:1000(C2000)

Details of notation Reel/S=Spinning B=Overhead reel Weight/(p)=Proto model Weight Guide/TZ=TORZITE ring ST=Stainless frame Ti=Titanium frame OC=Ocean guide (Only SiC) K or KR=K guide or KR guide or KR guide AN=Alconite ring Lock nut/U=Up lock D=Down lock Joint/Spigot=Spigot Ferrule Put over=Put over Ferrule 1&H=Grip Joint
Tip(nm)/Diameter of just below top guide Butt(nm)&Position(nm)| Position(nm)| stand for the length from end of grip to point that is measured for Butt(nm)
"SiC-S- ring guide.
"SiC-S- ring guide.
Depend on products, there SiC models and SiC-S ring models are existed in the market.Please understand that we do not accept exchange to rod with other type of guide ring.

About contents on this catalog

- Price and specifications might be changed without previous notice.
 Some of images on this catalog are proto type so it might be different from actual products.
- •Images on this catalog might be different from actual products depend on condition of printing. •The external diameter of butt section which is on products' tag might be different from that on this catalog depend on the products. Please refer to list on this catalog as a latest spec information.



YAMAGA TSURIGU Co.,LTD YAMAGA Blanks

945 OBARU YAMAGA-CITY
KUMAMOTO-PREF 861-0543 JAPAN 945 OBARU YAMAGA-CITY E-Mail: info@yamaga-blanks.com