BLUESNIPER YAMAGA BLANKS CHAIN **EARLY**ALL CASTING Ballistick Blue Current III BlueCurrent TZ/NANO Calista \ Mebius BattleWhip TR IM OR Lupus SeaWalk Galahad BlueSniper PROJECT OF FLY FISHING ENNE for Salt Water Linn

FACTORY BRAND

YAMAGA Blanks MEMBERS **NEW DAWN**

YAMAGA Blanks

DURABILITY QUALITY RELIABILITY

> WITH LOVE & Passion

YAMAGA BANKE BANKE ROD COMPANY




2024 PRODUCTS

ENGLISH EDITION



MADE IN JAPAN
FACTORY BRAND



Origins of YAMAGA Blanks.

The grass routes of Yamaga Blanks as a rod manufacturer lies in our factory.

We design, construct, assemble, package and ship all our products in-house at our own factory in Japan. This is the origin of our "craftsmanship".

However, fishing rods are merely a piece of equipment and if the anglers are content with the product, it doesn't really matter where the rod was produced.

So, why do we have such emphasis on producing the rods in-house in our factory in Japan. It is because factories are like living organisms, continuously enhancing our skills through experience. Through countless trial and errors, we learn from our mistakes and improve our developmental skills. There are no short cuts to experience. We just need to keep at it and the accumulation of experience is the end result.

There are many ways to produce good things, but we specifically chose the method to accumulate experience. As a result, we can confidently say that our staff and factory are doing something better than yesterday and evolving on a daily basis.


It goes without saying that the evolution of the carbon (prepreg) material of the rods is a major factor. As rod manufacturers, it is important for us to introduce such materials and in order to bring forth the potential of these materials, our engineering and designing techniques in our factories play a vital role.


Rod building requires many craftsmen and the outcome of the rod is not simply determined with what type of material it is made of. Careful testing of the new material requires countless different combinations and patterns. Once the blank pattern is determined, then it is handed over to the craftsmen for assembly and production.

Our engineering and technical skills are the crown of our accumulated experience and this is what we need to continuously expand.

In 2023, we have expanded our manufacturing facility and moved most of our production line to the new factory. Our grass-routes date back to the old factory and this was where we challenged our limits and the trial and error we experienced in those days are the core of our current business.

In 2024, we will go back to our grass routes and start a new challenge. Based on Yamaga Blanks fundamental principles, we will continue to strive for excellence and create rods which give anglers more freedom.









New Innovation

BLUESNIPER

Extreme Shore-Casting Strategy

Casting performance is proof of technical capabilities

103ML-M 100M-MH 96H PL109MH

PL106H

We have honed the standard ability of the rod to capitalize on the limited chances presented to the anglers.

With the renewed "Blue Sniper" series to target blue-runners, we wish for anglers to IGNITE their inner fire.

We hope to create an attractive and capable rod which will IGNITE the inner fires of those anglers who have slowly faded away from the harsh environment and bring them back to the field. So, what do we need?

Our solution was to develop a flawless rod with the ability to easily cast and handle. The chances given to anglers are limited especially when targeting blue-runners off the rocks. Although we can narrow down when they may bite, we cannot deny the fact that the most assured way for catching a fish is to keep casting no matter what.

Furthermore, in the recent tough conditions in the environment, anglers not only require the casting distance to outcast everyone else in the field, but to also have the versatility to utilize various size lures to match the given sea conditions.

Anglers tend to seek pure power in rods designed to target blue-runners off the rocks, though it is our belief that casting ability is the most important factor when targeting these species. It goes without saying that our rods have power, but with the ability to cast stress free, it is a great advantage to the angler as s/he will be able to cast all day long without getting physically exhausted while having the ability to consistently cast long distances.

This is what we sought for, "castability" and "handling".

It may sound stupid to think that such basic performance can be so important, but when you compare this with an Olympian sprinter, their leg strength can only be the result of daily training and practice. In order to create a blank with consistent casting distance with little effort from the angler, it is up to our engineering and experience to design such rods.

This simple and most basic performance of a rod is actually the most difficult aspect to design in rods. Yamaga Blanks has been pursuing this performance in rods for years and the results can be seen in our refined blank designs. We do not simply rely on the carbon material nor data driven numbers. We actually need to feel the difference first handedly to give the go ahead.

The new Blue Sniper models which have gone through the rigorous processes of development are one of the greatest achievements for the land-based casting models for Yamaga Blanks.

Cast further than ever before, be more flexible with your fight and bring forth the underlying power through the bending curve of the blank. This rod will allow anglers to continuously focus on what needs to be done to better prepare them for the unexpected attack of the fish.

The high level of basic performance is what will help anglers conquer the unforgiving blue-runner game.

We hope you will reignite your inner fire with these reborn Blue Sniper models by "continuously" cast throughout the day. This is what we wish for.



Type: AR (All Rounder) All-rounder type: Highly versatile model that can be used with jigs and plugs.



This model is a highly versatile model able to cover various situations in your local waters with its finesse characteristics.

small bait fish patterns. The flexible ML class tip will enable anglers to easily cast out small 20~40g jigs and smaller seabass hard lures for a more finesse approach while the M class LURE : Plug 20~50g / Jig Max 80g butt power can allow for a more speedy power game against your targets in crowded and LINE: Max PE 3 rugged areas using PE3. The fusing of the contradicting characteristics of torque required to

DRAG: Max 4.5kg/45°

Spinning Model / 2pcs (Spigot Ferrule) Reel seat : DPS18 (Fuji) - Up lock

Suitable reel size: S+D: 4000~6000 Recommended Target : Yellow tail ~10kg Kingfish & Greater amberiack ~5kg Recommended Lure: Various top plug Minnow · Metal iig







This is a highly well-balanced model with castability, controllability and fighting performance all fused together.

MH class rods are the main strength rod used for those anglers targeting blue-runners off the ocks and the 10ft standard length set for the model will allow anglers to continuously cast throughout the day stress free while lightly cast and control the lure with ease. The wide LURE: Plug 30~80g / Jig Max 120g release point when casting helps anglers consistently cast long distances and the soft tip yet powerful butt section will enable anglers to utilize various plugs and control the jigs. It is the most versatile model of the series and will not only be effective as your main rod in your local DRAG: Max 6kg/45° waters, but also great as a spare rod for your more exotic adventures for bigger and better fish

LINE: Max PE 4

Spinning Model / 2pcs (Spigot Ferrule) Guide: SiC-S Stainless frame K Guide + Ocaen guide (Fuii Reel seat : DPS20 (Fuji) -Up lock ●Suitable reel size:S·D: 6000~8000 Recommended Target: Yellow tail 10kg. Recommended Lure: Various top plug Minnow · Metal jig





Type: AR-EX (All Rounder Extreme) All-rounder extreme type: Specialized for high general performance and high response

BlueSniper

The new high-power and highly responsive H class blank allows you to utilize a wide range of lures lightly and freely.

While possessing the power of an H class rod, the 9ft class blank has been engineered to be thin, light, and recovered speed and powerfully for anglers to be able to swing around with ease. Anglers will be pleasantly surprised with its ability to easily cast heavy weighing jigs and lightly maneuver these jigs with your rod action. It is not simply a stiff model. Whereas anglers will be able to manually control various types of hard lures responsively and the bending curve of the blank will help you efficiently lift the fish to the surface, It is the next generation of H class rods enabling anglers to create new styles of

a.495mm I

LURE: Jig Max 150g / Plug 60~120g LINE: Max PE 6

DRAG: Max 8kg/45°

•Suitable reel size:S·D: 6000~14000 nmended Target : Yellow tail 10kg~ Kingfish & Greater amberjack ~12kg mended Lure: Metal jig Large minnow · Diving penci

Reel seat : DPS20 (Fuji) -Up lock

Guide: SiC Ocaen guide (Fuii)

Spinning Model / 2pcs (Spigot Ferrule)

b.707mm | Length: 2920mm Closed Length: 1505mm

Type: PL (Plug) Plug Type: A model that emphasizes smooth, well-mixed action when using a diving pencil

This is a technical model specializing in plugging that combines the precision action of a diving pencil and the power with the long cast performance.

While the 11ft length has given the rod outstanding casting distance, the well-balanced rod will allow anglers lightly control their hard lures with ease. The tip is flexible for anglers to smoothly control the diving pencils while the powerful butt section will shut LURE: Plug 30~80g / Jig Comfort ~80g out the thrashing of the fish. These combined attributes will be of great advantage to anglers in sticky situations where the large target species are reluctant to bite and require continued concentration from the angler. It is an ideal model for the hardcore anglers who want to allure the fish with surface and sub-surface lures.

Guide: SiC-S Stainless frame K Guide + Ocaen guide (Fuji Reel seat: DPS20 (Fuji) -Up lock

Spinning Model / 2pcs (Spigot Ferrule)

LINE: Max PE 4 DRAG: Max 6kg/45°

Suitable reel size: S · D: 8000~10000 • Recommended Target : Yellow tail 10kg~ Kingfish & Greater amberjack ~8kg Recommended Lure: Diving pencil Various top plug · Minnow · Metal jig

b.730mm | Length: 3285mm Closed Length: 1680mm



10

This is a high power plugging model that uses medium to large plugs to capture large blue runner. It does not give the initiative even in a power game.



We were after a high powered model especially designed for anglers to lightly and smoothly cast our large size hard bodied lures around 100g. The original design and material used for the blank will enable anglers to cast large lures all day long with ease and consistently cast long distances. The powerful and resilient blank will bend in and once loaded, it is designed to withstand the powerful thrashing of the enormous fish. It s an ideal rod for the harshest situations off the rocks, shallow areas and your exotic trips to remote islands to target the monstrous fish.

LURE: Plug 50~120g / Jig Comfort ~100g

LINE: Max PE 6 DRAG: Max 8kg/45°

Spinning Model / 2pcs (Spigot Ferrule Guide: SiC Ocaen quide (Fuii) Reel seat : DPS20 (Fuji) -Up loci

●Suitable reel size:S·D: 8000~14000 Recommended Target : Yellow tail 10kg~ Kingfish & Greater amberiack ~12kg Various top plug · Minnow · Metal jig

b.730mm | Length: 3215mm Closed Length: 1650mm Weight: 334a



LURE: Plug 30~80g / Jig Comfort ~80g

LINE: Max PE 4

Lure: Plug 26g

BlueSniper PL109MH

Lure: Plug 50g

LURE: Plug 30~80g / Jig Comfort ~80g







BlueSniper Comparison of cast bending

- •This is a cropped image of the impact moment when casting 5 Blue Sniper models with different lure weights. The cast exceeds the recommended lure specifications, but there is no problem with a few grams. There is a slight difference in the moment of bend, but you can check roughly what the bend carve looks like when you cast.
- Regarding the recommended lure specs for each rod, the jig is heavier for 3 models of all-rounder type, and the max weight of the plug is set to be light. This figure takes into account the plug with strong air resistance. As for the plug type, the jig is a comfort weight, and it is not a weight that can be cast, but a weight that makes it easy to act. The length from the tip to the lure when casting is all cast by taking the length

Strength determined by repulsion rather than hardness

What exactly has changed about the new BlueSniper, which has improved casting ease, and cast feel, and required long cast performance? - In a nutshell, the strength of the rod and the ease of casting are achieved not by the hardness of the blank but by the force of recovery. It is difficult to understand in the text, but for example, there is a point that all models can be used with light rather than power.

The most obvious model, 96H, is Jig Max 150g and Line Max PE6. However, using PE3~4 for 60g jig can be cast without any discomfort, and continuous jerk can be operated in the best sense with a good tempo. You will surely be surprised by the light operation that you cannot imagine using the short length H class model

This is a feature created by the carbon material and blank design, which has a force of recovery against the load instantly, and also because it bends firmly even when using a light lure, and it can bounce off with a force of recovery.

If you take advantage of this performance and bring two units, one with the PE5~6 loaded around the reel 14000 and the other with the PE3~4 loaded around the reel 6000~8000 as a light setting, you can play two types of games with a single rod.

This is a characteristic that the previous BlueSniper did not have and one that the new series has. In addition, the lower and upper limits are indicated for all plugs used in the lure specification of the rod, but this is also the same for the lower limit when using the jig, and it is not a problem to make the line thinner according to the lure within the weight. (Of course, the drag setting should be properly adjusted to the line setting.) In the image of the blank, the rods are assembled only by muscle force, and they have the power to be activated by bending in lightness. That is why they are synchronized with anglers, whether they are used for lights or powerful, and have the ability to respond to any situation. That is the most important characteristic of the new BlueSniper and the biggest change from the previous models.





BlueSniper RADAR CHART COMPARISON


JIG • Fasy to manipulate quick and continuous action of metal jig.

POPPER • Ease of splashing and bubbling popper type lure


STIFFNESS • Tips that bends but is sharpness with high power of recovery

LONG CAST · All models have distance cast performance, but total distance cast performance including large plugs totally


These five items do not represent all of the rods. Depending on the length, etc., the feeling of the angler ised will change, Please use this as a guide,



BlueSniper BENDING CURVES



BlueSniper Comparison of bends by load & models











YAMAGA BLANKS 88 CHAIN





This is the creation of a new style. Let's connect the various kind of fishing fields.

This special model was designed to enable anglers to utilize various lures up to 40g to target various species. Even with the light specifications anglers will easily be able to go head to head with smaller Blue-runners around 3kg, In addition to its lightness, the exquisite 8,8ft length will bring about great advantage to the anglers to find new targets in your local waters. You can go after Blue-runners, snappers, rock-fish, squid, black-fin seabass from the rocks, migratory species, flat-fish and seabass from the surf and monstrous seabass in the river mouths. This one rod will enable you to go after many different species in your local waters

LINE: PE 0.8~2

Spinning Model / 2pcs (Spigot Ferrule) Guide: SiC-S Titanium frame K Guide+SiC Titanium frame RV Guide (Fuii) Reel seat : DPS17 • BACK STOP Double-Lock Nut (Fuji) -Up lock


 Suitable reel size: D:LT3000S~LT5000C / S:C3000~C5000 Recommended Target: Blue Runner (amberjack ~3kg / yellowtail ~5kg),

Small sized migrant (bonito, Spanish mackerel, dolphinfish), Various rock fish (~2kg), Red sea bream, Large squid, Sea bass, Black fin seabass, Hairtail, Black sea bream • Recommended Lure: Metal jig • Minnow • Top water plug • Jig head • "Wind" type Jig head





About YB88 CHAIN variable taper action




The YB88 CHAIN uses a wide range of lures and, of course, targets. To enjoy all of them without stress, the blank design has what can be described as a "variable taper action" in which the bend and power change gears depending on the load.

As a versatile model, the 2nd powered gear (the apex of the bend) plays an active role in handling various lure sizes and types. When casting a small lure or casting with a small form, it will enter the 1st powered gear and push the lure smoothly. Next, when casting a jig or plug such as heavyweight with a pendulum, bend from the second-stage powered gear and push out the lure with even stronger force. The same applies to fights. In the case of small targets such as black porgy, the 1st powered gear is effective, and the flexibility of blanks that bend smoothly enables you to set the hook in the target's mouth surely while reducing the risk of letting it off the

Furthermore, in the case of a large target exceeding 3 kg, the 2nd powered gear on the butt section is activated. A huge power is activated from the butt section while bending smoothly, and it transforms into a rod that stands out for its excellent performance that allows you to control it as you wish without losing the initiative to the target.

This variable taper action is the main feature of the YB88 CHAIN, and it's what sets it





apart from the usual versatile models.



EARLY ALL-CASTING series is sought after the most important aspect for the lure game, "cast farther" and "cast more accurately". Our lineup of rods are built with not only these vital values sought after in the shore casting game, but also controllability, highly responsive and powerful blank for anglers to pursue their methods and styles of fishing. In addition, the vast lineup of the EARLY series are divided into different genre depending on situations and will only have simple specifications written on the blank so we do not limit the anglers options and creativity. Feel free to choose the model that best suits your style and enjoy a one-of-a-kind fishing experience.

EARLY for Surf

Surf Casting Model / 5 Lineup



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

The EARLY for Surf are long distance casting models developed to meet the needs of surf casting. With the concept focusing on long distance casting, the light weight blank and light casting feel will allow anglers to maintain their concentration throughout the day. Although these are designed mainly for the surf game, its versatility will enable anglers to utilize these models for various games requiring long distance casting.



EARLY ML

ML classes that expand the possibilities of surf games. This finesse model combines sensitive operation performance and long cast performance.

The blank is equipped with the castability rivaling a 10ft class rod and capable of transmitting vital information about the currents and bottom structures through the sensitive blank. In addition to the jig-head rigged up with soft plastics and small 9cm class minnows and sinking pencils, anglers will also be able to utilize a more finesse approach with light weigh (12g) vibrations for high pressure situations, You can cast long distances to search the vast surf or cast with pinpoint accuracy to the breaks.

LURE: 7~35a LINE: PE 0.8~1.5 Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Up lock nut

 Suitable reel size : D: LT4000C~5000C / S: 4000~C5000 Target: Flatfish · Seabass · Cherrysalmon · Small sized Blue-runne

• Lure : Plug · Jighead · Metal Jig



М

A versatile long cast model that matches not only flatfish on surf but also sea bass in tidal flat and estuarine areas. If you wish to cast and manipulate various kind of lures as such as minnow 9cm class,

sinking pencil minnow 40g, jig minnow or jig head, this EARLY 103M is going to be enable you to fish comfortably thanks to that excellent casting feel. As long as you have loaded power on blanks even small amount, you can get enough distance without losing energy and concentrations. This 103M can be handled by any level and type of anglers for sure.

LURE: 8~42g LINE: PE 0.8~1.5 Spinning Model / 2pcs (Put over Ferrule) Reel seat: DPS18 (Fuji) Up lock nut

•Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 Target: Flatfish · Small sized Blue-runner · Seabass · Cherrysalmon

● Lure: Plug · Jighead · Metal Jig



a.420mm| b.525mm| Length:3150mm Closed length:1610mm Weight:174g



It sharpens its performance as a long-length plugging model and conquers vast waters with ability of long casting.

109MMH have been loaded specialized ability to deliver plugs much farther than you can imagine even if its small or big plugs. Flexible and sensitive tip section will be enable you to not only cast light lure easily but also sense slightly changes of current or situations of bottom sea even in night time. You can handle plug around 45g without any stress as same as 105MH, so please take this 109MMH to aim seabass or black fin seabass from rocky or sandy beach.

LURE: 8~50g

Spinning Model / 2pcs (Put over Ferrule) Guide : SiC-S stainless frame K guide (Fuii Reel seat: DPS18 (Fuji) Up lock nut

Lure: Plug · Jig minnow · Metal Jig

LINE: PE 1~2

Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 Target: Flatfish · Small sized Blue-runner · Seabass



a.430mm| b.535mm] Length:3295mm Closed length:1690mm Weight:195g

A long-range all-rounder with a wide range of lures and the power to keep any target under control.

This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached. Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as MH such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks

LURE: 10~50a

LINE: PE 1~2

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut

•Lure : Plug • Jig minnow • Metal Jig • Jig head

 Suitable reel size : D: LT4000C~5000C / S: 4000~C5000 •Target:Flatfish • Small sized Blue-runner Seabass · Black-Fin Seabass · Cherrysalmor

a.435mm| b.540mm| Length: 3180mm Closed length: 1630mm Weight: 192g

It lead you the new surf game with super long cast and high sensitivity that brings out the performance of overhead reel.

With long distance casting being absolute essential for the surf game, the 105MMH Overhead reel model was developed to shoot out lures in the vast surf without any stress and maximize the ability of the high performance bait casting reels out on the market today. You will be able to feel for the change in flow, current and underwater landscape through the "direct" sensitivity blank otherwise unable in spinning models.

LINE: PE 1.5~2.5

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: ACS17 (Fuii) Down lock nut

Suitable reel size: D / S: # 200 ●Target: Flatfish • Small sized Blue-runner • Seabas Black-Fin Seabass · Cherrysalmon

Lure: Plug · Jig minnow · Metal Jig

MMH/B



EARLY for Rock

Rock Fish Model / 3 Lineup



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

In the pursuit to develop the Early for Rock, we asked ourselves "What is the rock-fish game?". The blanks not only have strength and lightness but also have a highly efficient ability to restore its original form. In other words, the bent blank will flex back to its straight form, peeling the fish off the bottom and other structures efficiently. The stiff yet sensitive tips are highly sensitive to any changes in sea conditions while being versatile, enabling anglers to utilize various types of rigs and styles of fishing.



MH

High-response model for efficiently searching the Rocky area with a length focusing on handling.

The blank for this model is exceptionally well balanced for both casting and maneuvering while also possessing tremendous sensitivity. Anglers will not only be able to utilize swimming actions of jig-head rigs but also utilize Texas rigs and feel for bottom structures and material. The adequately stiff belly section will transmit your bite and rip the fish off the bottom and structures right away. This sharp blank is also suitable for use in the "wind game" targeting hair-tails and "jerking methods" productive for seabass.

LURE: 7~40a LINE: PE 1~2

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat : VSS16 (Fuii) Un lock nut

Suitable reel size: D: LT3000~4000C / S: C3000~4000

Lure: Jighead · Texas rig · Minnow · Vibrations







This is excellent in power, castability, and sensitivity. it is not only stiff but also has a flexibility and recovery force on blank.

This long length high powered model was designed for casting distance and sensitivity. The "soft" aspect of the blank can be attributed to the line settings (PE#1), while the "hard" can be felt in its ability to take the load of heavy weight rigs and max drag settings, Anglers will be able to reach those grounds where others have yet to reach. You will be able to utilize various rigs ranging from soft plastics, swim baits, metal jigs and even minnows above 14cm to go head to head with monstrous rock fish and other blue-runners that you may randomly encounter,

LURE: 15~60g LINE: PE 1~3

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide (Fuji)

Reel seat: DPS18 (Fuji) Up lock nut Suitable reel size

Up to PE2 D: LT4000C~6000 / S: 4000~C5000 PE3 D: 3500~4000 / S: SW4000~6000

•Target : Rockfish • BlueRunner • Black-Fin Seabass •Lure: Jighead • Texas rig • Plugs • Metal Jig



a.420mm| b.525mm| Length:3160mm Closed length:1615mm Weight:205g



This one focuses on the sensitivity of retrieving and torque, which are the advantages of the overhead reel, and excels at luring out delicately.

The 93MH/B has a sensitive yet flexible tip ~ belly section for anglers to hover or roll their Texas-rigs near the bottom or for a more pinpoint approach with the "bottom shaking" technique. It enables anglers for a more careful approach on the bottom to induce and capitalize on a bite from those inactive fish. Once hooked, the winding power of the overhead reel and the powerful butt section will assist you to lift the fish away from the structures.

LURE: 10~50a LINE: PE 1.2~2.5 / FC 12~20lb Overhead reel Model / 2pcs (Put over Ferrula Guide: SiC-S stainless frame K guide (Fuji) Reel seat: ACS17 (Fuji) Down lock nut

•Suitable reel size: D / S: # 150~200 ●Target · Rockfish · Seahass •Lure: Jighead • Texasrig • Plugs • Metal Jig





EARLY for Seabass

Seabass Model / 2 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

What we seek in a seabass rod at Yamaga Blanks is "standard characteristics" for anyone to easily use. Our designs focus on tolerant release point for everyone to be able to cast long distances with the least amount of effort while retaining the lightness for all day long casting and sensitivity to capitalize on the smallest bites. Once hooked, the blanks will bend in nicely to reduce any hook-offs generally caused by blanks that are too stiff. The EARLY for Seabass models are value for money considering the quality of the rods.



The versatile model with excellent ability to aim while searching a wide range of ports and embankments from river estuaries. Spinning Model / 2pcs (Put over Ferrule

M for Seabass

The all-rounder model is a valuable asset for situations which require you to cast long distances in rivers and piers. It is especially responsive to metal type vibration lures which have are highly resistant. The light feel when reeling in your lure will enable you to focus on your fishing while reducing the load on your wrist, Once the fish is hooked, the blank will bend in nicely and will allow you to handle and efficiently surface your catch.

LURE: 7~35a LINE: PE 0.8~1.5 Reel seat: VSS16 (Fuii) Up lock nut Suitable reel size: D: LT3000~4000C / S: 3000~4000

•Lure: Seabass Plugs (Minnow ~14cm)



a390mm | b.505mm] Length: 2819mm Closed length: 1445mm Weight: 147g



It is a model specialized for the game that pulls the large Seabass out of the heavy flow.

You will be able to trace your lures in the strong thick currents of large scale rivers and straits as well as hardcore locations off rocks and boulders. It possesses a sensitive tip able to transmit the smallest of details in the current and utilize minnows and sinking pencils as small as 9cm. Having said that, anglers will still be able to cast big bait lures up to 15cm for situations where your targets are feeding on larger baits and stop the hrashing of lunker size pre spawning seabass with the strong butt power.

LURE: 8~42g LINE: PE 1~2

Spinning Model / 2pcs (Put over Ferrule) Reel seat: VSS16 (Fuii) Up lock nut Suitable reel size: D: LT4000C~5000C / S: 4000~C5000

● Lure: Seabass Plugs (Minnow ~16cm)



a.390mm| b.505mm| Length:2925mm Closed length:1500mm Weight:156g

EARLY for Mobile



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

into 3~4 pieces. These rods were developed to feel like a 2-piece rod as we refused to sacrifice the rod's performance in exchange for mobility. The rod's superior performances will not only assist the angler's fishing but the mobility has also added a new meaning to "versatility". When in your fishing grounds, we are limited in what we can use. The compact rod can easily be carried around stress free on bikes, bicycles and other public transports which you may use to access your fishing grounds in large cities.



The high general performance that is not limited to situations and can pursue the possibility of saltwater lure fishing.

It is a versatile rod able to enjoy various light ~ middle class lure fishing targeting Seabass and Breams with the use of ton-water lures to soft plastics. The flexible tip will enable anglers to easily handle the subtle movements of small sinking pencils, minnows, jig-head rigs in addition to controlling top-water lures. We hope you can enjoy ML/4pcs the light game on your trips away or even around local river mouths accessible by bikes

LURE: 5~24a LINE: PE 0.6~1.2 Spinning Model / 4pcs (Put over · Grip Joint) Guide : SiC-S stainless frame K quide (Fuji) Reel seat: VSS16 (Fuji) Up lock nut Suitable reel size: D: LT2500~3000 / S: 2500~3000

 Target: Seabass · Black seabream and any kind. Lure: Plugs · Pencil bait · and any kind.

Length: 2540mm Closed length: 667mm Weight: 126g



This is the one for capturing wide-range of water with a high handling ability and outstanding cast performance.

The rod is able to be loaded with heavy lures and can go head-to-head against the unexpected big one. This rod will be your next best friend on your domestic or international trips, land-based or even off-shore. You can enjoy going after seabass in the open water, light casting for Blue-runners or even cast around reef edges in more tropical countries. We are confident that anglers with sights on large predators around the world will enjoy using this versatile rod with a sensitive tip yet powerful butt section

LURE: 10~60a LINE: PE 1~2

Spinning Model / 4pcs (Put over • Grip Joint) Guide: SiC-S stainless frame K guide (Fuii) Reel seat: VSS16 (Fuji) Up lock nut

•Suitable reel size: D: LT4000C~6000 / S: 4000~C5000 Target: Seabass · Blue-runner · Flatfish and any kind.

Lure: Plugs · Heavy jig head · and any kind.





It has the power to fight with big one, and it covers various waters, method and target of lure fishing around the world.

The rod is able to be loaded with heavy lures and can go head-to-head against the unexpected big one. This rod will be your next best friend on your domestic or international trips, land-based or even off-shore. You can enjoy going after seabass in the open water, light casting for Blue-runners or even cast around reef edges in more tropical countries. We are confident that anglers with sights on large predators around the world will enjoy using this versatile rod with a sensitive tip yet powerful butt section

LURE: 8~55g LINE: PE 1~2

Spinning Model / 3pcs (Put over - Grip Join Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Up lock nut

•Suitable reel size: D: LT3000C~5000C / S: C3000~C5000

●Tarnet · Seahass · Snanish Mackerel · Blue-runner · Rock fish and any kind

•Lure: Plugs • Heavy jig head • and any kind.



EARLY for Boat

Boat Casting Model / 2 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

The EARLY for Boat was developed to enjoy the light casting game off-shore targeting bream, seabass, small Blue-runners, flat-fish and even rock fish. The sharp regular tapered rod is extremely responsive and has a sharp casting feel with the developmental concept of "every fish tells a story". It is a versatile rod able to handle the ever changing sea conditions by allowing anglers to pinpoint cast to structures, drop into holes and cast in the open sea. Anglers will be able to utilize a wide variety of lures vital for the off-shore game and accurately cast and trace the course you desire.



Suitable for all situations in the coastal area, from structure around port to open waters.



This is an all-rounder model ideal for light boat casting game targeting Bream, Seabass and Spanish-Mackerels and other small blue-runners. With the sharp regular tapered blank settings, anglers will be able to cast to pinpoint accurate holes and structures while still being able to cast long distances in the open area. The rod responds well to various lures including minnow, shads, sinking pencils and dog walking of topwater lures.

LURE: 7~32g LINE: PE 0.8~1.5 Spinning Model / 2pcs (Put over Ferrule) Reel seat: VSS16 (Fuii) Up lock nut

•Suitable reel size: D: LT2500~3000 / S: 2500~3000 Target: Seabass · Bream · Spanish Mackerel · Rock fish Small sized Blue-runner

Lure · Minnow · Vibration · Spin tail · Pencil hait





This is the one that cover from bottom to surface. it is varsatile overhead model for boat casting game.



The rod is ideal to target rock-fish from boats. With the stiffness and sensitivity, anglers will be able to feel for bottom structures to effectively maneuver your rigs and induce the bite. The rod possesses high resilience and will efficiently rip the fish off the bottom structures to eliminate any bust offs. It is also a versatile rod able to handle various rigs including metal type jigs, vibration lures, deep-diving minnows, 40~50g joint type lures and even subsurface 150mm class minnows for seabass.

PRICE: LURE: 10~50a LINE: PE 1.2~2.5

Overhead reel Model / 2pcs (Put over Ferrule) uide: SiC-S stainless frame K guide (Fuji) Reel seat: ACS17 (Fuii) Down lock nut Suitable reel size: S.D: # 150~200 ■ Lure: Minnow • Jointed Jure • Pencil bait • Metal jig



EARLY Series Category&All models Target & Game Light Rock fish Jewfish ugh, all of models from "for Surf" a 86MH for Rock is going be the one if you aim it with wir

BOAT=Off shore only


Although, EARLY series is categorized as those characteristics, you can

use them beyond the bounds of category of course. Please refer to chart table to choose one for your style, target and method.

EARLY ALL-CASTING BENDING CURVES

The recommended targets and method for EARLY series

+BOAT=Shore and off shore



Ballistick / Spinning & Overhead reel Models

Seabass and more / 8 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

Ballistick series are flag ship model of shore casting series. 4 models for spinnig as basic seires, 2 models for overhead reel, and 2 models for black fin seabass are lined up. Basic models of spinning series will cover river game to surf game. Blanks which have high sensitivity that transmit vital information clearly and high power of recovery which let you keep large fish under control. HIRA model has moderate stiffness to provide you sharpness cast feel and high sensitivity to keep initiative even you fish in rough conditions 2 kind of over head models are lined up to cover various situations such as upper to mid part of rivers, river mouth, rocky shore and sandy beach.



M

The high accuracy, sharp feeling of use and good handling cover a wide range of Seabass games from middle to lower river basins.

This is the medium class rod which have been loaded versatility to use lure from minnow sized 9~14cm to heavy vibration without any stress when you are wading.If you do not want to lose initiative when you have hooked huge seabass up while you are wading in the river, it will work for you because of powerful butt section with NANOALLOY® technology.

LURE: 6~32q LINE: PE 0.8~1.5 Spinning Model / 2pcs (Spigot Ferrule Guide : TOR ZITE Titanium frame K Guide (Fuii Reel seat: VSS16 (Fuji) Up lock nut

•Suitable reel size: D: LT3000C~4000C / S: C3000~4000 Target : Seahass

• Lure : Minnow • Vibrations • Sinking pencil







A highly sensitive model with a high long cast performance and a tip that can handle low to high retrieval speeds.

This is the multi-nurnose seahass rod to cover various situation with minnow sinking pencil or vibration lures. You will be able to sense changes of current or tiny contact of seabass thanks to sharpness and sensitiveness of blanks itself. Of course it have been gotten enough power to land fish at your will. You don't have to be afraid to aim huge seabass at field there is lots of structures under water thanks to potential of power that s hidden inside of blanks.

LURE: 6~35g LINE: PE 0.8~1.5

Spinning Model / 2ncs (Spigot Ferrule) Reel seat: VSS16 (Fuji) Up lock nut •Suitable reel size: D: LT3000C~4000C / S: C3000~4000 ●Tarnet · Seahass • Flat fish • Lure : Plugs • Vibrations







This is a model that combines lure operability and castability without loosing the force of recovery.

If you wish to cast heavy lure as such as minnow size around 14cm, metal jig, sinking pencil or heavy vibration further, we recommend you to choose 96MMH.We promise that you will be able to cast heavy lure a great distance on surf or rocks even in headwind, 96MMH will help you to maintain your concentration because you will hardly get tired thanks to lightness and handleability of it.

LURE: 8~38a LINE: PF 1~2 Spinning Model / 2pcs (Spigot Ferrule) Guide:TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS17 (Fuii) Un lock nut

Suitable reel size: D: LT3000~5000C / S: 4000~C5000

• Lure : Plugs · Vibrations · Metal Jig



a355mm | b.470mm | Length: 2910mm Closed length: 1485mm Weight: 151g



This is the specialized model to achieve long cast performance and enough butt power to land big one on the surf.

When you aim huge seabass on surf or rocks, 102MH will be your reliable partner for sure. It is powerful enough to aim huge Seabass over meter or even Black-Fin Seabass and small sized Blue-Runner on rocks. We recommend you to take 102MH if you are going to aim large flatfish on surf thanks to potential of power, sharpness, and ability of

LURE: 8~42g LINE: PE 1~2

Spinning Model / 2pcs (Spigot Ferrule) Guide:TORZITE Titanium frame K Guide (Fuji) Reel seat · VSS17 (Fuii) Un lock nut Suitable reel: D: LT4000C~5000C / S: 4000~C5000 ■Target : Seabass • Flat fish • Lure: Plugs · Vibrations · Metal Jig







A highly versatile overhead reel model that can be used in all kinds of situations such as rivers, ports, surf, rocky shores.

This is the long distance shooter which will cover seabass game with plugs at river mouth or port and also light jigging game from surf. Blanks of 93M have been designed to let anglers manipulate and cast many kind of lures such as vibration, sinking pencil, metal jig, and large sized minnow without any stress.

LURE: 8~42q LINE: **PF 1~2** Overhead reel Model / 2pcs (Spigot Ferrule) Guide: SiC Titanium frame K Guide(Fuii Reel seat: ACS17 (Fuji) Down lock nut •Suitable reel: D / S: # 150~200 Target: Seabass · Flat fish • Lure : Plugs • Metal Jig



b.469mm | Length: 2830mm Closed length: 1445mm Weight: 159g



The power-model that specializes in long cast and manipulating performance to lure seabass and flatfish on the rocky shores and surf.

This is over head model with massive power to fish from rocky shore. For example you are required to cast against head wind, on the fight at rocky beach or else. You will be surprised that accuracy cast, quickness to make first action, power of lifting and dexterity performance of this 103MH/NANO is as a versatile overhead tackle. Of course, this is recommended to anglers who are aiming at giant flat fish from surf while using jig, vibration or plastic worm effectively.

PRICE: LURE: 10~45q LINE: PE 1.5~2.5 Overhead reel Model / 2pcs (Spigot Ferrule) Guide: SiC Titanium frame K Guide(Fuji) Reel seat: ACS17 (Fuji) Down lock nut Suitable reel: D / S: # 200 Target: Seahass • Flat fish • Black-fin seahass • Lure : Plugs • Metal Jig





Ballistick **HIRA**

Specializes in pinpoint shooting performance in headwind while condensing the performance required for a Black fin seabass.

This is one of the perfect rod for Black-Fin Seabass to cover various situation and field to aim it. You will be able to cast and manipulate, not only minnow Black-Fin Seabass but also any kind of lures as such as small sized sinking pencil, vibration or jig head even in headwind. Although this is the MH class rod, it has loaded enough power to fight and МН keep large sized Black-Fin Seabass under control.

LURE: 7~45a LINE: Max PE 2

Guide: TORZITE Titanium frame K Guide (Fuii Reel seat: DPS18 (Fuji) Up lock nut

■Suitable real : D: LT4000Cv5000C / S: 4000vC5000 ■Target : Black-fin seabass • Blue runner •Lure: Plugs • Metal vibrations • Metal Jig



Ballistick **HIRA** MH

This is a high-powered model that forces large Black fin seabass to conquer tough fights on rough seas.


Although this 11MH have been designed for Black-Fin Seabass, it is tough enough to keep Blue Runner up to 5kg under control. Of course, you will be able to manipulate plug gently and once you hooked even huge one at tough field, you will never lose initiative for sure. If you are an angler who fish in tough situations and wish to land fish smoothly without any stress, we recommend you to take 11MH which will be huge advantage for

LURE: 8~50a LINE: Max PE 2.5 Spinning Model / 2pcs (Spigot Ferrule) Guide: TORZITE Titanium frame K Guide (Fuii) Reel seat: DPS18 (Fuji) Up lock nut

•Suitable reel: D: LT5000C~6000 / S: C5000 ●Target : Black-fin seahass • Blue runne •Lure: Plugs · Metal vibrations · Metal Jig

b.555mm | Length: 3360mm Closed length: 1720mm Weight: 228g

Ballistick BENDING CURVES




These are comparison images of Ballistick series which are loaded 1kg weight on tip, Ballistick series have moderate stiffness and sharpness to achieve accuracy and ability of distance cast. Although the taper of this series is regular, you can cast with less power than before and can get more accuracy thanks to high power of recovery attributed to NANOALLOY® Technology

The 4 spinning models cover a wide range of sea bass fields, from the middle to lower reaches of rivers, estuary tidal flats, surf, and rocky shores.

●The overhead model 93M is a highly versatile model with long casting performance and casting accuracy that can be used from midstream to estuary, surf, and rocky shores. The 103MH is a powerful model for ultra-long cast that specializes in rocky shores and surfs to aim sea bass. blackfin seabass, and flounder

The two models for blackfin seabass realize a highly responsive game with a blanks which are equipped sharpness and high power of recovery that emphasizes casting accuracy in headwinds.

**These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently,





BlueCurrent TZ/NANO

Light Game Model / 8 Lineup



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

BlueCurrent TZ/NANO series are flag ship models which are filled with our knowledge and techniques of designing blanks of light game. Carbon prepreg which NANOALLOY® technology have been applied is chosen and TORZITE ring guides which are light and less friction are loaded. Once you fish with this series, you notice the lightness and sensitiveness, casting feel that you never get unwanted wobble and massive butt power hidden in butt section that will be increased when it is bent.



Spinning Model / 2pcs (Put over Ferrule)

610 Plua Quickness TZ/NANO

This is a special plugging model with aggressiveness and sensitiveness that let you strike even a slight contact.

This plugging model was developed to enable anglers to sense the subtle changes in water pressure and currents with outstanding balance to breathe life into your lures hrough rod action. The tip section is designed to be stiff to give the lure variant action while the whole blank will bend in to reduce hook offs. When simply retrieving minnows and sinking pencils, the super sensitive tip section will immediately transmit the smallest of bites enabling anglers to swiftly hookup with the belly section of the blank.

LURE: Plug 1.5g~6g JH 0.5g~5g

LINE: PE 0.1~0.4

Guide: TORZITE Titanium frame K Guide (Fuii) Reel seat: VSS16 (Fuji) Down lock nut

 Suitable reel size: D: LT1000~2000 / S: 1000~C2000 Target: Horse Mackerel • Rock fish • Migratory fish LINE: PE 0.1~0.4 Lure: Small Sized Plug · Jighead







This plugging model emphasizes retrieving method with high sensitivity and natural lure appeal.

The blank is designed to have contradicting characteristics of sharpness and flexibility in order to successfully hookup the subtle "sucking" and "nibbling" bites. The rod will smoothly respond to your hooking followed by the fight. Anglers will be able to pick up those minute bites when the targets are feeding on micro baits by slowing drifting your lures in the current.

Spinning Model / 2pcs (Put over Ferrule) Guide:TORZITE Titanium frame K Guide (Fuji) LURE: Plug 1.5g~6g Reel seat · VSS16 (Futi) Down lock nut JH 0.3g~5g

Suitable reel size: D: LT1000~2000 / S: 1000~C2000 ●Target: Horse Mackerel • Rock fish • Migratory fish •Lure: Small Sized Plug • Jighead





Jighead Special

Accurate lure operation and high castability. A model for skillful use of lightweight jig heads and microplugs. BlueCurrent 62TZ Nano have gotten sharpness within blanks themselves and once fish LURE: JH ~3q

is on, its bend nice and smoothly from tip to butt section. Thanks to NANOALLOY® technology from TORAY, you can keep fish under control at your own will and you cast Jure with minimum motion so you do not have to worry about rough condition if you choose it. We have sharpened this 62TZ Nano up to manipulate both jig head and plug Spinning Model / 2pcs (Put over Ferrule) Guide:TORZITE Titanium frame K Guide (Fuji)

Reel seat: VSS16 (Fuji) Down lock nut Suitable reel size: D: LT1000~2000 / S: 1000~C2000 Target: Horse Mackerel • Rock fish

LINE: NY · FC 1~3lb • Lure : Jighead • Small Sized Plug gently with high sensitivity.





A basic model with cast performance and operability that uses a lightweight jig head to cover various situations.



This is specialized model for jig head game which is employed high sensitivity, smoothness, and flexibility on blanks. Although it is nice and flexible, the sharpness and speed of blanks are progressed while reducing unwanted wobble of tip section. Taking full of advantage of NANOALLOY® technology, it has been achieved seamless bend curve and incredible power of recovery that let you enjoy not only big mackerel or rockfish but also even a small target.

LURE: JH ~5g Plug ~3.5g

PRICE:

LINE: **PE** ~0.4 NV · FC 1~3lh



•Lure: Jighead • Small Sized Plug





A highly versatile model with enhanced sensitivity and operability when reeling in sharp usability and flexibility.

Jighead Special

71TZ Nano is most regular action in BlueCurrent Jig head special series. Although this is specialized model for jig head game, you can approach to target with slow retrieving of small plug or light rig. The sensitivity while you are retrieving is high enough to sense slightly changes of current and tiny vital information. Fish will take your lure without strangeness and blanks will bend smoother like seamless while on fighting.

LURE: JH 0.3g~5g / Rig ~7g Plug 1.6g~4.5g

LINE: **PE** ~0.4 NY·FC 1~4lb

Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut

 Suitable reel size: D: LT1000~2000 / S: 1000~C2000 ●Target: Horse Mackerel • Rock fish • Migratory fish •Lure: Jighead · Light rig · Plug · Light"Wind"*

*Twitch the rod tip up to flick the jig head

Spinning Model / 2pcs (Put over Ferrule)
Guide:TORZITE Titanium frame K Guide (Fuji)

Suitable reel size: D: LT2000~2500C / S: 2000~C2500

Reel seat: VSS16 (Fuii) Down lock nut





While taking advantage of the long length rod, it can be used in a variety of games with a sense of operation that combines sharpness and flexibility.

If you wish to deliver light weight of jig head farther than ever and manipulate it as you want, we are sure that 83TZ Nano will make you satisfy. Flexibility and sensitivity of blanks enable you to manipulate light weight of plug gently even you have delivered it farther than you have expected and you can manipulate it as you are at close range. If it is rough condition at closer range of you, you can fight without anxious thanks to ability of reshaping itself speedy.

LURE: JH 0.8g~5g Rig 1.8~10.5g Plug 1.5g~8g

Target: Horse Mackerel · Rock fish · Bream · Seabass ■ Lure : Rig • Jighead • Plug • Metal Jig





Persued ultra-high general-purpose performance. it have been achieved the one for various method and waters.

If you want to do everything in light game category, we think that BlueCurrent 85TZ Nano will make your dream come true. Every range of water will be covered with light line by BlueCurrent 85TZ Nano which have been gotten sensitiveness and toughness. You will never lose initiative even if you hook big one up accidently. You will be able to aim Rock Fish, Black Sea Bream, Seabass (aim from top water to deep water), Horse Mackerel or even squid.

LURE: 3~21g LINE: PE 0.4~1

Spinning Model / 2pcs (Put over Ferrule Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuii) Down lock nut Suitable reel size: D: LT2000~2500 / S: 2000~2500 • Lure : Anything





A long length model to explore a wider area while keeping the 85 All-Range concept.



Actually, it is all depends on your imagination to pull out the infinite potential of this 93TZ Nano All-Range. We have extended length and enhanced power of 85TZ Nano All-Range to cover farther range and tougher target.Of course, you can use it for Horse Mackerel or rockfish, it works for black sea bream, seabass or even for squid. As we mentioned, potential of 93TZ Nano All-Range become unlimited depending on your skill and imagination.


LURE: 3~21g LINE: PE 0.4~1 Reel seat: VSS16 (Fuii) Down lock nut Suitable reel size: D: LT2500C~2500 / S: 2500~C3000

Spinning Model / 2pcs (Put over Ferrule)





BlueCurrent BFNDING CURVES



BlueCurrent III

Light Game Model /13 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

Anglers will be able to utilize light PF1.5~2 line to conquer the tough high-pressure fields or small hait fish natterns. The flexible ML class tip will enable anglers to easily cast out small 20~40g jigs and smaller seabass hard lures for a more finesse approach while the M class butt power can allow for a more speedy power game against your targets in crowded and rugged areas using PE3. The fusing of the contradicting characteristics of torque required to overcome the thrashing blue-runners and lightness for anglers to continuously maintain concentration throughout the day will assist you on your next adventure out to the rocks.





This is a special model that combines sensitiviness and sharpness for targets that require a variety of strategies.

Bream, seabass and rock-fish being its main target species, the flexible tip and resilient blank is best suited for hard lure games. Although you can use free rigs, jig-heads and soft plastic lures, it is ideal for anglers to utilize hard bodied lures for your top-water popping games targeting bream and seabass feeding on micro-baits. The flexible tip, resilient belly and powerful butt section will support anglers until the very end of the fight.

LURE: Max 15g

(Plug 2~15g/Float 3.3~15g/Rig 1~15g)

LINE: PE 0.3~0.8

Spinning Model / 2pcs (Put over Ferrule) Reel seat: VSS16 (Fuji) Down lock nut

Suitable reel size: D: LT2000~2500 / S: 2000~2500

• Lure : Ria • Iia • Plua





This is the one that to explore the possibility of bottom water game with the gentle reeling performance of the overhead reel.

This super sensitive bait-caster model is ideal for use with free-rigs and Texas-rigs in the vast surf, estuaries, break-waters and pebble-beach situations to go after the bream, flat-heads and other bottom fish. The flexible tip will allow for a smooth bite and successful hook up while the sensitivity will help transmit the texture of the seabed through the blank. The power of recovery in the belly section will help anglers get out of snags and allow for thorough sweep of the bottom area. Anglers will be able to enjoy this rod in their local fields in any given

LURE: Max 15q

LINE: PE 0.4~0.8

Overhead reel Model / 2pcs (Put over Ferrula Guide: SiC-S stainless frame K guide(Fuii) Reel seat: PMTS17 (Fuii) Down lock nut

(Plug 2~15g/Float 3.3~15g/Rig 2~15g) •Suitable reel size: Overhead Reel For Ultra Fine Line

●Target : Black sea bream • Seabass • Rockfish • Flatfisl

• Lure : Rig · Jig · Plug





High performance in games with ultra light weight jig heads. High sensitivity short length model for game in short range.

53 have been designed in 2 pcs to be carried anywhere you want. Once you fished with it, you will be surprised that ability to get the picture of details and situation inside of the water. Even when you fish with jig head under 1g, you can sense the slightly changes of current and give the action as you wished. Which means that you will always know what you are doing and what is happening under the water,

LURE: Max 4.5g (JH 0.1~4.5g)

LINE: PE 0.06~0.3 NY · FC 1~3lb

ning Model / 2pcs (Put over Ferru Reel seat: VSS16 (Fuii) Down lock nut

 Suitable reel size: D: LT1000~2000 / S: 500~C2000 Target: Horse Mackerel - Rock fish - trout

• Lure : Jighead • Small Sized Plug • Small Sized Metal Jig



a.160mm | b.225mm | Length: 1610mm Closed length: 835mm Weight: 53g



This is a short length model that can handle 1g of jig head at will and hook up the small bites firmly and swiftly.

This is tuned to be used for jig head game around 0.5g~1.5g with comfortable feeling. Especially even when you fish with jig head around 1g in strong wind, you will not lose performance of casting and manipulating. If you could take advantage of that sharpness and moderate stiffness, you can twitch and jerk aggressively to catch selective one even in day game.

LURE: Max 4.5g (JH 0.3~4.5g)

LINE: PE 0.06~0.3 NY · FC 1~3lb

Spinning Model / 2pcs (Put over Ferrule) Reel seat: VSS16 (Fuji) Down lock nut

•Suitable reel size: D: LT1000~2000 / S: 500~C2000

Target: Horse Mackerel · Rock fish · trout

•Lure: Jighead • Small Sized Plug • Small Sized Metal Jiq



a.210mm| b.275mm| Length:1775mm Closed length:915mm Weight:56g

This sensitive model utilized its short length to cover a wide range of lure weights and water ranges.

This is short stick which enable you to fish with jig head around 0.5g~3g while getting enough distance to reach the spot that fish might be there. The sharpness of blanks enables you to make jig head move as you wished and you will be able to strike instantaneously as soon as you sensed bite of target. The flexibility and sensitivity of blanks transmits slightly changes of current, vital information and a sense of existence of jig head.

PRICE

(JH 0.3~5a/Plua 1.6~3.5a)

LINE: PE 0.06~0.3 NY · FC 1~3lb Spinning Model / 2pcs (Put over Ferrule Suide: SiC-S stainless frame K guide(Fuii) Reel seat: VSS16 (Fuji) Down lock nut

•Suitable reel size: D: LT1000~2000 / S: 500~C2000 Target: Horse Mackerel • Rock fish

Lure: Jighead · Small Sized Plug

22



a.220mm| b.285mm| Length:1910mm Closed length:985mm Weight:59g

LURE: Max 5g

BlueCurrent**Ⅲ**

This is a versatile technical model with excellent performance on manipulation of the jig head and plug.



We have designed tip and belly section of this 69 very carefully to manipulate jig head and plug exactly as you wished. Tip and belly section have been applied moderate stiffness for achieving high sensitivity to transmits small vital information and slightly changes of current and sharpness to twitch and jerk jig head aggressively. Also, if you really wish to fish with plug, we recommend you to take this 69. Of course, you can take 69 for light game off the boat as well.

LURE: Max 7g (JH 0.3~7g/Plug 1.6~5g)

Target: Horse Mackerel · Rock fish · Migratory fish

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuji) Reel seat: VSS16 (Fuji) Down lock nut Suitable reel size: D: LT1000~2000 / S: 1000~C2000

• Lure : Small Sized • PlugJighead

LINE: PE 0.08~0.4 NY · FC 1~4lb



An all-around model that covers almost every light game method and situation.

If you wish to fish with various kind of method in various situation with one rod. this 74 will be the one for sure, 74 can handle all of method for light game fishing such as jig head, sinker, metal jig, and plug at your will. High sensitivity will not be lost even if you search target deeper than 10m. You will definitely be able to feel what is "BlueCurrent III" like once you fish with this 74.

LURE: Max 10g

(JH 0.3~7g/Rig 1~10g/Plug 1.6~7.8g)

LINE: PE 0.1~0.5 NY·FC 1~5lb Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuii) Reel seat: VSS16 (Fuji) Down lock nut

•Suitable reel size: D: LT1000~2500C / S: 1000~2500 Target: Horse Mackerel · Rock fish · Migratory fish • Lure : Jighead • Rig • Small Sized Plug • Small Sized Metal Jig





This is a specialized model for plugging games that lures target out in the stream.

Stream

This 76 Stream have been designed for various kind and size of plugs as such as small one for mackerel and medium size for seabass or black sea bream. Moderate stiffness and comfortable recovery speed which is applied on tip and belly section let you manipulate top water plug, minnow or sinking pencil at your will for sure. If you are going to aim target hidden in current with plug, we recommend you to take this specialized rod for plugging game.

LURE: Max 12q (Plug 1.6~12g) LINE: PE 0.3~0.8

Guide: SiC-S stainless frame K quide(Fuji) Reel seat : VSS16 (Fuji) Down lock nut

 Suitable reel size : D: LT2000~2500C / S: 2000~2500 ■Target: Bream · Seabass · Migratory fish · Rock fish

• Lure : Plug • Small Sized Metal lig

a.290mm | b.355mm | Length: 2290mm Closed length: 1175mm Weight: 81g

A long length model with a sharpness on casting and this is one for delivering lightweight jig head further.



Even if you cast small jig head a long distance, you will not lose your sense to feel movement of jig head with this 711. Also, 711 which is categorized in long length model though, transmits information of underwater world and vital information constantly even in rapid water or deep area. Flexible and sensitive tip section will let target bite your jig head without strangeness and powerful butt section will lead you assured landing.

PRICE: LURE: Max 11g (JH 0.5~7g/Rig 2~11g) Spinning Model / 2pcs (Put over Ferrule) Reel seat: VSS16 (Fuii) Down lock nut

 Suitable reel size: D: LT1000~2500C / S: 1000~2500 ■Target: Horse Mackerel • Rock fish • Migratory fish

LINE: PE 0.2~0.6 •Lure: Jig head · Small Sized Rig · Small Sized Plug

This is a long distance model that allows you to operate float rig, Carolina rig, and metal jig over a long distance gently.

This 82 have been tuned as sharper to get more distance than previous model. Although butt section has been enhanced, whole blanks bend smoothly and recover powerfully. On the other hand, sensitiveness and flexibility of tip section have been sharpened to transmits information that angler needs. You can handle not only plugs around 7~9cm to aim seabass or black sea bream but also of course use jig head up to 20g with swimming action to aim rockfish.

Spinning Model / 2pcs (Put over Ferrule LURE: Max 20g Reel seat: VSS16 (Fuji) Down lock nut (JH 2~20g/Float 3.3~20g/Jig 2~20g

Rig 2~20g/Plug 2~15g) LINE: PF 0.3~0.8

•Suitable reel size: D: LT2000~2500C / S: 2000~2500 ● Target : Bream • Seabass • Rock fish • Horse Mackere •Lure : Metal Jig · Rig · Plug · Jighead





This is a short range finesse model for Overhead reels that can handle lightweight jig heads.

a.300mm | b.365mm | Length: 2425mm Closed length: 1245mm Weight: 81g



This is 2 pcs overhead model to aim selective and spooky target at close range. Even if you have to use jig head under 1g, you can feel the weight of it when you cast and manipulate and also you can get enough distance to reach targets comfortably. As taking advantage of overhead tackle, you can keep tension of line while letting jig head fall into the range where the target must

LURE: Max 4.5g (JH 0.5~4.5g) LINE: PE 0.3~0.5

NY · FC 3~5lb

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Futi +SiC-S titanium frame RV Guide (Fuji) Reel seat: PMTS17 (Fuii) Down lock nut

 Suitable reel size: Overhead Reel For Ultra Fine Line •Lure: Jighead · Small Sized Plug · Small Sized Metal Jig



BlueCurrent**Ⅲ**

This is a technical Overhead reel model that enable you to manipulate jig head and plug with reeling method comfortably.

This is the standard model of overhead series that let you cast and manipulate jig head and plug as exactly as you wished. Tip section which have been loaded flexibility and sensitivity will transmits vital information clearly and belly section that have moderate stiffness make light wind action comfortably. Especially when you fish with plug, the potential of 69 overhead model will be pulled out. You will notice that you can give the action to plug as exactly as you have planned.

LURE: Max 7g (JH 0.8~7g/Plug 1.6~5g/Rig 1~7g)

PRICE:

PRICE :

Overhead reel Model / 2pcs (Put over Ferrule) +SiC-S titanium frame RV Guide (Fuji)

LINE: PE 0.3~0.6 NY·FC 3~6lb

el seat: PMTS17 (Fuji) Down lock nut •Suitable reel size: Overhead Reel For Ultra Fine Line ■Target: Horse Mackerel • Rock fish • Migratory fish •Lure: Jighead · Small Sized Plug · Small Sized Jig

BlueCurrent**Ⅲ**

A long-length Overhead reel model with an outstanding cast feel that can be delivered lure with an overwhelming range.



Although this is over 8ft long, you can handle like it is 7.6ft long thanks to sharpness and lightness of blanks themselves. Tip section which have flexibility to manipulate lure gently link to butt section which is strong enough to stop the powerful run of large target. This deserved to be called all mighty overhead rod to cover various situations and target such as surface game for seabass or black sea bream, rock fish game and mackerel of course

LURE: Max 20g

(JH 2~20g/Float 3.3~20g/Jig 2~20g Ria 2~20a/Plua 2~15a)

+SiC-S titanium frame RV Guide (Fuji) Reel seat: PMTS17 (Fuji) Down lock nut Suitable reel size: Overhead Reel For Ultra Fine Line ●Target:Rock fish・Seabass・Bream・Horse Mackerel •Lure: Jighead · Rig · Plug · Metal Jig

Overhead reel Model / 2pcs (Put over Ferrule)

Guide: SiC-S stainless frame K guide (Fuji)


LINE: PE 0.4~0.8 NY·FC 4~10lb




b.360mm | Length: 2070mm Closed lengt: 1065mm Weight: 77g



BlueCurrent II BENDING CURVES



BlueCurrent Series Comparison data




**These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

BlueCurrent RECOMMENDED TARGET & GAME STYLE

BlueCurrent series have versatility to aim many kinds of target such as Horse mackerel, Rock fish, Black sea bream or Seabass and even more. Please refer to the chart table below when you wish to aim target and try new method with BlueCurrent series.

| BlueCurrent TZ/NANO&Ⅲ | | | E | Strive | of for a l | ひわか New Er: | ent | - III | - | | | | | | \mathcal{B} | | Zu, NAN | | t | |
|---|---------------------|--------------|-------------|-------------|------------|----------------|--------------|--------------|-------------|-----------------------|------------|------------|------------|-----------------|---------------|-------------|-----------------|-----------------|---------------|------------|
| Target & Game | 53 53/B | 510 | 63 | 69 6 | 59/B | 74 | 76 Stream | 711 | 78 | 78/B | 82 | 82/B | 62 JHSP | 67 JHSP | 71 JHSP | 83 FLEX | 85 All Range | 93 All Range | 610 PLUG | 73 PLUG |
| Jig head~1g Horse Mackerel • Rock fish | \bigcirc | | | | | \bigcirc | | \bigcirc | | | | | 0 | 0 | \bigcirc | \bigcirc | | | \bigcirc | \bigcirc |
| This model is compatib Jig head~3g Horse Mackerel • Rock fish | \bigcirc | | | | | | | | senses t | ne sensit | ive bites | with hors | e macke | erel as the | e main p | ert. | | | \bigcirc | \bigcirc |
| Jig head 3g~5g Variety of fish To get distance in the h | \bigcirc | \bigcirc | | | | | | | O d for lie | O ht rock fi | sh game | ×Twitch | the rod ti | O In up to flip | © k the iid k | O | | | \bigcirc | \bigcirc |
| Small sized plug~5cm Horse Mackerel • Rock fish | | | | | | | Willia | | | TO CK III | on game | , xiwitei | | | | | | | 0 | 0 |
| 610 Quickness and 73 S Plug 5~9cm Variety of fish | Seamless which | are for plu | igging gai | me have h | nigh ma | nipulab | ility and | adjustab | ility to gi | ve the ac | tion to y | our lure a | s you wi | shed and | planed. | \bigcirc | | | | |
| Models which have bot | th performance o | of respons | e and pov | ver to aim | small r | migrator | y fish su | ch as Sn | nall treva | lly with q | uick act | ion and to | aim sea | bass wit | h top wa | ter plugs | | | | |
| Variety of fish This model uses a top v | water plug of abo | out 5~9 cr | n and allo | ws you to | perforr | m quick | actions, | small co | ntinuous | actions, | etc. | \bigcup | | | | \bigcup | \bigcirc | \bigcup | | |
| Bottom game Bream • Flathead • Rockfish | | | | | | | | | | | 0 | \bigcirc | | | | | \bigcirc | \bigcirc | | |
| This model uses soft pla | astic lures and is | suitable f | or targetir | ng fish arc | ound the | e botton | n. It emp | hasizes s | sensitivit | y during [.] | tracing a | and root-c | atching | avoidanc | e. | | | | | |
| Caro / Float rig Horse Mackerel Rock fish · others | | | | | | \bigcirc | | \bigcirc | \bigcirc | | 0 | | | | | 0 | \bigcirc | \bigcirc | | |
| Models can be reached | to the spot whe | re never g | jet with ju | st jig hea | d only. Y | You can | deliver t | he rigs fu | irther tha | an you ex | pected | without Id | sing sen | sitivity ar | nd manip | oulability. | | | | |
| Rock fish Models which can hand | dle jig head, Texa | ıs rig, Free | rig, or lig | ht "wind' | ″ ፠ to a | im rock | fish, Equ | uipped hi | gh mani | oulability | and pov | wer on bu | tt to kee | p target ı | under co | ntrol, *Tv | vitch the ro | d tip up to | flick the jig | head |
| Metal jig 5g~ Variety of fish | | | | | | | \bigcirc | \bigcirc | | | 0 | | | | | \bigcirc | | 0 | | |
| Models which are reco | mmended for su | per light s | hore jiggii | ng. Those | have a | power, | versatilit | y and ca | pacity to | deal wit | h the tar | get that n | nuch big | ger than | you expe | cted. | | | | |
| Versatile ~7g Variety of fish | | | | (| | 0 | | 0 | \bigcirc | \bigcirc | | | | | \bigcirc | 0 | | | | |
| Models for anglers who | wish to aim variety | y of fish su | ch as Hors | se macker | el, Rock | fish, Sm | all trevall | y, Barrac | uda, Blac | k sea brea | am, or Sr | mall seaba | ss with li | ght tackle | s, You sh | ould not | worry abo | ut the bi | g one une | expected, |
| Versatile 7~21g Variety of fish | | | | | | | | | \bigcirc | \bigcirc | \bigcirc | \bigcirc | | | | | | | | |
| Models which have hig Trout | h versatility to ai | m Black s | ea bream, | Seabass | , Hair ta | il, Squid | from sh | ore line | and also | lake trou | t game v | with minn | ows and | spoons. | It depen | ds on yo | ur ideas a | and inspi | ration. | |

Models to be able to keep twitching seamlessly and let it stop as you wished to without unwanted wobbles on tip, If you love to fish with overhead reel, III53/B is recommended.





Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

In the current subdivided squid fishing scene, there are various techniques and the skill of individual anglers have drastically improved. There is one simple reason why we have embarked on the renewal of the series. It is none other than the fact that we want anglers to have the lightest, most responsive and absolute castability of what we have to offer with the current given technology. The new Calista series have been rebuilt from the start and it is the crown of our manufacturing techniques and efforts. Its more than a "renewal" or a "new model", it's the "Origin of Calista".

As a blank manufacturer, there is no better challenge than creating this totally new Calista series for the squid fishing scene.





Long length model that can perform sensitive actions without losing high sensitivity performance even in the current

This is a highly sensitive and flexible long length model able to feel for the squid jig in the current. We have fused together the light tip section to a medium class strength but t section to realize its outstanding casting ability. Although the rod is a long length model, the exceptional balance will allow anglers to easily and lightly control the rod to induce the bite of the squid while the highly sensitive blank will transmit the slightest touch from the squid and feel for the current during the curve fall of the squid jig.

Spinning Model / 2pcs (Spigot Ferrule) Guide:TORZITE Titanium frame K Guide +Butt Guide: SiC Titanium frame RV EGI: #2.5~3.5 Reel seat: VSS16 (Fuji) Up lock nut

LINE: PE 0.4~0.8

Suitable reel size: D:LT2500 / S:2500







This is a technical model that utilized a short length of light handling and plenty of variations of jerking to lure squid.

The technical short length model was designed to enable anglers to utilize their various jerking techniques. The flexible yet short length blank will be a tactical weapon for anglers to precisely maneuver the sauid jig for the final leg of the pursuit of the sauid. It will be most suited for fishing around structures and drop-offs or technically controlling the lure when sight fishing, Furthermore, the responsiveness of the short length blank will also assist anglers to speedily search a vast area. This short length versatile blank will also be great for off-shore boat squid fishing.

Reel seat: VSS16 (Fuji) Up lock nut

Suitable reel size: D: LT2500 / S: 2500

Target: Squid







This all-around model expands the possibility of techniques. This is the one that reflect the new technology of new Calista.

This is the new all-rounder model of the renewed Calista series where anglers will be able to first handedly experience our developmental concept. The blank is fused together with castability, controllability, sensitivity and power for anglers to bring out its true colors all year round at any given situation. The sharpness hidden beneath the user-friendly characteristics will breathe life into the squid jig controlled by the angler through long distance casting, jerking and line-control.

EGI: #2.5~3.5 LINE: PE 0.4~1

EGI: #2.5~3.5

LINE: PE 0.4~1

Spinning Model / 2pcs (Spigot Ferrule)
Guide:TORZITE Titanium frame K Guide
+Butt Guide: SiC Titanium frame RV Guide(Fuji Reel seat: VSS16 (Fuji) Up lock nut

Suitable reel size: D:LT2500 / S:2500

Target: Squid



a.305mm| b.390mm| Length: 2496mm Closed length: 1282mm Weight: 92g



This item is achieves sensitive operability that overturns common sense for power models.

Like the 82ML/AR, it is an all-rounder model suitable for year round fishing with lightness and responsiveness as its distinct qualities. The blank was back to the drawing board and rebuilt from the ground up to break all stereotypes of the standard 86M specifications for squid fishing. Even if you own a rod with similar specs to 86M, we would like you to take hold of this rod to first handedly experience the highly responsive controllability of the squid jig and outstanding casting distance the blank produces.

EGI: #2.5~4.0 LINE: PE 0.4~1 Spinning Model / 2pcs (Spigot Ferrule)
Guide:TORZITE Titanium frame K Guide
+Butt Guide: SiC Titanium frame RV Guide(Fuji) Reel seat: VSS16 (Fuji) Up lock nut

•Suitable reel size: D:LT2500 / S:2500





a.315mm | b.400mm | Length: 2573mm Closed length: 1320mm Weight: 98g



A special concept model dedicated to more aggressive game both from shore and boat.

There are no specific rule books for squid fishing, and there are as many styles and game plans as there are anglers. The 79MMH/AG is a super highly responsive model for nose anglers who aggressively allure the squid by technical approaches. It is designed with a medium class tip section and a medium heavy class butt section to easily and sharply maneuver the # 3.5 squid jigs. We have also reduced the stress on the anglers side by giving the rod contradicting characteristics of flexibility and power.

EGI: #3.0~4.5

LINE: PE 0.6~1

Spinning Model / 2pcs (Spigot Ferrule) Guide:TORZITE Titanium frame K Guide +Butt Guide: SiC Titanium frame RV G Reel seat: VSS16 (Fuii) Up lock nut Suitable reel size: D:LT2500 / S:2500

Target: Squid













Calista RADAR CHART COMPARISON

Description of chart items

Long Cast Performance · Evaluation of casting ease and power within the blank

Finesse Action • Evaluation of Slack Jerks and twitching actions that are important with sight fishing.

Aggressive Action · Evaluation of Aggressive Jerks which include general jerks, winding jerks, and combination jerks.

Stiffness of tip · Advantages of a stiffer tip include easier operation in deeper waters, waters with strong currents,

Calista 76ML/TJ

and larger resistance Egi. The advantages of a softer tip include an increase in sensitivity to feel changes in the water and is less physically demanding.

Comfortability · A model with stiffness may increase the physical burden, so please refer to this item and choose it if you tend to hurt your wrist.



High Embankments

Tidal currents spot

stiffness of tip #2.5~3.5


Long Cast Long Cast #2.5~3.5 Rock-Shore with low footing Anywhere

Calista 82ML/AR Calista 86M/PF Long Cast #2.5~4 Anywhere

Calista 79MMH/AG Long Cast tiffness of tip #3~4.5 • Recommended Fields Rock-Shore with low footing harbors deep area, and boats


27

Calista BENDING CURVES



Here are pictures representing the bending curve of the new Calista series with a static load of 500g. We have especially focused on the length and blank individuality of each model for the lineup of the new Calista series.

•Anglers will be able to experience the lightness of the next generation blanks in 3 different lengths (short, medium and long lengths) of the main ML class rods.



the left. The 90LML/S has the most flexible tip, but in order to eliminate the unwanted wobbles on tip section which comes from its lengths, it has a blank design with high recovery force, and it will bend like this under light wight of loads. In addition, the 79MMH/AG, which has the strongest butt section, has a flexible tip so that it does not become too stiff, so even if it is a stiffest and shortest of Calista series, it will bend smoothly and be easy to handle

**These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.



Mebius



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

We hope that fishing rod from YAMAGA Blanks is going to be used by much more number of anglers. That is ambition what we put into Mebius series. It is quite difficult to keep low budget while pursuing performances and quality. But we have succeeded to achieve those elements as making extensive use of our techniques of design and quality of factory. That is how we build fishing rods and once you fish with Mebius series you will definitely know as much about our policy and performance of blanks. We offer you 6 different type of character for Mebius series as such as short length, light weight model or medium heavy class to cover various situation that you are going to face. Of course you can take one as main rod, you can also take one as a substitution for specific circumstances.



This lures the target out that can be realized only because it is light and short in length, and it captures various situations.

If you wish to use super fine PE line to sense slightly changes of pressure of current and Jure out carefully, this sensitive short length model is the one. When squid is less activity than usual then you are required to feel slightly changes of current and need to manipulate and lure out delicately, sensitiveness which is loaded to 710 enable you to cast light weight of Egi, sense tiny contact of squid and keep squid over 2kg under control. Of course you can take 710 for fishing from boat.

LURE: EGI #1.8~3.5 (~21g) LINE: PE 0.3~0.6

LINE: PE 0.5~0.8

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT2500 / S: 2500~C3000

Target: Squid

a.290mm| b.365mm| Length:2390mm Closed length:1225mm Weight:84g



A light class that makes use of its flexibility for easy and quick action.

This is the light class model which is good for short pitch jerk and jerk making use of line slack. You can cast even light weight of Egi with a comfortable feeling thanks to the flexibility and moderate power of recovery. So this is good to be used on sight fishing technically. Yet it has enough power to keep huge squid under control, you can manipulate Egi with less power than others. Once you fish with it you will recognize that it has gotten high potential to be used in all seasons.

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji Reel seat: VSS16 (Fuji) Down lock nut LURE: EGI #2.5~3.5 (~21g) LINE: PE 0.4~0.8

Suitable reel size: D: LT2500~3000C / S: C3000 Target: Squid

a.310mm | b.385mm | Length: 2645mm Closed length: 1350mm Weight: 93g



To improve the efficiency of search in a high pressure field by specializing in performance of light manipulating feel.

It have been designed to be more flexible than 86M and finished to become technical rod which is enable anglers to manipulate various weight of Egi at your will. You will be able to take advantage of versatility of 85ML as such as luring out delicately on sight fishing, jerk making use of line slack and short pitch jerking. We recommend 85ML for any level of anglers as an all-rounder

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) LURE: EGI #2.5~3.5 (~24g)

•Suitable reel size: D: LT2500~3000C / S: C3000 Target: Squid



28



A short length power model that improves the operating response of the Egi. Also ideal for boat eging.

Blanks of 79M have been brushed up to be taking advantage of length. You will feel the high response speed of blanks and high usability as characteristics of short length models while pursuing long casting performance. Yet it has enough power to cast and manipulate even size 4 Egi (about 25g), It has been loaded with moderate power of recovery, flexibility, and lightness on blanks. If you are required to lure a speedy or take time to lure a spooky one out, 79M will be your huge advantage for sure.

LURE: EGI #2.5~4.0 (~28g)

LINE: PE 0.5~1

ning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut

•Suitable reel size: D: LT2500~3000C / S: C3000 Target: Squid



a.300mm| b.375mm] Length:2365mm Closed length:1210mm Weight:89g

It has both lightness and power, and is intended to aim large squid.

It is standard model of Mebius series, Although it is medium class rod, it have gotten sensitive, flexible tip and belly section to be adjusted modern eging scene technically. It have been designed to be well balanced to cast and manipulate Egi with less input by angler reducing burden of angler's wrist, This 86M is the most versatile model of this series. You can cast long distance and manipulate at your will even size 4 Egi (about 30g) without any anxious.

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) LURE: EGI #2.5~4.0 (~30g) Reel seat : VSS16 (Fuji) Down lock nut Suitable reel size: D: LT2500~3000C / S: C3000 LINE: PE 0.5~1

Target: Squid



Length: 2595mm Closed length: 1325mm Weight: 98g

This is a medium heavy class that allows you to easily operate large egi. This model specializes in targeting large squid.


Although this is the medium heavy model which have been loaded massive power on butt section, blanks of 83MH have lightness and flexibility. It is good for size 3.5 \sim 4 of Egi mainly, you can of course use heavy type of size 4.5 of Egi. This 83MH have been designed to be loaded enough power to set hook on huge squid even heavier than 2kg and lightness and flexibility of blanks will reduce unwanted kickback when you jerk.

LURE: **EGI #3.0~4.5** (~35g) LINE: PE 0.6~1.2

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT3000C / S: C3000

Target: Squid

Mebius BENDING CURVES



These are comparison images of Mebius series which are loaded 500g weight on tip. Mebius series have been loaded more flexibility than calista series to get more versatility and usability. We have focused on cast feeling of Mebius series. Wide range of release point and power of recovery will provide you excellent feeling and distance of cast. Comfortability of casting and toughness as eging rod are directly linked to versatility for aiming at various target. Enough versatility that to be used for horse mackerel, rockfish, black sea bream, seabass or light jigging game is hidden in those blanks.





BattleWhip TR / IM / OR OMO Rig

(TIP RUN·IKA METAL·OMO RIG) / 6 Lineup





Series category page Details of code on each model. VAMAGA Rlanks Official Web site

"BattleWhip" series to be adjusted boat eging scene which being developed day by day We take advantage of skill, knowledges and experiences of designing fishing rod to shape the lineup of TipRun series, Ikametal series and also Omorig. which are adjusted to seamentalized game.

All of these models have given own specialized character one by one to make angler sense slightly changes which is transmitted through blanks.





3 types of BattleWhip TR series which have been given original character is lined up to cover various situations of TipRun eging scene. Anglers will enjoy to feel differences of sensitivity and speed of settle of tip section without unwanted wobble



The high sensitivity for hooking is thoroughly pursued, and the signal is transmitted not only visualy but also sensually through the hand. PRICE:

Making use of advantage of high sensitivity accumulated from light game scene, blanks transmit slightly touch of squid. This characteristic of TR63 makes you to distinguish activity of squid and to stay focused even you faced touch condition. This is for the angler who does not want to lose opportunity of catching squid, You do not have to look at tip to get indication of vital information, Blanks definitely transmits signal to your hand, All you have to do is just feel it! This 63/N will make differences for sure. (Carbon Solid Tip model)

EGI: 30~60q LINE: PE 0.4~0.8 DEPTH: 20~50m

Spinning Model / 2pcs (Put over Fer Guide: SiC-S stainless frame K quide+SiC stainless frame LDB quide(Fuii) Reel seat : VSS16 (Fuji) / Down lock

Suitable reel size: D: LT2500C~3000C / S: 2500~C3000 Target: Squid





a.295mm | b.360mm | Length: 1920mm Closed length: 975mm Weight: 75a



This is a multi-purpose model that can be enjoyed in a wide range of ways, from tip-run eging in shallow water to boat egging.

This is specialized model with high sensitivity and operability to cover from shallow to 30m depth of water 7.3ft length of blanks will help you to stay your Egi still even you fish from mid-large boat or in situation that you are struggled in welter of the sea surface. You can fish with S-Fall techniques while taking advantage of its length, Of course, casting game is available with this versatile model. We believe that you will be able to enjoy the variety of situation and method of squid games with this TR 73/S. (Carbon Solid Tip model)

EGI: 20~40a LINE: PE 0.4~0.8 DEPTH: ~30m

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Fuji) Reel seat: VSS16 (Fuji) / Down lock

Suitable reel size: D: LT2500~3000C / S: 2500~C3000

Target: Squid





Length: 2225mm Closed length: 1145mm Weight: 83g



This is a power model that allows you to capture deep waters and make quick luring out using heavy weight egi.

This is the most powerful model in this series to cover area such as deep and rapid water. If you aim huge squid in tough area such as current runs rapidly or deep wate around 40m or more, TR 69/D is the best choice. It will be bent very smoothly while accumulating huge power of recovery inside of blanks themselves to lift even squid much bigger than you have thought. This is for anglers who wish to explore untouched area for aiming massive squids (Carbon Solid Tip model)

LINE: PE 0.6~1 DEPTH: 40~90m

ning Model / 2pcs (Put over Fer Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Fuji) Reel seat · VSS16 (Futil) / Down lock


Suitable reel size: D: LT2500~4000C / S: 2500~4000

• Lure : Fai




a.295mm| b.360mm| Length: 2075mm Closed length: 1060mm Weight: 80g

BattleWhip TR BENDING CURVES



- These are comparison image of BattleWhip TR seies. The image below is comparison of 3 models and the others are comparison which are loaded 50g/100g/200g on tip section of each models.
- ●TR63/N have high sensitivity and ability of manipulation, You will feel moderate stiffness on blanks, Even you are fishing on tough situations, it will tell you vital information visually and transmit you slightly touch of squid sensuously
- The longest carbon solid section is loaded and it will tell you vital information even you are fishing on wavy condition, And also, mildest model in this series,
- Although TR69/D is for deep area and rapid current, you can handle it comfortably. Of course, you can use it with heavy weight of egi to get faster speed of fall as you have imagined,





Ika Metal series have been well balanced to achieve comfortable manipulate feeling and versatility that is enable you to jerking, shaking, posing, slow lifting and slow



It has a lightness, sensitiveness, and broad action performance and strong butt power in thin blanks.

Thanks to sensitivity and visibility of blanks are increased for achieving the excellent results. The lightness of it let you handle this stick as your extended arm, flexibility and power of recovery provide you comfortability and toughness of butt section enable you to lift unexpected monster up to surface without anxious and burden of physical. This IM69/S will cover various situation, method and size of target with fun for sure. (Carbon

EGI: Egi Max #25 (90g) LINE: PE 0.4~0.8

le: SiC-S stainless frame K guide +SiC stainless frame LDB guide(Fuji) Reel seat : VSS16 (Fuji) / Down lock

Suitable reel size: D: LT2500~3000C / S: 2500~C3000

ninning Model / 2ncs (Put over Ferrule)

•Lure: Ika Metal • Light Omorig • Light rig game(Off shore)



Length: 2070mm Closed length: 1060mm Weight: 86g

In addition to fine-tuning the reeling of the overhead reel model, it transmitted condition of water clearly when lure is falling.

Carbon solid tip lets you know vital information visibly and transmits a lot of information to your finger through blanks. Although it has flexibility and sensitivity, once you have sensed a touch of squid you can strike aggressively without any delay thanks to moderate stiffness and power of recovery which also help anglers to lift huge squid up from the bottom of the sea. Taking advantage of IM69/B overhead model, we hope that you hunt squid as many as you have wished. (Carbon Solid Tip model)

PRICE: EGI: Egi Max #30 (110g) LINE: PE 0.4~0.8

Bait Model / 2pcs (Put over Ferrule Suide : SiC-S stainless frame K guide +SiC stainless frame LDB guide(Fuji) Reel seat: PMTS17 (Fuii) / Down lock

Suitable reel size: D: 100~200 / S: 100~200

Lure: Ika Metal





This OR model have been designed to aim monster sauid which is hidden the edge of lighting or conquer the tough situation that squid hardly take your egi at all. You can cast sinker with small size of egi to reach the point where the squid might be there and you can give it action exactly as you have planned.



Specially designed for the Omo-rig method to expand the selection of Ika metal games. Ideal for dealing with wide range of waters. This OR72/C have been designed to manipulate sinker weight 90g~150g comfortably.

Also powerful enough butt and belly section to cast sinker up to 150 safety and comfortably. Thanks to moderate stiffness of tip section vital information of squid will be transmitted very clearly. You can search as wide as you have wished and you can sense what is going on inside of water very clearly. You will definitely enjoy this squid game as you are having jigging game with it. (Tubeler Tip model)

SINKER WEIGHT : Cast Max #40 (150g)


Guide: SiC-S stainless frame K guide (Fuji) Reel seat : VSS16 (Fuii) / Down lock Suitable reel size: D: LT2500~5000C / S: 3000~C5000

Target : Squid Lure: Omoria

LINE: Max PE 1




BattleWhip IKA METAL BENDING CURVES



- This is a comparison of bending when load 130g of weight statically is applied to Battle Whip IM for Ika metal games and Battle Whip OR for Omorig. The Battle Whip IM is designed to attract squid under the boat using things such as Sutte and Obama rias, and the solid tip also brings a great advantage as indicator. Although it bends overall, the butt remains firmly, so it is possible to make large squid float or even a hook up double with high power of recovery. Spinning model from IM series and overhead model are configured with the same blank, but the overhead model is a slightly stiffer due to different parts specifications.
- OR is a type of rod that uses a sinker to cast a rig and lure target out by pulling horizontally, so the highly force of recovery of the entire rod allows you to hook them up. In addition, OR is a model with a tubular tip that has moderate stiffness throughout the rod to make it easier to cast with under hand.

*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation, it was loaded with weight on rods gently



and fragile. So please careful with shock of impact and handle


gentry when you fish and shored them with care. Although you can fish in properly use with them, it might be cause of breakag

of carbon solid tip if you retrieve your lure too much or wind up





31





In 2024, Yamaga Blanks release its first trout rod series for fishing ponds, "Lupus Area Trout"

Among the freshwater games, fishing ponds trout has its own world. Although the game requires more gameplay, it often fails to catch fish as expected because it only targets fish in a limited range, and high actual fishing performance is required for tackling. Especially, the size of the lure and the variation of the aiming method are diversified like no other, and one of the major techniques is how to adjust to the situation at hand.

"Lupus Area Trout" is a new rod series, Yamaga Blanks is devoting all the know-how of the salt light game rod that it has accumulated. While inheriting the brand concept of "light," "cast well," and "strong" of Yamaga Blanks, it has five models specializing in luring the target out. Feel the potential of the blank of Yamaga Blanks with the "Lupus Area Trout," in which you can fully enjoy a game of fishing ponds using different lures to conquer various situations.

Lupus for Area Trout Game

Lupus / for fishing ponds / 5 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

situations and conditions when fishing in these trout ponds and we have expanded our line up to 3 models specially designed for retrieval and 2 models for more active action. of the rod. We have created trout fishing rods that will be able to cover various situations in various areas around the world.

<Compared to the light game fishing Blue Current series, the overall power is lower and it will</p> bend in nicely from the tip to the belly. On the other hand, the butt section has enough power to be able to deal with larger species. Furthermore, we have increased the size of the guides to



Lupus for AREA / type: RETRIEVE Spoon and Crank

Ideal for all types of retrieval with shallow running minnows and regular "stop and go" with bottom type cranking baits.

It is the most versatile model of the series, able to cast various types and weight of lures with a regular taper blank, The sensitive tip section will capture the subtle bite of the fish and moderately stiff belly section will not only help a swift hookup but also reduce miss bites. We can confidently recommend this rod for those anglers who want to use 1 rod for all types of approaches and different trout ponds as well as beginner trout

LURE: 0.6~6g

LINE: 1.5~4lb / PE 0.15~0.5

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS16 (Fuji) -Up lock

•Suitable reel size: D:LT1000~2000 / S:1000~C2000 Recommended Lure: Spoon · Crank-baits





This is the finesse model for use with ultra thin line and super light lures (micro spoons and small crank-baits).

This is the finesse model of the 61RM for down-sizing your main lures. The rod possess a sensitive and flexible tip to belly section, capable of hooking up the subtlest bites of ultra light lures with a slow retrieval. The flexible blank will absorb the load and prevent the ultra thin line from bust offs LURE: ~4q and stretching of the super fine hooks. Although it is a finesse model, the butt section has amble power for the unexpected big trout, It is most ideal for small~middle size ponds for close range fishing for numbers and those anglers who prefer a softer rod as their main rod.

LINE: ~3lb / PE ~0.4

Spinning Model / 2pcs (Put over Ferrule) Guide : SiC-S Stainless frame K Guide (Fuji) Reel seat : DPS16 (Fuii) -Up lock

•Suitable reel size: D:LT1000~2000 / S:1000~C2000 Recommended Lure: Micro spoon · Micro crank-baits







This is the sharpest model to swiftly hook up high drag lures like crank-baits and spoons that have been cast out long distances.

The tip section has been designed with plenty of flexibility for a more loose action of the lure during retrieval and will allow anglers to successfully hook up the slightest of bites. In contrast, the belly section is stiffer to effectively hookup those cranking baits that tend to have more drag and are more difficult to transmit the hooking towards the fish. The 6.6ft length will also allow anglers easier line mending if required and possesses the most powerful butt section in the retrieval type rods.

LURE: 0.8~6a LINE: 1.5~5lb / PE 0.15~0.5 Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS16 (Fuji) -Up lock


 Suitable reel size: D:LT1000~2500C / S:1000~C2500 Recommended Lure : Crank-baits

Spoon (Large size available)





Lupus for AREA / type: MOTION Vibration and Minnow



Since the blank has been engineered to be stiffer with a bouncy tip section, anglers will be able to rhythmically utilize the "lift and fall" technique with metal vibrations. This stiffness will also allow for a swift hookup while the angler is maneuvering the lure. Furthermore, this will also help the initial action of the lure when utilizing the "stop and go" method. This model is not only great for deeper ranges, but also ideal for neuvering top water lures,

LURE: 1~6a

LINE: 2~6lb / PE 0.15~0.6

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat : DPS16 (Fuji) -Up lock

•Suitable reel size: D:LT1000~2500C / S:1000~C2500





This is a model to actively hookup through twitching and simple retrieval. A model for those anglers chasing large mountain and brown trout.



This model has been designed with stiffness required to actively twitch the rod to animate the lure in the water. Anglers can continuously twitch the rod to dramatically bring life into the lure. The sensitivity and stiffness of the blank will also help anglers successfully set hook in the hard mouth of the various species of trout. Furthermore, the "stop and go" technique with buoyant minnows will allow for a vertical approach which s highly productive for rainbow trout.

LINE: 2.5~8lb / PE 0.2~0.6

ning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat : DPS16 (Fuji) -Up lock

•Suitable reel size: D:LT1000~2500C / S:1000~C2500



a.215mm | b.280mm | Length:1830mm Closed length:940mm Weight: 57g(Proto)



Lupus 61RM MULTIPURPOSE

This multi purpose rod is capable of handling various types of lures with this single rod. It is most ideal for simple retrieval of 1 ~ 4g spoons and crank baits, but also able to handle micro-spoons and crank-baits with fairly strong drag. This is the most standard Area fishing model produced by Yamaga Blanks and will also allow for vertical appeal of the minnows by jerking the rod or the "stop and go" method for your bottom type lures.



Lupus 511RF

FINESSE

This model is especially designed for use with ultra light micro spoons and micro crank-baits, With the use of ultra fine line and lures under 1g, anglers can induce a bite with a super slow retrieval. Although it is a super light sensitive. rod, the underlying butt power will allow anglers to efficiently land large numbers of trout with larger 3g class spoons when the fish are on the bite. Once you take hold of this rod, we are confident that you will be able to feel the Yamaga Blanks spirit within,



Lupus 66RS

SHARPNESS

It is also capable of handling heavier spoons (above 3g) and crank-baits lures which have more drag compared to other lures. The flexible tip section will give freedom to the variant crank-haits and will maximize the potential of their action. The sharp belly section will help reduce the heavy drag even with bigger lipped deep cranking baits. With its great castability, this model will be of great advantage in large areas which require long distance casting.



Lupus 62MB

BOTTOM BOUNCING

This model is ideal for bottom type lures like metal vibrations. Anglers can swiftly hookup fish while utilizing the lift and fall technique, The stiff and sensitive rod tip will allow anglers to easily control the "bottom bump" with spoons and "bottom knock" with deep cranking lures. It is also ideal for use with top



Lupus 60MTR


TWITCH & RETRIEVE

The rod is designed for anglers to actively twitch the rod to animate the minnows. The stiffer action of the rod is ideal for using minnows that do long side to side darting action or highly buoyant minnows which naturally rise after animating the lure by twitching. Anglers will be able to successfully transmit the action they wish through the responsive blank whether it be short shaking or large maneuvering twitching of the lures.





Lupus BENDING CURVES Area Trout & Native Trout Models


Lupus for Area Trout Series / Comparison of bending by model













Lupus for Area Trout Series



Lupus for Native Trout Series



Lupus for Native Trout Game



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

The Lupus series are designed to cover the river systems from headwaters to the main-stream and possess the controllability required to maneuver the minnows to induce the bites in the intricate river currents. The sharp castability and the seamless bending curve will assist anglers to adequately twitch the lures in the strong currents, while the powerful butt section will smoothly pump the fish towards you. Yamaga Blanks believe that these are necessary qualities required in the river game. The Mountain-Stream models are for smaller streams running in the mountains and the Main-Stream models are for your larger rivers to target salmon and trout.



This is a high response model that can pull out various lure operations with a short length with good handling.

Mountain Stream

This is short length trout rod to perform at its full potential on the mountain stream as known as small and varied, We have been loaded high ability of cast and manipulation of Jure to fish on headwaters of mountain stream where the tough for anglers. You will be able to cast comfortably and once you have hooked fish up no matter how big it is, you will be fascinated with power and beautiful bending curve, It will be also recommended if you fish on the river where restricted area such as narrow and bushy in summer time,

LURE: 1~7g LINE: 2~6lb Class

Spinning Model / 2pcs (Spigot Ferrule) Guide: TZTitanium frame K Guide (Fuji) Reel seat : Original wood seat / Down lock

 Suitable reel size: D: LT1000~2000 / S: 1000~2000 Recommended Target:Trout

Recommended Field: Mountain Stream



Length:1575mm Closed length:850mm Weight:78g

By sharpening basic performance, this model can handle any situation in a mountain stream without stress.

This is the basic length model to cover various situation on the river. One of the remarkable characteristic of Lupus 61 is wide range of use of lures to search selective trout in various ways. You will be able to cast lightly without any stress while being loaded enough power on butt section to keep large trout under control. We believe that you will never leave it behind when you go to fish because of potential within blanks.

Guide:TZTitanium frame K Guide (Fuji) Reel seat: Original wood seat / Down lock

LURE: 2~10g LINE: 3~8lb Class

Suitable reel size: D: Around LT2000 / S: Around 2000 Recommended Target: Trout

Recommended Field : Mountain Stream





A mid-length, versatile model with the Long cast and operation performance needed to find fish in open waters.

This is the one for wide and deep river. This is well balanced middle length trout rod

which is good to be used at not only just wide area but also pool or back water of dam, You will keep large trout under control with its powerful but section and you will be able to hook small trout up smoothly with its sensitive and flexible tip section. Of course it have been loaded versatility to manipulate not only minnow but also spoon.

LURE: 3~12g LINE: 4~10lb Class

Spinning Model / 2pcs (Spigot Ferrule Guide: TZTitanium frame K Guide (Fuii)

 Suitable reel size: D/S: 2000~2500 / S: 2000~2500 Recommended Target:Trout

Recommended Field : Mountain Stream



a.235mm | b.355mm | Length: 2170mm Closed length: 1110mm

Mountain Stream

A light class technical model that is useful in mainstream situations where sensitive lure operations are required.

Main Stream

This is light class rod for Cherry Salmon. This will be matched to fish on main stream not only Cherry Salmon but also to large Yamame or Rainbow trout larger than 60cm, even good for land locked cherry salmon, This have been loaded more flexibility than other model so there will be less chance of hooking off. We believe that this is excellent light class rod to sense small bite and full of potential of this rod will be taken out when tough situation that angler have to concentrate on contact from fish which might be able to get only once a day,

LURE: 4~25a LINE: 6~20lb Class Spinning Model / 2pcs (Spigot Ferrule) Guide : TZTitanium frame K Guide (Fuii Reel seat : Original wood seat / Up lock

•Suitable reel size: D/S: LT2500~3000C / S: 2000~C3000 Recommended Target: Cherry salmon mmended Field: Main stream · Mountain stream · Backv

Length: 2315mm Closed length: 1175mm Weight: 126g

Versatile model with the power to find pinspots in strong currents and stop large cherry trout from running. Spinning Model / 2pcs (Spigot Ferrule)

81 is good to be used with every kinds of minnows or sinking pencil and remarkable characteristic of it is sensitive tip section with superb sharpness which is enable anglers to manipulate lure at their own will and set hook on easily even lure is in the rapid current. These have been loaded high versatility which is enable angler to use plugs or spoons for Cherry Salmon with amazing cast feeling.

LURE: 5~28a LINE: 8~20lb Class

Guide : TZTitanium frame K Guide (Fuji) Reel seat: Original wood seat / Up lock Suitable reel size: D/S: LT2500~3000C / S: 2000~C3000

Recommended Target: Cherry salmon
 Recommended Field: Main stream · Backwater · Sea



a.330mm| b.425mm] Length: 2470mm Closed length: 1270mm Weight: 129g



This model combines power for targeting large cherry trout, light operation performance and casting performance.

86 Monster Cherry will suit to the monster hunter who is aiming at trophy fish over 70cm. Compared to other 3 models, this 86 Monster Cherry have been loaded huge power on it. It have gotten more than enough butt power to fight against monster fish without losing sharpness to cast rhythmically, sensitivity to manipulate lure gently. We can proudly say that this would be flagship model of Lupus series. We have built this up with the knowledge and experiences that have been cultivated from fishing for big one in saltwater so that this is more than enough to be called Monster Cherry for sure.

LURE: 8~30g LINE: 10~24lb Class Spinning Model / 2pcs (Spigot Ferrule) Guide: TZTitanium frame K Guide (Fuji) Reel seat: Original wood seat / Up lock

 Suitable reel size: D/S: TZ500~4000C / S: 2500~3000 • Recommended Target : Cherry salmon Recommended Field: Main stream · Backwater · Sei

35







SeaWalk Cast Jigging

Cast Jigging Model / 2 Lineup



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

A new series "Seawalk Cast Jigging 'Swim & Skip'" is the one of the light jigging series "Seawalk" for inshore boat games. It is a series that pursues performance to efficiently explore a wide range by casting metal jigs, plugs, jig heads, etc., and two models which is different power classes, 71ML and 73M are lined up.

It is a series aiming at multiple targets by capturing a wide range and all layers of waters by letting lure "swim" (just winding) and the letting lure "skip" (lift and fall, wind, etc.) on the bottom of the sea. The main concept is to enjoy a fishing from the boat simply and easily.



Cast Jigging

This model is the core of cast jigging with its sensitive tip and belly for long-cast performance and stable winding.

With its flexible tip and belly section, it is a model that has improved the basic performance. of cast jigging that suppresses blurring and flapping of jig even during high-speed reeling, realizing stable reeling comfort and smooth hooking. It is easy to cast over and under hand, and even though it is ML power class, the butt section keeps unexpectedly big fish under control. From shallow area to depths around 20m, while capturing multiple fish species vith blade jigs, metal vibrations, and Inchiku, in sandy areas, 71ML work effectively to aim Flounder or Flathead with jig heads + worms by taking advantage of the high sensitivity.

CAST WEIGHT : Max 40g / Under hand Cast Max 60g •Target: Small sized Blue-runner

LINE: Max PE 1.5

LINE: Max PE 2

Spinning Model / 2pcs (Center cut/Put over ferrule) Guide: SiC-S Stainless frame K guide (Fuji)
Reel Seat: DPS17 BACK STOP Double Nut (Fuji) / Up lock nut

(bonito, Spanish mackerel, dolphinfish). various rock fish, Red sea bream, Flatfish, Seabass • Lure : Jig • Blade Jig • Vibration plug • Jighead + Soft plastic

a.465mm | b.582mm | Length: 2170mn Closed length: 1118mm Weight: 116g

•Suitable reel size D: 4000~6000 (SW4000~SW6000) / S: 4000~C5000 (SW4000~SW6000)

Precautions when using SW6000 class: When performing high-speed winding in blade jigging, increasing the reel size will reduce fatigue, so we recommend up to the SW6000 class.



36

This is the one that masters various kind of lures with high response operability to capture the wide range and deep waters.

73M has more moderate stiffness than 71ML and this is a model that is to capture the wide range and deep area while using metal jigs up to 80g, It is easy to cast a heavy weight lure farther than you expected with light force even under hand, and it is good at lure with emphasis on action using not only metal jigs but also heavy weight minnows, sinking pencils and jerk baits. It is also recommended for aiming migratory fish when its feeding on the surface, rockfish aiming by wind method with heavy weight jig head + worm or lift and fall method in ocky reefs. This is the almighty model that covers a variety of styles with just 73M itself.

Spinning Model / 2pcs (Center cut/Put over ferrule) Guide: SiC-S Stainless frame K guide (Fuji)
Reel Seat: DPS17 BACK STOP Double Nut (Fuji) / Up lock nut CAST WEIGHT: Max 60a / Under hand Cast Max 80g • Target: Small sized Blue-runner

bonito. Spanish mackerel, dolphinfish). various rock fish, Red sea bream, Flatfish, Seabass ●Lure: Jig • Blade Jig • Vibration plug • Jighead+Soft plastic

a.465mm | b.582mm | Length: 2228mm Closed length: 1147mm

•Suitable reel size D: 4000~6000 (SW4000~SW6000) / S: 4000~C5000 (SW4000~SW6000) Exprecautions when using SW6000 class: When performing high-speed winding in blade jigging, increasing the reel size will reduce fatigue, so we recommend up to the SW6000 class.



SeaWalk Tairubber

SeaWalk Tairubber / Tairubber Model / 4 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

SeaWalk Tairubber series, we have differentiated the categories for the 4 rods depending on style and conditions rather than rod power to set them apart from one another. Equipped with not only the lightness of a light game rod, but also the sensitivity and

strength, these blanks will be the extension to your arm enabling anglers to go head to head with monstrous snapper exceeding 80cm in length. We hope you can experience our exquisite blanks that will shine a new light into your snapper game.





An all-rounder Tairubber model that sharpens the blanks that you bring to the hook up smoothly.

This is a specialized model to automatically hook up snapper by simply continuing to reeling in your rig following the small nibbles which frequently occur prior to the main bite. The automatic yet smooth hooking of the fish is brought on by the flexible yet powerful blank. This model is the backbone for the series and can be recommended for use in various field conditions.

LURE: 60~150g (Tai rubber)

LINE: PE 0.6~1

Over head Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide / Spiral guide (Fuii) Reel Seat: PULS17 (Fuji) Down lock nut Suitable reel size: D:100~200 / S:100~300

•Target : Red Sea Bream

Overhead reel Model / 2pcs (Grip Joint)

Reel Seat: PULS17 (Fuji) Down lock nut

Guide: SiC-S Stainless frame K Guide / Spiral guide (Fuji)



b.585mm | Length: 2143mm Closed length: 1624mm Weight: 134g

Tairubber

A special model that condenses the ability to capture the deep-area game of Tairubber in a light and responsive. Anglers will have to utilize heavy weight Tairubber jigs when fishing in 100m of water.

This model is specifically designed to enable anglers to easily handle these heavy rigs The blank was shaped to reduce the heavy load on the angler during the reeling of the heavy rig from the deep waters in intricate current conditions. We were able to create this rod with attention to the smallest detail in components for anglers to enjoy the Tairubber game in the deep waters.

LURE: 100~250g (Tai rubber) LINE: PE 0.8~1.2

●Suitable reel size: D:200~300 Electric reel:200 S:200~300 Electric reel:600 •Target: Red Sea Bream Lure: Tairubber

ii 🐼



Length: 2125mm Closed length: 1550mm Weight: 179g

Tairubber TYPE: SENSITIVE

Supersensitive model that focuses on sensitivity and lightness and can hook up even the smallest bite. This is the sensitive Tairubber model packed with our expertise and knowledge from producing

light game rods, It has the most flexible tip section of the series and its outstanding sensitivity will allow anglers to successfully hook up the slightest of bites. The sensitive tip will transmit the vital information of the current and the slightest nibbles from the fish through the sensitive blank and successfully lead to a hookup, This model will become your biggest asset in situations where the fish are reluctant to take a proper bite and the flow of the current is super weak.

LURE: 30~100q (Tai rubber) LINE: PE 0.4~0.8

Overhead reel Model / 2pcs (Center cut · Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: PMTS17 (Fuji) Down lock nut Suitable reel size: D:100~200 / S:100~200

Target: Red Sea Bream



a.450mm| b.560mm| Length:2185mm Closed length:1118mm Weight:100g

High response tai rubber model realizing aggressive game development with high power of recovery in blanks.

More specifically, the rod is built up of a carbon solid tip to feel for the minute changes in currents and bites and the highly responsive belly section allows anglers to swiftly and aggressively hookup the fish. Although it is short in length with a stiffer blank, the smooth blank taper will reduce the instability when reeling in your rig, enabling anglers to maintain their concentration. We highly recommend this model for those anglers who like to use both Tairubber rigs and snapper jigs depending on the fishing conditions.

LURE: 60~120g (Tai rubber) / ~100g (Jig)

LINE: PE 0.6~1

Overhead reel Model / 2pcs (Center cut · Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) eel Seat: PMTS17 (Fuii) Down lock nut Suitable reel size: D:100~200 / S:100~300

●Lure: Tairubber · Metal jig



SeaWalk Light Jigging

Light Jigging Model / 6 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

systematically with these line up of Seawalk series. Blanks of light Jigging series have been employed flexibility on tip, high operational performance on belly section and huge power on butt section to keep large fish under control especially when you use Tungsten-Jig. As we have explained already, you do not have to worry if bigger fish than you have expected is on. All models of light jigging series have been loaded enough power to keep huge fish under control





This model has the sensitivity and power to aim horse mackerel, large red sea bream and blue fish while enjoying the best of SLJ.

This is the ultra-light class of light-jigging series to aim Grunt, Horse mackerel or else on shallow water with light weight jigs (around 20g). Combination of super fine PE line and Tungsten-jig make super light jigging possible to aim school of Grunt with falling action or Horse mackerel on the very bottom of the sea. And you will be able to cast jigs up to 25g or let jig up to 40g swim naturally in the 40m depth of water without any stress so you can aim variety of target depend on depth of water systematically,

LURE: Jig 15~40g / Cast Max 25g ■Target : Bluerunner • Rockfish • Grunt • Horsemacke

Spinning Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: VSS16 (Fuii) Up lock nut Suitable reel size: D: LT2000~2500 / S: 2000~C3000

Length: 2015mm Closed length: 1570mm Weight: 102g

Liaht Jigging

A basic model that can handle a variety of methods such as SLJ to Tai-rubber and cover waters from shallow to deep.

This is the standard model for light-jigging with Tungsten-jig on inshore, If you wish to cast jig up to 35g compactly or if you wish to cast Tungsten jig or Tai rubber jig to search target widely around 30-60m depth of the sea, belly and butt section which have been loaded moderate stiffness and strength make it possible. Thanks to performance of well-balanced tip and belly section, you can manipulate jig up to 80g on 80m depth of the water and you can keep jig swimming naturally without too much kickback.

LURE: Jig 30~80g / Cast Max 35g

LINE: PE 0.6~1

LINE: PE 0.4~0.8

Spinning Model / 2pcs (Grip Joint) Reel Seat : VSS16 (Fuji) Up lock nut

 Suitable reel size : D: LT2500~4000C / S: C3000~4000 •Target: Bluerunner • Rockfish • Grunt • Horsemacke

Lure: Metal jig (Up to 80g is available if you just reeling)

•Lure: Metal jig (Up to 120g is available if you just reeling)





Length: 1935mm Closed length: 1475mm Weight: 114g

Captured deep area and strong currents with this one. it can handle everything from swimming method to high pitch action.

This is heaviest model of spinning model in this series. It will suit to deep area such as 50m-100m depth or field that current running rapidly. You can cast jig up to 50g. At the situation of vertical and horizontal fishing, you can handle jig up to 120g without any stress. You will notice that strength of butt section of 64ML once bigger fish than you expected is on, Taking advantage of cast ability and falling speed as spinning model, this 64ML will be the huge advantage if you fish on the sea very deep or current running rapidly.

Spinning Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) LURE: Jig 60~120g Reel Seat: VSS16 (Fuji) Up lock nut / Cast Max 50g

LINE: PE 0.6~1.2

Suitable reel size: D: LT2500~4000C / S: C3000~4000

•Lure: Metal jig (High pitch jerking is available)





Length:1935mm Closed length:1475mm Weight:115g

Light Jigging

This is a the high versatility overhead reel model that can play not only SLJ but also Tai-rubber game and Hairtail jigging

This 66L have employed high versatility to fish with Tungsten-Jig on 20m-50m depth of the sea.It will good to be used for Tairubber game thanks to its flexible tip section and belly section which have moderate stiffness with high sensitivity to let you notice vital information or slightly changes of current. If you wish to aim Hair tail or Sea bass on bay area and try not to let jig move too much, this 66L will make it easier than other


LURE: Jig 40~80g

Overhead reel Model / 2ncs (Grin Join Reel Seat: PULS17 (Fuji) Down lock nut

LINE: PE 0.6~1

•Suitable reel size: D: 100~200 / S: 100~300 • Target : Bluerunner • Rockfish • Hairtail • Bream • Seabas

• Lure : Metal jig • Tairubber



models for sure.

Length:1985mm Closed length:1525mm Weight:131g

Liaht Jiaaina

High-response blanks with sensitiveness and toughness make this model suitable for various situations.

66ML have characteristic to cover wide range of depth of the sea (30m-80m) thanks to its well-balanced sensitiveness and powerfulness. Even you fish with Tungsten-jig, you will never lose response speed of jerk taking advantage of high sensitivity and manipulate ability thanks to characteristics of overhead model. It is also good to be used for Tairubber game in deep area(80m-100m) or current running rapidly.

LURE: Jig 40~120g LINE: PE 0.8~1.2

Reel Seat: PULS17 (Fuii) Down lock nut •Suitable reel size: D: 100~200 / S: 100~300

• Target: Bluerunner • Rockfish • Hairtail • Bream • Seabas: ■Lure : Metal iig • Tairubber

Overhead reel Model / 2pcs (Grip Joint)

Length:1985mm Closed length:1525mm Weight:131g

Light Jigging

This is the one that can be used in waters where many chances to get contact from bluerunners, and is also ideal for deep waters.

This 65M is the most powerful model of light-jigging series which is good to be fished in high population of blue runner. Compared to other models of light-ligging series, it have been loaded a little stiffer blank than other and you can enjoy manipulating jig manually with this 65M at your will. You can handle 80g-150g of Tungsten-jig comfortably with it. If you are going to fish in 100m depth of water or rapid area with fine line, we recommend you to take this 65M.

LURE: Jig 60~150g LINE: PE 0.8~1.5


Overhead reel Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: PULS17 (Fuji) Down lock nut Suitable reel size : D: 100~200 / S: 100~300 Lure : Metal jig (Up to 250g is available if you fish with slow pitch jerking)


a.415mm | b.540mm|

Length: 1960mm Closed length: 1490mm Weight: 128g


SeaWalk Series BENDING CURVES

SeaWalk Cast Jigging






SeaWalk Tairubber



SeaWalk Light Jigging



Light Jigging Jig weight Correspondence Table

| lia Rod | Spi | inning Mo | odel | Overh | ead reel | Model |
|---------|------|-----------|------|-------|----------|-------|
| Jig Kou | 67UL | 64L | 64ML | B66L | B66ML | B65M |
| ~20g | 0 | | | | | |
| ~40g | 0 | 0 | | 0 | 0 | |
| ∼60g | 0 | 0 | 0 | 0 | 0 | 0 |
| ∼80g | 0 | 0 | 0 | 0 | 0 | 0 |
| ~100g | | 0 | 0 | 0 | 0 | 0 |
| ~120g | | | 0 | | 0 | 0 |
| ~150g | | | 0 | | 0 | 0 |
| ~200g | | | | | | 0 |

Hairtail Jigging Jig weight Correspondence Table

| Tidii tali Jiggii | 19 719 | weigin | . 00110 | эрона | CIICC I | ubic |
|-------------------|--------|-----------|---------|-------|----------|-------|
| Rod | Spi | inning Mo | odel | Overh | ead reel | Model |
| Jig Kuu | 67UL | 64L | 64ML | B66L | B66ML | B65M |
| ~80g | | | | 0 | | |
| ~100g | | Δ | | 0 | 0 | 0 |
| ~150g | | | Δ | 0 | 0 | 0 |
| ~200g | | | | | O | 0 |
| | | | | | | |

For Hairtail jigging, only gentle actions can use jig weights tha



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

Galahad from YAMAGA Blanks which has been designed as 1 pc model to taking advantage of bending curve and power of recovery as a jointless stick are line up for jigging game.632S,633S and 634S have been loaded flexible tip section to let jig swim naturally and moderate power of recovery on belly and butt section to let jig move rhythmically. 585S and 526S high elasticity to let jig move speedy and aggressively when you jerk vertically. We have succeeded to load high sensitivity to sense small vital information, ease of manipulation to reduce physical burden and high speed of response to transfer your input power. You can jerk both short and long strokes as you wish easily. 3 models for electric reel which are enhanced durability and tenacity against continuous jerking action.





This model can provide you the sensitive action with a blank design that have moderate stiffness and force of recovery.

This is the lightest model of spinning which have high flexibility on tip and belly section. Although it has flexibility and high sensitivity to sense slightly changes of current and reducing the chance of breaking line or hook, once loaded heavily tough butt section keep unexpected huge fish under control. If you focus to input the load on belly section, jig will swim very smoothly without unnatural movement

LURE: Jig Max 140g LINE: Max PE 2 DRAG: Max 3kg/45° Spinning Model / 1po Guide: SiC-S stainless frame K guide (Fuii) Reel seat : DPS18 (Fuji) Up lock nut Suitable reel size: S ⋅ D: 5000~6000 Target: Blue-runner



a.485mm| b.610mm| Length:1915mm Weight:169g

An all-rounder with sensitive operation and high sensitivity that cover wide range of difficult waters and situatifions.

You can call this 633S all-rounder of inshore jigging model. Sometimes you have to do one pitch jerk on horizontally, combination jerk on vertically with just one stick. 633S work well on various kind of jigging situation as an all-rounder. You can sense even a small vital information so if the target would not take your jig then you can switch the rhythm of jerking to let them bite. If you fish with jig around 150g please take 633S or if you use around 120g mainly, 632S is the best choice.

LURE: Jiq Max 180q LINE: Max PE 3 DRAG: Max 4kg/45° Spinning Model / 1pc Guide: SiC-S stainless frame K guide (Fuji) Reel seat : DPS18 (Fuii) Up lock nut Suitable reel size: S · D: 5000~6000 Field: Depth to about 80m



a.485mm | b.610mm | Length:1915mm Weight:178g

Combines power and operation performance in a well-balanced blank and can capture from the shallow area to the deep area.

If you face the situation that you are required to move long jig naturally, to input load effectively on deep or rapid area, even on horizontally jigging in windy condition, 634S will cover all of these without any anxious. You will rearise that 634S have massive power to fight with kingfish at shallow or rough reef. The versatility of 634S enable you to jerk in one pitch or combinational jerk if you necessary to approach with different method.

LURE: Jig Max 220g LINE: Max PE 4 DRAG: Max 6kg/45°

Spinning Model / 1pc Reel seat: DPS18 (Fuji) Up lock nut ●Suitable reel size:S·D: 6000~8000 •Target : Blue-runner • TUNA • Field: Depth to about 100m

Spinning Model / 1pc

Guide: SiC-S stainless frame K guide (Fuii)



b.640mm | Length:1915mm Weight:196g

This is the one for capturing deep areas with its high operation performance to jerk seamlessly with high power of recovery.

585S have been designed to control the game of kingfish or amberjack without losing initiative. Short and fine blank of 585S enable you to jerk jig aggressively does not matter the shape of Jig to approach the target. Of course, butt section has enough power to keep giving pressure on fish with PE5. If you wish to fall jig vertically and jerk aggressively to aim huge one at fish bed or rough reef, 585S is the perfect choice for sure.

LURE: Jig Max 280g LINE: Max PE 5

Reel seat : DPS18 (Fuji) Up lock nut Suitable reel size: S · D: 8000~10000 ●Target: Huge Blue-runner • TUNA DRAG: Max 8kg/45° Field: Depth to about 120m



b.670mm | Length:1745mm Weight:212g

Emphasized power and force of recovery, allowing for stable fights with huge and heavy target in the deep waters.

If you wish to aim great amberiack, large dogtooth tuna around 200m depth of water or huge kingfish feeding on the fish bed, this 526S which is specialized for high pitch jerk will be perfect choice. You can transfer your loading to metal jig with small motion easily thanks to the high modulus design of blank. So, you can jerk very quickly as you wish to even in quite deep wate

LURE: Jig Max 350g LINE: Max PE 6

Reel seat: DPS20 (Fuji) Up lock nu ●Suitable reel size:S·D: 10000~20000 ●Target: Huge Blue-runner • TUNA Field: Depth to about 150m

Spinning Model / 1pc

Guide: SiC Ocean Guide(Fuji)



b.670mm Length:1585mm Weight:304g

This is a technical model that uses light lines to create a sensitive feeling and create a variety of jig actions.

This is the lightest model for overhead reel to be used on near shore with PE line up to 2. You can approach the target with various action as such as natural swimming action focused on tip section, high speed short pitch jerking concentrate on belly and butt section or long fall action to cover various situation thanks to sensitivity and lightness of blank itself. If you wish to aim yellowtail or kingfish delicately with fine line, 622B is the one

PRICE: LURE: Jig Max 150g LINE: Max PE 2 DRAG: Max 3kg/45°

DRAG : Max 12kg/45°

Overhead reel Model / 1pc Guide: SiC-S stainless frame K guide (Fuji) Reel seat: PLS18 (Fuji) Down lock nut Suitable reel size: S.D: 1000~1500 Field: Depth to about 80m



40

a.435mm | b.590mm | Length:1890mm Weight:187g

This is a high versatility model that can provide you various kind of jerking styles from slow action to high pitch action.

If you wish to give metal jig various kind of action as such as one pitch jerk in slow tempo, long fall or high pitch jerk with just one stick, we recommend you to pick this 623B. It has high sensitivity to sense what is happening in the deep water so you will be able to switch the way of approach depends on situations. It have been achieved high standard as overhead reel jigging tackle to aim yellowtail, kingfish or amberjack technically without any anxious and stress.

LURE: Jig Max 200g

PRICE

LINE: Max PE 3 DRAG: Max 4kg/45° Reel seat: PLS18 (Fuji) Down lock nut Suitable reel size: S ⋅ D: 1000~2000

•Target: Blue-runner •Field: Depth to about 100m

Overhead reel Model / 1pg

b.590mm; Length:1890mm Weight:188a

to set hook on the target as you have planned exactly.

It is high response model that enables a variety of jig actions and have enough power to cover variety of situation of waters.

This 624B is supposed to be chosen by anglers who is pursuing large kingfish or amberjack with PE4. 624B covers various way of approach as such as not only high pitch action thanks to blank which can transfer your loading of power very well but also good at long fall action in slow pitch. The potential of 624B will be shown by anglers especially who fish at deep or rapid area mainly

PRICE

LURE: Jig Max 250g LINE: Max PE 4 DRAG: Max 6kg/45°

Guide: SiC-S stainless frame K quide (Fuji) Reel seat : PLS18 (Fuji) Down lock nu

●Suitable reel size: S • D: 2000 ●Target: Blue-runner • TUNA

• Field : Depth to about 120m

b.590mm | Length:1890mm Weight:191g

Enough power to keep huge target of deep waters under control at your will with the strong force of recovery.

This 624B is supposed to be chosen by anglers who is pursuing large kingfish or amberjack with PE4. 624B covers various way of approach as such as not only high pitch action thanks to blank which can transfer your loading of power very well but also good at long fall action in slow pitch. The potential of 624B will be shown by anglers especially who fish at deep or rapid area mainly to set hook on the target as you have planned exactly.

LURE: Jig Max 350g LINE: Max PE 6 DRAG: Max 12kg/45 Reel seat: T-DPS20 (Fuji) Down lock nut Suitable reel size: S+D: 3000~4000 ●Target: Huge Blue-runner • TUNA

Overhead reel Model / 1po

Field: Depth to about 200m

Length:1585mm Weight:303g



Electric Reel Jigging Model / 3 Lineup



The Galahad "a" are series especially designed for jigging with electric reels. These electric reels create a unique jig action which is difficult to replicate with ordinary reels that sometimes create unnecessary pauses. The heavy load placed on the blank by the mechanical winding of the reel is absorbed by the tip and the highly resilient belly section will allow anglers to rhythmically maneuver the jig through their rod-work. All 3 models are highly resilient and will assist the anglers to maintain a dominant position when fighting unexpected large species that may bite.



This is the lightest model of this series which have enough power to keep blue runner around 10 kg under control.

If you are going to aim at small sized Blue Runner with PE 3, this 633 would be a perfect choice. Even though automatic reeling at constant speed, flexibility of tip and belly section will help you to jerk jig comfortably and set hook on with less failure. It will bend very much when fish is on, but you can fight with fun without any worry. You will be surprised that potential which is hidden inside blank of 633 for sure.

LURE: Jig Max 150g LINE: ~PE 3 DRAG: Max 4kg/45°

Guide: SiC-S stainless frame K guide (Fuji) Reel seat:TCS18 (Fuji) Down lock nut Suitable reel size: S ⋅ D: 1000~2000 Target: Blue-runner Field: Depth to about 100m

Overhead reel Model / 1pc



a.470mm ı b.695mm | Length:1925mm Weight:200g



This is the standard of electric reel compatible model that can easily perform jig action from the shallow to the deep waters.

This is standard jigging rod for ER to aim bluerunner around 5kg. You can be reeling with any speed thanks to nice and flexible tip section, then you can give the action to jig at your own will. If you hooked bluerunner more than 10kg, you do not have to worry about anything! It will enable you to keep it under control without being anxious. We believe that it may be allowed to call almighty jigging rod for ER and we want anglers all over the world to fish with it.

LURE: Jig Max 250g LINE: ~PE 5 DRAG: Max 6.5kg/45 Guide:SiC-S stainless frame K guide (Fuji) Reel seat:TCS18 (Fuji) Down lock nut ●Suitable reel size:S·D: 1000~2000 ●Target : Blue-runner • TUNA • Field : Depth to about 150m

Overhead reel Model / 1pg





A power model that have high power of recovery to supports anglers and allows you to fight with huge target in deep waters. If you are going to aim king fish or yellow tail over 10kg we recommend you to PRICE

choose this monster hunter. You can give action to jig around 300g in 100m depth of the sea effectively. It is going to help you to jerk heavy jig without any burden or stress and to fight with big fish with huge advantage thanks to its flexibility, toughness, and versatility. Fulcrum point is going to move to butt section when you fight It is not just stiff rod, you can use it feel like your arm for sure.

Overhead reel Model / 1po Guide: SiC Ocean Guide(Fuji) LURE: Jig Max 350g Reel seat : TCS18 (Fuji) Down lock nut LINE:~PE 6 Suitable reel size: S+D: 2000~3000 Target: Huge Blue-runner • TUNA
 Field: Depth to about 200m DRAG: Max 10kg/45°



Galahad TRAVEX



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

TRAVEX is designed to be transferred your power to metal jig directory thanks to high power of recovery hidden in new blanks. Also, it will be bent from little farther than previous models, you can give a various kind of action to your metal jig as such as one pitch jerk, high pitch jerk or combination easier than before. These models are not only ideal for your fishing trips overseas but also great for your local waters. The sharp, yet flexible blank is best suited for anglers who prefer a speedy and quick action of your jigs.





TRAVEX

This is a 2 piece model with a sharpness and lightness while having the strong force of recovery.

This is a versatile stick to cover various methods of jigging such as horizontally or vertically with around PE3. Thanks to the sharpness and lightness of this blank, you can enjoy manipulating your jig as you wish. If you aim for yellowtail or kingfish with metal jig up to 180g on 30~80m depth of water, the potential of 593S will be shown definitely. Although the blanks of 593S seem slim and delicate, fish will be stopped and lifted by the butt section which has been loaded with massive power.

LURE: Jig Max 180g LINE: Max PE 3

Spinning Model / 2pcs (Grip-Joint) Guide: SiC-S+SiC stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut ●Suitable reel size:S·D: 5000~6000

Target: Blue-runner

Field: Depth to about 100n





Length:1775mm Closed Length:1135mm Weight:206g

If you aim kingfish or amberiack at near shore on expedition with around PE4, this 594S

is the best choice. Lightness feeling of manipulation that is loaded as common

characteristics of TRAVEX series enable you to handle long jig naturally at horizontally

or to jerk jig aggressively at vertically. When you fish at fish bed with rough bottom or

shallow area to aim tough target, you do not have to afraid to let it stop forcefully and

LURE: Jig Max 240g LINE: Max PE 4

Spinning Model / 2pcs (Grip-Joint) Guide: SiC-S+SiC stainless frame K guide (Fuji Reel seat: DPS18 (Fuji) Up lock nu

Suitable reel size: S • D: 6000~8000 •Target : Huge Bluerunne

Field: Depth to about 150m







aggressively without losing your initiative.

b.715mm | Length:1775mm Closed Length:1135mm Weight:221g

This model has the power, flexibility and high performance of manipulating necessary for catching big fish in the style of jerking vertically.



If you have plan to go to southern island of Japan or deep sea of overseas to aim large amberjack, dogtooth tuna or yellowfin tuna, please take 595S without hesitations. Tip section have been adjusted to become little flexible for increasing ability of manipulation and reducing burden of anglers when they jerk aggressively. Once huge fish is on, you will notice that it bends very smoothly and you might forget that it is 2pics

LURE: Jig Max 320g LINE: Max PE 5

Reel seat: DPS20 (Fuii) Up lock nut ●Suitable reel size:S·D: 8000~10000

Field: Depth to about 200m

Spinning Model / 2pcs (Grip-Joint)











Galahad Series BENDING CURVES

▶ Galahad Spinning & Overhead reel model





Jigging Model Comparison Table





The above table shows the distribution of hardness, tension and strength of all models of the Gallahad series. The Gallahad series is designed to have high strength when bent so that it can withstand the high load of high-speed winding when using an electric reel.


•The image of 1kg load shows you the bend curve when you jerk jig. And other images are weight as drug max and weight in between of them. Rods are held on the angle that you are supposed to keep it when you are fighting with fish.
























▶ Galahad ER for Electric reel models BENDING CURVES













supply of loading. These have kind of parabolic action so good to be fished with manual overhead reel as well.

■ Galahad TRAVEX BENDING CURVES









Galahad TRAVEX series are designed to become little stiffer and sharper than same power spec of 1piece model. Easier to load your powe directory to jig when you start jerking especially on vertical jigging or approach to deep area with high pitch jerk.

^{**}These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently

BlueSniper Boat Casting



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

The BlueSniper boat casting models are designed for all anglers to be able to easily cast and fight large species inhabiting the deep blue. Bluerunners, Kingfish and Tuna, it is vital for anglers to choose the right tackle balance which match your target size and fishing conditions. The lineup of the BlueSniper boat casting series have a vast array of models suitable from small Kayaks to even large charter boats. For all models, the common characteristics we pursued was light casting feel and the ability to easily fully load the rod with your weight.



This model provide you a high accurate and long distance casting with high operability for small lures.

This model will enable anglers to use lures not previously capable on its predecessor such as small sardine or 15cm size bait. The flexible tip allows usage on small lures and can still handle fish up to 10kg. Based on much wider range of lure capacity than previous series, you will be able to match the bait more than ever,

LURE: 15~50a LINE: PE 2~3

Spinning Model / 2pcs (Grip-Joint) Guide: SiC-S stainless frame K guide(Fuji) Reel seat: DPS18 BACK STOP Double Nut(Fuii) Down lock nut Suitable reel size: S⋅D: 4000~6000

Target: Bluerunner up to 10kg

DRAG: Max 4kg/45°



BOAT CASTING

A model that allows you to search for fish at a high tempo with a short length that makes it easy to cast quickly and repeatedly.

This is the short length model with high maneuverability. This is the one that will do great job, whereby the situations that needs you to cast from limited space such as small boat. The flexible tip enable anglers to cast lures around 15g in rhythmically and landing fish smoothly because of its length.

LURE: 20~60g LINE: PE 2~3

DRAG: Max 4kg/45°

Guide: SiC-S stainless frame K guide(Fuji Reel seat: DPS18 BACK STOP Double Nut(Fuji) Dow Suitable reel size: S ⋅ D: 4000~6000

•Target:Bluerunner up to 10kg

Spinning Model / 2pcs (Grip-Joint)

Lure: Plugs



b.665mmj Length:2140mm Closed length:1550mm Weight:220g

BOAT CASTING

It is a model for aiming at various targets with a small boat, and it has the same power as one that to aim at a big fish.

This is medium power class model which is easy to handle. If you aim bonito or other blue runner kind off the pleasure boat or kayak, you will be satisfied with handling ability and response speed of blanks. This is for the angler who feel that 79/3 is too strong or 70/2 is too mild. We believe that flexible and sensitive tip section of 72/3 let you manipulate small pencil bait or small cup mouth diving popper as like as your extended arm.

LURE: 30~60a LINE: PE 2~3

Spinning Model / 2pcs (Grin-Joint) Reel seat: DPS18 BACK STOP Double Nut(Fuji) Down lock nut Suitable reel size : S+D+ 5000~6000

Target: Bluerunner up to 10kg • Lure : Plugs

DRAG: Max 5kg/45°



b.615mm | Length: 2210mm Closed length: 1655mm Weight: 222g

This is an all-rounder model with high versatility performance, a light feeling of use, and high power of recovery.

A technical rod by definition, this rod has incredible lure manipulation with a good casting feel. This has a tip section of a Pe 3 class but a Pe 4 class butt section. It has enough power to fight a blue fin tuna up to 20kg or a 10kg blue runner. During testing, we have caught a 40kg bluefin tuna. The potential of this rod is simply beyond

LURE: 30~70a LINE: PE 2~4 DRAG: Max 5kg/45°

Guide: SiC-S Stainless frame K+SiC Ocean Guide(Fuji) Reel seat: DPS18 BACK STOP Double Nut(Fuii) Down lock nut Suitable reel size: S.D. 6000~8000 Target: Bluerunner up to 15kg

Spinning Model / 2pcs (Grin-Joint)

• Lure : Plugs







a.470mm

b.710mm | Length: 2365mm Closed length: 1740mm Weight: 263g

BOAT CASTING

A technical short length model that supports a variety of casting styles both overhand and underhand.

This is the short length model with good casting performance. Anglers will able to cast Jures up to 80g with Jess force. And we believe that it will be helpful when you are in situation that your are required to cast from a limited space such as small boat.

LURE: 30~100g LINE: **PE 3~4**

Spinning Model / 2pcs (Grip-Joint) Guide: SiC-S Stainless frame K+SiC Ocean Guide(Fuji) Reel seat: DPS18 BACK STOP Double Nut(Fuii) Down lock nut

DRAG: Max 7kg/45°

 Suitable reel size:S⋅D: 6000~8000 Target: Bluerunner up to 15kg • Lure : Plugs





Length: 2260mm Closed length: 1670mm Weight: 279g

BOAT CASTING

This is the well-balanced standard model that combines long cast performance, lure operability, and power of recovery.

This rod has a greater range of lures from 30g to 110g. When load applied, it bends nicely enabling anglers to land the fish easily. Just like the 79/3, it also performs well as a standard rod for kingfish or yellowtail. The 82/4 has power in spite of its lightness of handling, so it is recommended for beginners and women.

PRICE: LURE: 30~110a LINE: PE 4~5

Spinning Model / 2pcs (Grip-Joint) Guide: SiC-S Stainless frame K+SiC Ocean Guide(Fuji)
Reel seat: DPS20 BACK STOP Double Nut(Fuji) Down lock nut Suitable reel size: S • D: 8000~14000 •Target:Bluerunner up to 20kg

Lure: Plugs

DRAG: Max 8kg/45°

b.750mm | Length: 2520mm Closed length: 1840mm Weight: 310g

BOAT CASTING

This model combines the power to keep large fish under control and sensitivity that reduce the risk of misoperation of lures for surface water.

The most powerful model of the BlueSpiner series, it can handle a huge kingfish and small GT. We have redesigned the whole rod to handle a greater lifting power but at the same time improving control of lures such as diving pencils, This is the one which enable anglers to lure fish technically, and also to keep fish under control and land

PRICE LURE: 50~130g LINE: PE 5~6 DRAG: Max 12kg/45°

Guide: SiC Ocean Guide(Fuji) Reel seat: DPS20 BACK STOP Double Nut(Fuji) Down lock nut Suitable reel size: S.D: 14000 •Target:Bluerunner up to 25kg





BlueSniper canary & Blacky for Tuna

Boat Casting · Tuna Model / 4 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

The BlueSniper boat casting series for Tuna are especially built to target Bluefin Tuna and Yellowfin Tuna. The overwhelming speed and torque of the Tuna will lead to a prolonged fight if your target takes initiative of the fight. It is absolutely imperative to continuously apply pressure on the fish by fully loading the blank with the full weight of the fish and the blank is designed to do exactly this. All models also possess outstanding castability to shoot out the lures into feeding Tuna.



BOAT CASTING

The model that persued operability and cast performance for capturing small bait patterns of yellowfin tuna and kingfish.

This is multiple and lighter model of Blacky series. As you can notice from "Canary" the name of 85/4, when you aim canary-colored fish as such as yellow fin tuna or kingfish, it will be the perfect partner of you. And you will be able to get enough distance to aim large fish with small lure such as less than 30g. When you do not want fish to run as it likes, powerful butt section will help you to stop the sudden run of lively fish and to pull it to surface quicker than you thought,

LURE: 25~100a LINE: PE 3~5 DRAG: Max 8kg/45°

Spinning Model / 2pcs (Grin-loi uide : SiC-S Stainless frame K+SiC Ocean Guide(Fuji) Reel seat: DPS20 BACK STOP Double Nut(Fuii) Down lock nut ●Suitable reel size:S·D: 8000~14000

Target:TUNA up to 40kg · Huge Bluerun • Lure : Plugs

b.790mm | Length: 2570mm Closed length: 1860mm Weight: 339g

BlueSniper BOAT CASTING Blacky

Canary

The light class model for aiming tuna with high power of recovery on the butt section. This is primarily a light tuna rod that enable to cast smaller lures which closely mimics

actual baitfish. You can cast a small lure weighing 30g but it also has enough power to wrestle a tuna around 50kg. The same performance as currently blacky series, it has been designed to be bent nicely, and will correspond with the sudden run of big tuna, and to reduce the burden of anglers.

LURE: 30~110a LINE: **PE 4~6** DRAG: Max 13kg/45° Reel seat: DPS20 BACK STOP Double Nut(Fuji) Down lock nut Suitable reel size : S. D. 14000

•Target: TUNA up to 50kg · Huge Bluerunner

Spinning Model / 2pcs (Grip-Joint

Guide: SiC Ocean Guide(Fuji)



b.790mm | Length: 2480mm Closed length: 1775mm Weight: 378g

BlueSniper **BOAT CASTING** Blacky

An all-around model with excellent casting performance and fighting ability as a tuna model of the PE8 class.

This has been designed as a versatile tuna rod which can cast not only small lures matching the size of sardines but also medium lures size of Dorado or baby yellow tail. Although the belly section will be bent and enable you to hold it with 70° of angle, it will still has enough power to pull up a tuna to the surface. Of course, you can use this 81/8 for large king fish without loosing initiative.

LURE: 45~120g LINE: PE 6~8 DRAG : Max 15kg/45° Spinning Model / 2pcs (Grip-Joint) Reel seat: DPS20 BACK STOP Double Nut(Fuji) Down lock nut Suitable reel size: S ⋅ D: 14000~20000 Target: TUNA up to 70kg · Huge Bluerunner



Length: 2480mm Closed length: 1775mm Weight: 387g



A high power model that combines strong butt section with huge force of recovery and excellent castability of large lures.

Bated at Pe 10 class for power, this rod targets big tunas around 100kg. The blank has more power than the 81/8 to enable casting lures up to 160g. Like the Blacky series, it bends nicely when loaded to endure the violent runs of tunas. 4ways carbon material are used on the butt section to reduce twisting of the blanks and adding another advantage during fights with big tuna.

LURE: 50~130a LINE: PE 8~10 DRAG: Max 17kg/45° Guide: SiC Ocean Guide(Fuji) Reel seat : DPS20 BACK STOP Double Nut(Fuii) Down lock nu Suitable reel size : S+D: 14000~20000 •Target:TUNA up to 100kg · Huge Bluerunne

• Lure : Plugs



a.490mm j b.790mm | Length: 2480mm Closed length: 1775mm Weight: 399g



BlueSniper Blacky Swappable to Aluminium gimbal

**BRC22.0 is on the end of grip as a standard but you can select aluminum


Temperature

**Temperatur mbal instead. If you are interested in t, please make inquiries to dealer in

*Please contact to our agent in you



BlueSniper Boat Casting BENDING CURVES



 These are comparison images of BlueSniper series which were loaded 3kg weight on tip.

●Bluesniper 72/3 have been designed to aim bonito, cero or yellow tail from small boat or kayak. Although 79/3 looks more powerful than 72/3, the target which can be aimed with 79/3 is bigger as such as yellowfin tuna or king fish so please note that design and concept of those two are different.

●Although Blacky series for tuna bend like rod for Pe6 even if it is Pe10 class, butt power of these are almost as same as GT rods. These have been designed to enable you to hold 70 degrees while fish is on. By doing so, potential of power which is hidden in butt section will be brought out.


%Please note that only Blacky series can be held 70 degrees angle.

Boat-Casting Model Comparison Table




Characteristic of rods for boat casting will be differed because of lure that you use, or style of your fishing. If you use diving pencil mainly, better choose rod with flexible tip or use popper mainly, better choose rod with stiff tip.

**Comparison chart shows strength and stiffness visually. But it is based on reference value from the concept of design so the feeling of stiffness and strength of these rods is depend on personal equation. And also please note that the stiffness doesn't mean the breaking strength.







ENNE for Salt Water



ENNE for Salt water

| TENGIH: OIL IIIICII | GRIP: FULL-WELL/FIGHTING DUTT JUINT: SPIGUT SECTION: 4PCS | ACHON: FAST | | | | | | | | | | | | | |
|---------------------|---|-------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| LINE | Target | PRICE | | | | | | | | | | | | | |
| 6WT | Black sea bream/Seabass | | | | | | | | | | | | | | |
| 8WT | Seabass/Bonefish/Permit/Striped Bass | | | | | | | | | | | | | | |
| 9WT | Seabass/Dolphinefish/Bonefish/Permit | | | | | | | | | | | | | | |
| 10WT | Dolphinefish/Large Bonefish/Large Permit/Small Tarpon | | | | | | | | | | | | | | |
| 10WT XP (2024 | NEW) Tarpon/Dolphinefish | | | | | | | | | | | | | | |
| 12WT | Tarpon/GT/Sailfish | | | | | | | | | | | | | | |

Carbon prepreg with TORAY's NANOALLOY® technology is used for the butt section of ENNE series. Due to the characteristics of "easy to bend and get high power of recovery", it always gives good amount of pressure to the target during a fight, and its followability and strong recovery force lead to a land fish very smoothly. (*NANOALLOY® is not used for 6WT and 10WT XP)

"Durability" and "reliability" are very important and indispensable elements for expedition fishing and boat fishing. And in order to meet a memorial target, it is essential to have a reliable "partner" that is familiar with these two elements and is familiar with the hand.From relatively light targets such as sea bass and black sea bream, to large targets such as dolphinfish, sailfish, or overseas tarpon and GT. The targets that can be aimed at in saltwater fly fishing are as diverse as the world of salt lure fishing.

YAMAGA Blank's ENNE is a saltwater fly rod that is sufficiently reliable as a "tool", and takes advantage of the rare opportunity to firmly control the target and lead it to the landing.



LINN for Fresh water LENGTH: 8ft linch GRIP: PUMPKIN JOINT: SPIGOT SECTION: 4pcs ACTION: MEDIUM-SLOW

| | • | |
|------|----------------------------|-------|
| LINE | Target | PRICE |
| 3WT | YAMAME/IWANA/Rainbow Trout | |
| 4WT | YAMAME/IWANA/Rainbow Trout | |

carefully set for comfortable fishing in the mountain stream.

In an open river, you can enjoy a smooth cast feel while loading power on the line, and in a small mountain stream, you can lure a spooky big target in a complicated flow with line control from a technical cast.

The blank characteristic of "bend well and catch well" common to YAMAGA Blanks' salt lure rods is definitely included in the Fly Rod series. Even if you get on the somewhat heavy flow of the river, it will bend deeply and follow, demonstrating its potential. A butt section that is tenacious and have force of recovery to reshape original position make you land target without giving initiative.



We are currently developing a series for large trout called "ZINN". It is a medium/fast model for targeting large trout with a single handle, and it suits to Brown and rainbow trout hiding in the gin clear waters and free stone stream. Please stay tuned.









https://yamaga-blanks.com/fly/ Fly rod series official website

Fly rod series official Instagram

YAMAGA Blanks FACTORY LIMITED MODEL

NEW DAWN 2024

Innovation and Challenge



FLAWLESS EDITION
"ELITE"



ADVANCED EDITION
"BETA"



ORIGINAL CONCEPT EDITION
"PILLAR"

Pillar"



LIMITED COLOR & DESIGN EDITION
"VIVID"

Vivid



OVERSEAS' ORIGINAL EDITION
"GLOBAL"



YAMAGA Blanks

YAMAGA Blanks FACTORY LIMITED MODEL Innovation and Challenge



We will venture into our next challenge to capitalize on our greatest asset, our factory.

As of 2024, Yamaga Blanks will set off on a new challenge. We will not only review the lineup of our limited models for our "Yamaga Blanks members", but also develop new revolutionary models.

The motive for our challenge was due to the fact that we took a good look at our factory and the meaning of its existence. The reason we continue to insist on "made in Japan" and "in-house production" is to maintain quality control, trusting repair service & support, productive and efficient testing for the endless demand of new product

The blank and go back to the drawing board. Cut the carbon sheet, roll it up, put it into the furnace and then bend to its limit again. We didn't have a very big lineup of rods back then, so the endless creation of a new products on a daily basis was something we looked forward to!

Our passion has not changed since, but the environment that surrounds us has. Our standard line up has grown and the number of shops who handle our products have also increased drastically. As a result, the number of end users (Anglers) who have chosen Yamaga Blanks as their weapon have also increased.

In which, have we limited ourselves to what we can achieve? Can't we create something more interesting with the advantage of having our own factory.

We can't succeed in the fishing industry nor create unique products by being narrow-minded. The fishing industry is not as easy as that. A unique idea can drastically change or even create a new style of fishing, and this could be said to be one of its attractions to so many.

So in 2024, we would like to create a more radical and revolutionary model for the needs of those anglers around the world in a more speedy fashion. These will not be models that the general public will accept, but rather models that standout and sound more interesting.

It goes without saying that the standard models are our main products, so the above models will be under limited production. We would like to move forward with this new challenge definitely.

What is Yamaga Blanks? Why do we dwell on the importance of in-house, made in Japan production? We hope some of these answers will be addressed with our new project, the "NEW-DAWN".

























YAMAGA Blanks FACTORY LIMITED MODEL 5 CATEGORIES

FLAWLESS EDITION "ELITE"

This is a model with honed performance and can be considered the elite model of our Yamaga Blanks brand. It may not suit everyone's needs but compared to the standard models, it is not only a high quality model but a model for those hardcore anglers seeking a little something different.

OVERSEAS' ORIGINAL EDITION "GLOBAL"

The Global Series is not sold in Japan, overseas only. The lineup consists of models developed to much to overseas needs. We plan to continue releasing models for various countries, fields, and targets.

LIMITED COLOR & DESIGN EDITION "VIVID"

Get ready to jump on the limited color and design editions of our high quality paint-job. These will be one-off productions and will be surprise releases from our usual lineups.

ADVANCED EDITION "BETA"

With Yamaga Blanks state of the art blank manufacturing technology, this category is revolutionary and a challenge to the world and towards ourselves Although it is called "BETA" this does not mean it is incomplete, but rather catering for the ever bias needs of the market in a category of its own.

ORIGINAL CONCEPT EDITION "PILLAR"

Although the models are distinctive, we have sought after the user-friendly characteristics often seen in Yamaga Blanks rods, The "PILLAR" refers to the series strong foundations in YB. We are scheduled to release the following two models in addition to the standard models.







a.315mm | b.390mm | Length: 2580mm Closed length: 1320mm Weight(Proto): 94g

ueCurrent

This is the rod for light game that is designed with concentrated performance to get extra distance for searching targets in vast water.

With the ever increasing limitations and regulations placed upon land-based anglers, the vast surf holds endless notential as the final frontier. This BlueCurrent 100 BETA Tuned-for-SLIRE is a specialized ght game model for casting in the vast surf. Although it is 10ft in length, we have not forgotten the it is a light game model. It is equipped with the sensitivity, lightness and finesse characteristics of a light game rod, yet able to cast long distances with jigs and "floats" and "sinker" rigs. This model will be the next standard for the light game, long distance search model in the BlueCurrent series. Scheduled to be released in February 2024

LURE: 4~30a LINE: PE 0.5~1 Spinning Model / 2pcs (Put over Ferrule Reel seat: VSS16 (Fuii) Down lock nut •Suitable reel size: D: LT2500~4000C / S: 2500 • C3000 • 4000 •Target: Horse Mackerel • Rock fish • etc ●Lure : Metal jig • Rig • Field : Sandy Shore • Rocks • Port

a.340mm | b.405mm | Length: 3055mm Closed length: 1555mm Weight (Proto): 101g





MMH

BETA

Cast further with higher sensitivity. This is the one equipped cutting-edge technology to deliver your lure further than you expected.

In this rod, we sought after absolute casting distance and sensitivity. The blank of the new Ballistick 106MMH "BETA" has been fine tuned through the use of newest material in the market and fine engineering to achieve outstanding casting distance and sensitivity. This is our current answer to the ever lasting issue of long casting rods and as it is a one-off creation, it does not really fit in any category of our current lineup. As it is design for use in the surf and off the rocks, it is equipped with overwhelming butt power to go head-to-head with the huge fish. Scheduled to be released in March 2024

LURE: 7~50a LINE: PE 0.8~2

Spinning Model / 2pcs (Spigot Ferrule) Guide: SiC-S Titanium frame K Guide +Butt Guide: SiC Titanium frame RV Guide(Fuji) Reel seat: DPS18 (Fuji) Up lock nut

●Suitable reel size: D: LT4000C~5000C • SW4000 / S: 4000~C5000 • SW4000 Target : Flatfish · Seabass · Black-Fin Seabass · Cherrysalmon Field: Sandy Shore · Rocks · River

a.435mm | b.555mm | Length: 3205mm Closed length: 1635mm Weight(Proto): 188g





GLOBAL

A model that uses aggressive and strategic techniques that can be called "sharpness special".

t features the sharnest blank in the BlueCurrent series. Because it is hard all the way to the tin it has excellent bottom sensing ability, and the lure can be operated with sharp action Recommended for those who want to easily adjust the strength of their lures for purposeful fishing. *BlueCurrent 74TZ and 78TZ are two models that are particularly focused on sensitivity, operability, and cast feel. The stiffness and strength of the butt are different from the NANO series. The NANO series uses the force of the blank to momentarily bend and restore itself to control the fish, while the 74TZ and 78TZ are models that retain hardness in the butt to achieve high casting accuracy and control the fish. **Please refer to page 21 for the rod bending curves.

LURE: 2~18a LINE: PE 0.4~1.0

PRICE

Spinning Model / 2pcs (Put over Ferrule) Guide:TORZITE Titanium frame K Guide (Fuji) Reel seat:VSS16 (Fuji) Down lock nut

 Suitable reel size: D: LT2500~C3000 / S: 2500~C3000 Recommended lures and actions
 Bottom lures -Jigs -Twitching and jerking of minnows
 Detailed actions of pencil lures

a.280mm | b.345mm | Length: 2240mm Closed length: 1150mm Weight: 74q



GLOBAL

Sharpness & Strength, a model that hones these two features and emphasizes long cast performance.

It has a moderate amount of firmness all the way to the tip, while also being able to bend smoothly under load. Even when casting, it has a high recovery force even though it bends as a whole, so the casting feel is also good, Since the blank bends smoothly up to the belly, it is also suitable for retrieving action. A rod that can be used not only from the bottom to the top range but also with slow and fast action in the current, making it easy to turn on fish. **Please refer to page 21 for the rod bending curves.

LURE: 5~25a LINE: PE 0.4~1.0

Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuii) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: D: LT2500~C3000 / S: 2500~C3000

 Recommended lures and actions Operation in areas with flow Followability to bite

Lures that be able to action · Lures that be able to retrieve

a.290mm | b.360mm | Length: 2345mm Closed length: 1205mm Weight: 81g



This is a model that manipulate large lures well and has strong butt power that is not inferior to fighting against large fish.

This versatile model is specially designed for big freshwater predators like pike, hucho, catfish etc. Powerful, light and precise. During testing in the European area, we focused on the guide diameter that it could be used without stress even in extremely cold areas where the guide would be frozen. Also, it has enough power to cast big lures up to 100g, but on the other way sensitive enough to fish with small and light lures around 20g. When you require to cast long distance with big lures, especially on wide rivers targeting big hucho, with this rod it is not a problem anymore.

LURE: 20~100a LINE: MAX PE 3

Spinning Model / 2pcs (Put over Ferrule) Guide : SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut •Suitable reel size: D:3000~4000 / S:4000~5000

●Target: Pike, Hucho, Catfish •Lure: Big jig heads, Minnows, Plug

a.445mm | b.585mm | Length: 2670mm Closed length: 1415mm Weight: 208g







This is a 4 piece model that changes common sense as a pack rod that can aim at any target without compromise.

This is a 4 piece light game model for travelling anglers around the world. You will be able to experience first handedly Yamaga Blanks state of the art designs in this pack-rod which possesses a strong butt section yet allowing the whole rod to smoothly bend. Although the rod may feel stiff, the flexibility of the blank creates a beautiful bending curve and is suitable for not only salt-water species but also trout and even large mouth bass in fresh-water environments.

a.275mm| b.340mm| Length: 2145mm Closed length: 560mm Weight: 72g

LURE: ~12a LINE: PE 0.3~0.8

Spinning Model / 4pcs (Spigot Ferrule) Guide: TORZITE Titanium frame K Guide (Fu Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2000


/ S: C2000~2500 Target: Anything Lure: Anything



55



This is a model that both children and adults can simply enjoy "fishing" and that has enough toughness for a bit of reckless use with its durable design.



LURE: ~7a LINE: PE 0.3~0.8

PRICE:

Guide: Alconite ring · Stainless frame K Guide(Fuji) Reel seat: IPS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000 / S: 1000~C2000 •Target : Anythina

Spinning Model / 2pcs (Put over Ferrule)

Lure: Anything

a.240mm| b.300mm| Length:1830mm Closed length:940mm Weight:62g




APRIL 2024 Release BlueSniper 81/10 Blacky "VIVID" The next release is scheduled for August 2024, COMING SOON

Some of the limited models that have been selling will continue to be produced. Details of sales will be announced on our website, social media, and dealers.

2024 YAMAGA Blanks ORIGINAL ITEMS

GEARS

2024 NEW PRODUCTS




YB Protection Roll Bag is Yamaga Blanks' original packing gear that allows you to transport multiple rods safely and smartly without damaging them. You can carry the rods compactly and safely when you go on an expedition by ferry, fishing on the shore or offshore. Intended for use on rocky shores, it is made of neoprene fabric with excellent durability and water resistance, so it can be used as a rug while taking a break or as a tool holder.

- ●Packing quantity: 1~5 ●Storage dimensions: 1150~1800mm
- ◆Size: 1840×540mm ◆Weight: approx. 710g ◆Material: Neoprene, Velcro, D ring















REGULAR PRODUCTS

YB Shoulder Belt Price:



YB Zoom Shaft Price:



Although it is compact in size, moderate stiffness and strength, and can be used widely from light games to sea bass.

●Telescopic type / 8pcs ●Weight: 310g ●Deployment length: 2900mm ●Closed size: 455mm

Target Horse mackerel, Rockfish, Black sea bream

Sea bass, BlueRunner (up to 5 kg), Squid, Blackfin sea bass,etc...







YB Landing Handle Price:



It is a carbon handle ideal as for the landing net of seabass wading games. Also, if you set a gaff, you can use it as a hand gaff in situations such as rocky shore and boats. The main shaft part, grip, joint part metal fittings, all design, processing and assembly are done in our own factory in Kumamoto, JAPAN.

- Body: Made of carbon Surface: Rubber processing
- ●Screw standard:W 1/2 ●Length:275mm ●Weight:144g





YB Landing Handle Stay Price:

The YB Landing Handle Stay can be attached to the YB Landing Handle (sold separately) to improve portability during wading. (This product does not come with a net handle)By using stainless steel "SUS316L", which has excellent rust and corrosion resistance and is also used in the aerospace field, it has a shape that supports smooth landing even in hard use.

●Material: Stainless(SUS316L) ●Size: W20mm×H44mm×D165mm ●Weight: 58g *Although it can be equipped on other companies' products, there are some products

*Not compatible with draw-out type shafts.





57

YB TipCover Size S/M Price:

This is Neoprene Tip-Cover Neoprene tip cover for protecting and fixing

●Length: S-360mm / M-450mm ●Material: Neoprene & Piece of Velcro



S size for BlueCurrent, and using LiteGame-Rods.



M sizefor BlueSinper, Galahad, and using Offshore-Rods.

Rod Belt Series

The standard rod belt is available in 3 sizes, and the PG rod belt, which has anti-slip rubber sewn on to improve frictional resistance, is available in 2 sizes. The PG rod belt has an amazing frictional resistance and can remove fixation on ferule that cannot be removed with bare hands.

Olor: Black ●Material: Neoprene & Piece of Velcro



LL 1set:1pcs Price: LL 1set:2pcs Price: PG Rod Belt

L 1set:2pcs Price: LL 1set:2pcs Price:





^{*}Product photos may differ from the actual color tone.

APPAREL&GOODS

The "Dry Silky Touch" feature quickly absorbs and dries sweat, keeping the inside of the clothing dry and comfortable. This allows you to wear it comfortably even in sweaty seasons, and it also has a UV-cut function, making it recommended for fishing and outdoor activities.

YB Silky touch T-shirt

●Size: S/M/L/XL/XXL ●Color: Gunmetal / Navy ●Materials: Polyester 100% (5.6oz)



YB Pullover hoodie

It features an embroidered YB logo on the chest and a simple back print design. On cooler days, you can wear it casually as a standalone piece, and when it gets colder in the heart of winter, you can layer it with additional cold-weather clothing for extra warmth.

●Size: S/M/L/XXL ●Color: Olive/Mixed Gray ●Material: Cotton 100% (10oz)



YB Silky touch long sleeve T-shirt Price:

The material of this long sleeve T shirts equipped UV proof, quick absorption and drying to keep you comfortable.

●Size: S/M/L/XL/XXL ●Color: Black/Navy



WEAR

YAMAGA HOLIC T-shirt

It's a heavyweight T-shirt with a durable 7.4oz fabric to resist deformation, featuring a bold print of a fish burger on the back.

●Size: S/M/L/XL/XXL ●Color: Black/Army Green/White ●Material: Cotton 100% (7.4oz)



YB Dry-Polo-Shirt

A new color, light blue, has been added to the polo shirt made of drv mesh material. Dry polo shirts have high sweat absorption and quick drying properties and UV protection, and are smooth and comfortable to wear, so you won't feel uncomfortable even when you sweat.

◆Size: S/M/L/XXL ◆Color: Light blue/Black ◆Materials: Polyester 100% (5.6oz)



YB Lightweight Dry-Zip Hoodie Price:

Excellent sweat-absorbing and quick-drying performance, the best for a strong sunny day.

- ●Size: S/M/L/XL/XXL ●Color: Dark gray/Navy
- ●Material: Polyester 100% UV CUT (SPF20)



YB Flat Visor Cap

Price: Renew a design of classic YB flat visor cap. Featuring a voluminous YB logo and an embroidered YBRC logo on the side. The cap comes with an original sticker

●Size: One-size-fits-all ●Color: Black/Navy ●Materials: Acrylic 80%, Wool 20%

that you can enjoy placing on your cap, tackle box, or any other preferred spot.



YB Flat Visor Mesh Cap

not get stuffy, so they are recommended on hot days. An original sticker is also included.

The classic mesh cap has also been redesigned. Mesh caps are highly breathable and do

Size: One-size-fits-all ●Color: Black/Beige

●Materials: Main Body: 100% Cotton

Mesh Part (Black): 100% Polyester Mesh Part (Beige): 100% Nylon



YB Work Cap Price:

This is a work cap crafted from the breathable and

waterproof material "Breathatec." It adeptly repels light

rain and efficiently releases internal moisture, ensuring

a comfortable and sweat-free experience.

Materials: 100% Nylon (Not completely waterproof)

●Size: One-size-fits-all ●Color: Olive/Navv







Original sticker

Price:

The fabric which is called " nano-wing" twill cotton is chosen.It is excellent in moisture absorption, moisture absorption, quick drying, and durability.

- ●Size: One-size-fits-all ●Color: Green/Black
- ●Material: Cotton 100% (7.4oz)

YB Mesh Cap



YB RDL HAT ¥4,700 (税抜)

This is a Yamaga Blanks original hat made from CORDU-RA® fabric, which has excellent strength and durability. Adopting ventilation provides good breathability, making it perfect for fishing as well as outdoor scenes.

- ulletSize: One-size-fits-all ulletColor: Olive/Black
- Materials: Polyester 100% (Not completely waterproof)



GOODS

YB Embroidery Emblem Price:

The design of the Yamaga Blanks original Embroidery Emblem has been redesigned. Easy to iron on life jackets and bags.

●Materials: Polyester 100% ●Embroidery: rayon 100%

Square type Dimensions: $90 \text{mm} \times 44 \text{mm}$ Circle type Dimensions: Diameter 70mm

Olive



 ${}^{*}\text{Please}$ note that the design of them may change without notice in advance.

YB Cutting Sticker

M:6 Color Sticker body size: 300mm×117mm Price: **S:8 Color** Sticker body size: 173mm×67mm **Price:**

①YB Orange M size & S size

②Ice Blue M size & S size

③Aurora Turquoise

4) Agua Sunrise

⑤Gun Black

6Snow White

(7) Scratched Silver M size & S size

®Scratched Gold M size & S size



Price:



YB Automatic inflation life jacket

Waist belt type

●Size: 70~100cm •Materials: Cordura 500D Nylon +PVC Tarpaulir





Embroidery designs





YAMAGA Blanks 2024 Line up / Detailed data list

BlueSniper / Shore Casting & Jigging Category

| | | 0 00 0 | | _ | | | | | | | | | | | | | |
|--------------|-------|---------------|-------------|-----|----------|--------|-------------------------------------|----------|---------------|--------------|-------------|-------------|----------|------|-----|----------------|-----|
| I tem | Price | JAN CODE | S e c | | Lt CH | | Lure | Line | Guide | Reel Seat | Lock nut | Drag Max | Joint | | | Butt [mm] | |
| New 103ML-M | | 4571584101606 | 2 | S 3 | 3135 160 | 00 269 | Plug 20 ∼ 50g / Jig Max 80g | MAX PE 3 | SiC-S/ST/K | DPS18 | U | 4.5kg | Spigot | 99.6 | 2.3 | 14.8 | 660 |
| New 100M-MH | | 4571584101613 | 2 | S 3 | 3065 15 | 70 309 | Plug 30 ~ 80g / Jig Max 120g | MAX PE 4 | SiC-S/ST/K+OC | DPS20 | U | 6kg | Spigot | 99.8 | 2.9 | 16.9 | 740 |
| New 96H | | 4571584101644 | 2 | S 2 | 2920 150 | 5 309 | Jig Max 150g / Plug 60 \sim 120g | MAX PE 6 | OC OC | DPS20 | U | 8kg | Spigot | 99.8 | 3.2 | 16.2 | 740 |
| New PL109MH | | 4571584101620 | 2 | S 3 | 285 16 | 321 | Plug 30 ∼ 80g / Jig Comfort ∼ 80g | MAX PE 4 | SiC-S/ST/K+OC | DPS20 | U | 6kg | Spigot | 99.8 | 2.9 | 17.9 | 760 |
| New PL106H | | 4571584101637 | 2 | S 3 | 3215 16 | 50 334 | Plug 50 ~ 120g / Jig Comfort ~ 100g | MAX PE 6 | oc | DPS20 | U | 8kg | Put over | 99.6 | 2.8 | 17.5 | 760 |

YAMAGA BLANKS / Versatile Model

88 CHAIN 4571584101224 2 S 2650 1355 138

4571584100319 2 S 2055 1060 104

4571584100326 2 B 2100 1080 125

| EARLY / All Casi | ina Catan | | | | | | | | | | *Nut on | reels | eat is E | BACK ST | OP Do | uble L | .ock N | ut. |
|-------------------------|------------|---------------|---|---|------|------|-----|----------|-------------------------|-------------------------|---------|-------|----------|----------|-------|--------|--------|-----|
| 99ML for Surf | ing calego | 4571584100241 | 2 | S | 2980 | 1525 | 155 | 7 ∼ 35g | PE 0.8 ~ 1.5 | SiC-S Stainless frame K | VSS16 | U | - | Put over | 95.1 | 1.8 | 12.7 | 540 |
| 103M for Surf | | 4571584100210 | 2 | S | 3150 | 1610 | 174 | 8 ~ 42g | PE 0.8 ~ 1.5 | SiC-S Stainless frame K | DPS18 | U | - | Put over | 94.2 | 1.7 | 14.1 | 555 |
| 109MMH for Surf | | 4571584100227 | 2 | S | 3295 | 1690 | 195 | 8 ∼ 50g | PE 1 ~ 2 | SiC-S Stainless frame K | DPS18 | U | - | Put over | 95.6 | 2.1 | 16.3 | 565 |
| 105MH for Surf | | 4571584100234 | 2 | S | 3180 | 1630 | 192 | 10 ∼ 50g | PE 1 ~ 2 | SiC-S Stainless frame K | DPS18 | U | - | Put over | 95.9 | 1.8 | 14.8 | 570 |
| 105MMH/B for Surf | | 4571584100258 | 2 | В | 3175 | 1625 | 189 | 15 ∼ 50g | PE 1.5 ~ 2.5 | SiC-S Stainless frame K | ACS17 | D | - | Put over | 94.3 | 1.9 | 15.3 | 585 |
| 86MH for Rock | | 4571584100265 | 2 | S | 2590 | 1325 | 123 | 7 ∼ 40g | PE 1 ~ 2 | SiC-S Stainless frame K | VSS16 | U | - | Put over | 91.2 | 1.9 | 11.7 | 500 |
| 104H for Rock | | 4571584100272 | 2 | S | 3160 | 1615 | 205 | 15 ∼ 60g | PE 1 ~ 3 | SiC-S Stainless frame K | DPS18 | U | - | Put over | 94.0 | 2.2 | 14.4 | 555 |
| 93MH/B for Rock | | 4571584100289 | 2 | В | 2815 | 1445 | 149 | 10 ∼ 50g | PE 1.2~2.5 / FC 12~20lb | SiC-S Stainless frame K | ACS17 | D | - | Put over | 93.5 | 2.0 | 13.0 | 535 |
| 93M for Seabass | | 4571584100296 | 2 | S | 2819 | 1445 | 147 | 7 ∼ 35g | PE 0.8 ~ 1.5 | SiC-S Stainless frame K | VSS16 | U | - | Put over | 94.9 | 2.0 | 12.7 | 525 |
| 97MMH for Seabass | | 4571584100302 | 2 | S | 2925 | 1500 | 156 | 8 ∼ 42g | PE 1 ~ 2 | SiC-S Stainless frame K | VSS16 | U | - | Put over | 94.9 | 1.8 | 12.9 | 525 |
| 84ML for Mobile | | 4571584100333 | 4 | S | 2540 | 667 | 126 | 5 ∼ 24g | PE 0.6 ~ 1.2 | SiC-S Stainless frame K | VSS16 | U | - | PO&ST | 94.2 | 1.7 | 10.8 | 485 |
| 76MMH for Mobile | | 4571584100340 | 3 | S | 2305 | 807 | 145 | 8 ∼ 55g | PE 1 ~ 2 | SiC-S Stainless frame K | VSS16 | U | - | PO&ST | 97.2 | 2.0 | 11.9 | 505 |
| 96MMH for Mobile | | 4571584100357 | 4 | S | 2915 | 768 | 180 | 10 ∼ 60g | PE 1 ~ 2 | SiC-S Stainless frame K | VSS16 | U | - | PO&ST | 98.7 | 2.0 | 14.4 | 530 |

PE $0.8 \sim 1.5$

Ballistick / Seabass Category

68M for Boat

| | • , | | | | | | | | | | | | | | | |
|--------------|---------------|---|-------|--------|-----|----------|--------------|------------------------|-------|---|---|--------|------|-----|------|-----|
| 86M | 4571584100364 | 2 | S 260 | 5 1330 | 122 | 6 ∼ 32g | PE 0.8 ~ 1.5 | TZ Titanium frame K | VSS16 | U | - | Spigot | 99.8 | 1.6 | 10.5 | 475 |
| 94M | 4571584100371 | 2 | S 285 | 0 1455 | 143 | 6 ∼ 35g | PE 0.8 ~ 1.5 | TZ Titanium frame K | VSS16 | U | - | Spigot | 99.8 | 1.8 | 11.7 | 480 |
| 96MMH | 4571584100388 | 2 | S 291 | 0 1485 | 151 | 8 ~ 38g | PE 1 ~ 2 | TZ Titanium frame K | VSS17 | U | - | Spigot | 99.8 | 2.0 | 12.2 | 495 |
| 102MH | 4571584100395 | 2 | S 311 | 0 1590 | 177 | 8 ∼ 42g | PE 1 ~ 2 | TZ Titanium frame K | VSS17 | U | - | Spigot | 99.8 | 2.3 | 15.0 | 510 |
| 93M / Bait | 4571584100425 | 2 | B 283 | 0 1445 | 159 | 8 ~ 42g | PE 1 ~ 2 | SiC-S Titanium frame K | ACS17 | D | - | Spigot | 99.8 | 2.4 | 13.0 | 505 |
| 103MH / Bait | 4571584100432 | 2 | B 313 | 5 1600 | 191 | 10 ~ 45g | PE 1.5 ~ 2.5 | SiC-S Titanium frame K | ACS17 | D | - | Spigot | 99.8 | 2.1 | 14.8 | 555 |
| HIRA 107MH | 4571584100401 | 2 | S 323 | 0 1650 | 198 | 7 ~ 45g | MAX PE 2 | TZ Titanium frame K | DPS18 | U | - | Spigot | 99.7 | 2.0 | 15.4 | 755 |
| HIRA 11MH | 4571584100418 | 2 | S 336 | 0 1720 | 228 | 8 ∼ 50g | MAX PE 2.5 | TZ Titanium frame K | DPS18 | U | - | Spigot | 99.8 | 2.4 | 16.9 | 680 |

7 ~ 32g

BlueCurrent III / Light Game Category

| 53 | 4571584100005 | 2 | S 1 | 1610 8 | 835 | 53 | MAX 4.5g% | PE 0.06~0.3 / NY · FC 1~3lb | SiC-S Stainless frame K | VSS16 | D | - | Put over | 91.3 | 1.3 | 6.9 | 240 |
|-----------|---------------|---|-----|--------|------|----|-----------|-----------------------------|--------------------------------|--------|---|---|----------|------|-----|------|-----|
| 510 | 4571584100012 | 2 | S 1 | 1775 9 | 915 | 56 | MAX 4.5g% | PE 0.06~0.3 / NY · FC 1~3lb | SiC-S Stainless frame K | VSS16 | D | - | Put over | 91.5 | 1.3 | 7.2 | 295 |
| 63 | 4571584100029 | 2 | S 1 | 1910 | 985 | 59 | MAX 5g% | PE 0.06~0.3 / NY · FC 1~3lb | SiC-S Stainless frame K | VSS16 | D | - | Put over | 91.6 | 1.3 | 7.7 | 300 |
| 69 | 4571584100036 | 2 | S 2 | 2070 | 1065 | 66 | MAX 7g% | PE 0.08~0.4 / NY · FC 1~4 b | SiC-S Stainless frame K | VSS16 | О | - | Put over | 91.6 | 1.3 | 8.2 | 350 |
| 74 | 4571584100043 | 2 | S 2 | 2235 | 1145 | 71 | MAX 10g% | PE 0.1~0.5 / NY · FC 1~5lb | SiC-S Stainless frame K | VSS16 | О | - | Put over | 92.1 | 1.3 | 9.5 | 360 |
| 76 Stream | 4571584100050 | 2 | S 2 | 2290 : | 1175 | 81 | MAX 12g% | PE 0.3 ~ 0.8 | SiC-S Stainless frame K | VSS16 | D | - | Put over | 96.4 | 1.5 | 9.7 | 360 |
| New 78 | 4571584101675 | 2 | S Z | 2350 | 1200 | 79 | MAX 15g% | PE 0.3 ~ 0.8 | SiC-S Stainless frame K | VSS16 | О | - | Put over | 92.4 | 1.6 | 10.0 | 370 |
| 711 | 4571584100067 | 2 | S 2 | 2425 | 1245 | 81 | MAX 11g% | PE 0.2 ~ 0.6 | SiC-S Stainless frame K | VSS16 | О | - | Put over | 91.6 | 1.4 | 9.9 | 380 |
| 82 | 4571584100074 | 2 | S 2 | 2495 | 1280 | 83 | MAX 20g% | PE 0.3~0.8 | SiC-S Stainless frame K | VSS16 | D | - | Put over | 90.5 | 1.4 | 11.2 | 405 |
| 53B | 4571584100081 | 2 | B 1 | 1610 8 | 835 | 67 | MAX 4.5g% | PE 0.3~0.5 / NY · FC 3~5lb | SiC-S Stainless frame K + RV % | PMTS17 | D | - | Put over | 91.3 | 1.3 | 6.5 | 320 |
| 69B | 4571584100098 | 2 | B 2 | 2070 : | 1065 | 77 | MAX 7g% | PE 0.3~0.6 / NY · FC 3~6lb | SiC-S Stainless frame K + RV * | PMTS17 | D | - | Put over | 91.6 | 1.3 | 8.0 | 380 |
| New 78B | 4571584101682 | 2 | В 2 | 2350 | 1200 | 92 | MAX 15g% | PE 0.4~0.8 | SiC-S Stainless frame K | PMTS17 | D | - | Put over | 92.4 | 1.6 | 9.6 | 430 |
| 82B | 4571584100104 | 2 | В 2 | 2495 : | 1280 | 93 | MAX 20g% | PE 0.4~0.8 / NY · FC 4~10lb | SiC-S Stainless frame K | PMTS17 | D | - | Put over | 90.5 | 1.4 | 10.8 | 445 |

BlueCurrent TZ/NANO / Light Game Category

| *A part of suitable lure weight for BlueCurrent is omitted. | *SIC-5 titanium frame RV guide is equipped only on butt guide. |
|---|--|
| Please refer to products page for more details. | |

PE 0.8 ~ 2 SiC-S Titanium frame K + RV DPS17% U - Spigot 99.8 2.0 11.6 540

SiC-S Stainless frame K

SiC-S Stainless frame K

VSS16 U - Put over 94.4 1.9 8.4 420

ACS17 D - Put over 94.3 2.1 9.2 470

| | , | 7 Light du | ,,,, | oute | 090,9 | | | | | | | | | | | | | |
|--------------------|---|---------------|------|------|-------|------|----|---|--|---------------------|-------|---|---|----------|------|-----|------|-----|
| 610 Plug Quickness | | 4571584100111 | 2 | S | 2100 | 1075 | 64 | Plug 1.5 \sim 6g / JH 0.5 \sim 5g | PE 0.1 ~ 0.4 | TZ Titanium frame K | VSS16 | О | - | Put over | 99.8 | 1.3 | 8.0 | 355 |
| 73 Plug Seamless | | 4571584100128 | 2 | S | 2220 | 1135 | 67 | Plug 1.5 \sim 6g / JH 0.3 \sim 5g | PE 0.1 ~ 0.4 | TZ Titanium frame K | VSS16 | D | - | Put over | 99.8 | 1.3 | 8.9 | 360 |
| 62 JH Special | | 4571584100135 | 2 | S | 1880 | 965 | 53 | JH ∼ 3g | NY ⋅ FC 1 ~ 3lb | TZ Titanium frame K | VSS16 | D | - | Put over | 99.8 | 1.4 | 6.9 | 290 |
| 67 JH Special | | 4571584100142 | 2 | S | 2020 | 1035 | 61 | JH ∼ 5g / Plug ∼ 3.5g | PE \sim 0.4 / NY \cdot FC 1 \sim 3lb | TZ Titanium frame K | VSS16 | D | - | Put over | 99.8 | 1.3 | 7.9 | 340 |
| 71 JH Special | | 4571584100159 | 2 | S | 2175 | 1115 | 63 | JH 0.3~5g / Rig ~7g / Plug 1.6~4.5g | PE \sim 0.4 / NY \cdot FC 1 \sim 4lb | TZ Titanium frame K | VSS16 | D | - | Put over | 99.7 | 1.4 | 8.7 | 343 |
| 83 Flex | | 4571584100180 | 2 | S | 2520 | 1290 | 73 | JH 0.8~5g / Rig 1.8~10.5g / Plug 1.5~8g | PE 0.2 ~ 0.6 | TZ Titanium frame K | VSS16 | D | - | Put over | 99.8 | 1.4 | 10.4 | 407 |
| 85 All Range | | 4571584100197 | 2 | S | 2570 | 1315 | 84 | 3 ∼ 21g | PE 0.4 ~ 1 | TZ Titanium frame K | VSS16 | D | - | Put over | 99.7 | 1.6 | 11.2 | 395 |
| 93 All Range | | 4571584100203 | 2 | S | 2825 | 1440 | 90 | 3 ∼ 21g | PE 0.4 ~ 1 | TZ Titanium frame K | VSS16 | D | - | Put over | 99.7 | 1.6 | 12.7 | 420 |

Calista / Eging Category

| 90LML / S | 45715 | 84101217 | 2 9 | 2744 | 1404 | 96 | Egi 2.5 ~ 3.5 | PE 0.4 ~ 0.8 | TZ Titanium frame K + RV | VSS16 | U | - | Spigot | 99.6 | 1.7 | 11.3 | 410 |
|------------|-------|----------|-----|------|------|----|---------------|--------------|--------------------------|-------|---|---|--------|------|-----|------|-----|
| 76ML / TJ | 45715 | 84101170 | 2 9 | 2293 | 1175 | 87 | Egi 2.5 ~ 3.5 | PE 0.4 ~ 1 | TZ Titanium frame K + RV | VSS16 | U | - | Spigot | 99.6 | 1.7 | 10.6 | 385 |
| 82ML / AR | 45715 | 84101194 | 2 5 | 2496 | 1282 | 92 | Egi 2.5 ~ 3.5 | PE 0.4 ~ 1 | TZ Titanium frame K + RV | VSS16 | U | - | Spigot | 99.6 | 1.7 | 10.6 | 400 |
| 86M / PF | 45715 | 84101200 | 2 5 | 2573 | 1320 | 99 | Egi 2.5 ~ 4.0 | PE 0.4 ~ 1 | TZ Titanium frame K + RV | VSS16 | U | - | Spigot | 99.6 | 1.8 | 11.7 | 410 |
| 79MMH / AG | 45715 | 84101187 | 2 5 | 2380 | 1226 | 99 | Egi 3.0 ~ 4.5 | PE 0.6 ~ 1 | TZ Titanium frame K + RV | VSS16 | U | - | Spigot | 99.6 | 1.9 | 11.2 | 410 |

Mebius / Eging Category

| 710L | 4571584100548 | 2 | 2390 | 1225 | 84 | Egi 1.8 ~ 3.5 (~ 21g) | PE 0.3 ~ 0.6 | SiC-S Stainless frame K | VSS16 | D | - | Put over | 96.4 | 1.5 | 9.3 | 385 |
|------|---------------|---|------|------|----|------------------------|--------------|-------------------------|-------|---|---|----------|------|-----|------|-----|
| 88L | 4571584100555 | 2 | 2645 | 1350 | 93 | Egi 2.5 ~ 3.5 (~ 21g) | PE 0.4 ~ 0.8 | SiC-S Stainless frame K | VSS16 | D | - | Put over | 96.5 | 1.5 | 10.3 | 405 |
| 85ML | 4571584100562 | 2 | 2555 | 1305 | 93 | Egi 2.5 ~ 3.5 (~ 24g) | PE 0.5 ~ 0.8 | SiC-S Stainless frame K | VSS16 | D | - | Put over | 96.5 | 1.6 | 10.9 | 415 |
| 79M | 4571584100579 | 2 | 2365 | 1210 | 89 | Egi 2.5 ~ 4.0 (~ 28g) | PE 0.5 ∼ 1 | SiC-S Stainless frame K | VSS16 | D | - | Put over | 96.5 | 1.7 | 10.4 | 470 |
| 86M | 4571584100586 | 2 | 2595 | 1325 | 98 | Egi 2.5 ~ 4.0 (~ 30g) | PE 0.5 ∼ 1 | SiC-S Stainless frame K | VSS16 | D | - | Put over | 96.6 | 1.7 | 11.7 | 420 |
| 83MH | 4571584100593 | 2 | 2515 | 1285 | 98 | Egi 3.0 ~ 4.5 (~ 35g) | PE 0.6 ~ 1.2 | SiC-S Stainless frame K | VSS16 | D | - | Put over | 96.6 | 1.8 | 12.0 | 415 |

^{**}SiC-S ring" is up dated model of SiC guide. Some of YB products are currently on switching from SiC guide to SiC-S ring guide.

Depend on products, there SiC models and SiC-S ring models are existed in the market. Please understand that we do not accept exchange to rod with other types of guide ring.

BattleWhip / Boat Eging Category

| Item | Price | JAN CODE | S R e e | Lt [mm] | Cl-Lt [mm] | Wt [g] | Lure | Line | Guide | Ree l Seat | Lock nut | Drag Max | Joint | | | | Position [mm] |
|---------|-------|---------------|---------|------------|-----------------|-----------|---|--------------|-------------------------------|----------------------|-------------|-------------|----------|------|-----|-----|--------------------|
| TR 63/N | | 4571584100609 | 2 S | 1920 | 975 | 75 | Egi 30 ~ 60g / Depth 20 ~ 50m | PE 0.4 ~ 0.8 | SiC-S Stainless frame K + LDB | VSS16 | D | - | Put over | 95.2 | 0.8 | 8.5 | 380 |
| TR 73/S | | 4571584100616 | 2 S | 2225 | 1145 | 83 | Egi 20 \sim 40g / Depth \sim 30m | PE 0.4 ~ 0.8 | SiC-S Stainless frame K + LDB | VSS16 | D | - | Put over | 95.1 | 0.8 | 9.6 | 390 |
| TR 69/D | | 4571584100623 | 2 S | 2075 | 1060 | 80 | Egi 50 \sim 80g / Depth 40 \sim 90m | PE 0.6 ∼ 1 | SiC-S Stainless frame K + LDB | VSS16 | D | - | Put over | 95.3 | 0.8 | 9.5 | 380 |
| IM 69S | | 4571584100630 | 2 S | 2070 | 1060 | 86 | Egi MAX #25 (90g) | PE 0.4 ~ 0.8 | SiC-S Stainless frame K + LDB | VSS16 | D | - | Put over | 89.1 | 0.8 | 8.0 | 585 |
| IM 69B | | 4571584100647 | 2 B | 2070 | 1060 | 100 | Egi MAX #30 (110g) | PE 0.4 ~ 0.8 | SiC-S Stainless frame K + LDB | PMTS17 | D | - | Put over | 89.1 | 0.8 | 7.8 | 620 |
| OR 72/C | | 4571584100654 | 2 S | 2190 | 1125 | 99 | CAST MAX #40 (150g) | MAX PE 1 | SiC-S Stainless frame K | VSS16 | О | - | Put over | 85.6 | 1.7 | 9.6 | 540 |

Lupus for Area Trout / Trout Game Category

| New 61RM | 4571584101781 | 2 5 | 1865 | 955 | 56(P) | 0.6 ~ 6g | 1.5~4lb / PE 0.15~0.5 | SiC-S Stainless frame K | DPS16 | U | - | Put over | 89.5 | 1.2 | 7.8 | 270 |
|-----------|---------------|-----|------|------|-------|----------|-----------------------|-------------------------|-------|---|---|----------|------|-----|-----|-----|
| New 511RF | 4571584101767 | 2 9 | 1820 | 930 | 57(P) | ~ 4g | ~3lb / PE ~0.4 | SiC-S Stainless frame K | DPS16 | U | - | Put over | 89.0 | 1.3 | 7.3 | 270 |
| New 66RS | 4571584101804 | 2 9 | 1990 | 1025 | 58(P) | 0.8 ~ 6g | 1.5~5lb / PE 0.15~0.5 | SiC-S Stainless frame K | DPS16 | U | - | Put over | 89.6 | 1.3 | 8.2 | 305 |
| New 62MB | 4571584101798 | 2 9 | 1895 | 970 | 63(P) | 1 ∼ 6g | 2~6lb / PE 0.15~0.6 | SiC-S Stainless frame K | DPS16 | U | - | Put over | 93.2 | 1.3 | 8.0 | 305 |
| New 60MTR | 4571584101774 | 2 9 | 1830 | 940 | 57(P) | 1 ~ 10g | 2.5~8lb / PE 0.2~0.6 | SiC-S Stainless frame K | DPS16 | U | - | Put over | 89.1 | 1.6 | 8.3 | 295 |

Lupus for Native Trout / Trout Game Category

| | | | | - | , | | | | | | | | | | | | |
|-----|---------------|---|---|------|------|-----|---------|-----------------|---------------------|-------|---|---|--------|------|-----|------|-----|
| 51 | 4571584100661 | 2 | S | 1575 | 850 | 78 | 1 ~ 7g | 2 ~ 6lb Class | TZ Titanium frame K | Wood* | D | - | Spigot | 99.8 | 1.4 | 5.7 | 300 |
| 61 | 4571584100678 | 2 | S | 1855 | 960 | 85 | 2 ~ 10g | 3 ~ 8lb Class | TZ Titanium frame K | Wood* | D | - | Spigot | 99.8 | 1.4 | 6.6 | 340 |
| 71 | 4571584100685 | 2 | S | 2170 | 1110 | 96 | 3 ∼ 12g | 4 ∼ 10lb Class | TZ Titanium frame K | Wood* | D | - | Spigot | 99.8 | 1.4 | 7.9 | 375 |
| 77 | 4571584100692 | 2 | S | 2315 | 1175 | 126 | 4 ∼ 25g | 6 ~ 20lb Class | TZ Titanium frame K | Wood* | U | - | Spigot | 99.6 | 1.5 | 8.8 | 450 |
| 81 | 4571584100708 | 2 | S | 2470 | 1270 | 129 | 5 ∼ 28g | 8 ~ 20lb Class | TZ Titanium frame K | Wood* | U | - | Spigot | 99.6 | 1.5 | 9.4 | 455 |
| 86M | 4571584100715 | 2 | S | 2610 | 1340 | 140 | 8 ~ 30a | 10 ~ 24lb Class | TZ Titanium frame K | Wood* | U | - | Spigot | 99.7 | 1.6 | 10.7 | 470 |

SeaWalk / Boat Light Casting Category

| Oddiram / Boo | n Ligin Ge | isting category | | | | | *Cast weight | *Spiral guide setting | *BACK STOP Double Nut | | | | | | | | |
|---------------------|------------|-----------------|-----|------|------|-----|----------------------------------|-----------------------|---------------------------|--------|---|---|----------|------|-----|-----|-----|
| New SS 71ML | | 4571584101583 | 2 S | 2170 | 1118 | 116 | Max 40g / Under Cast Max 60g ※ | MAX PE 1.5 | SiC-S Stainless frame K | DPS17% | D | - | Put over | 87.9 | 1.6 | 8.9 | 610 |
| New SS 73M | | 4571584101590 | 2 S | 2228 | 1147 | 118 | Max 60g / Under Cast Max 80g ※ | MAX PE 2.0 | SiC-S Stainless frame K | DPS17% | D | - | Put over | 87.8 | 1.7 | 9.3 | 610 |
| Tairubber 70AT | | 4571584101101 | 2 B | 2143 | 1624 | 134 | 60 ∼ 150g | PE 0.6 ~ 1 | SiC-S Stainless frame K X | PULS17 | D | | 1&H | 87.5 | 1.2 | 6.9 | 635 |
| Tairubber 611D | | 4571584101095 | 2 B | 2125 | 1550 | 179 | 100 ~ 250g | PE 0.8 ~ 1.2 | SiC-S Stainless frame K X | PLS18 | D | - | 1&H | 88.1 | 1.5 | 8.0 | 695 |
| Tairubber 72S | | 4571584101118 | 2 B | 2185 | 1118 | 100 | 30 ∼ 100g | PE 0.4 ~ 0.8 | SiC-S Stainless frame K | PMTS17 | D | - | Put over | 92.3 | 1.3 | 7.5 | 585 |
| Tairubber 60F | | 4571584101071 | 2 B | 1853 | 950 | 100 | $60\sim$ 120g / Jig \sim 100g | PE 0.6 ∼ 1 | SiC-S Stainless frame K | PMTS17 | D | - | Put over | 93.0 | 0.8 | 6.8 | 545 |
| Light Jigging 67UL | | 4571584100722 | 2 S | 2015 | 1570 | 102 | Jig 15 \sim 40g / Cast MAX 25g | PE 0.4 ~ 0.8 | SiC-S Stainless frame K | VSS16 | U | - | 1&H | 85.0 | 1.3 | 7.5 | 570 |
| Light Jigging 64L | | 4571584100739 | 2 S | 1935 | 1475 | 114 | Jig 30 \sim 80g / Cast MAX 35g | PE 0.6 ∼ 1 | SiC-S Stainless frame K | VSS16 | U | - | 1&H | 80.4 | 1.5 | 8.0 | 585 |
| Light Jigging 64ML | | 4571584100746 | 2 S | 1935 | 1475 | 115 | Jig 60 ∼ 120g / Cast MAX 50g | PE 0.6 ~ 1.2 | SiC-S Stainless frame K | VSS16 | U | - | 1&H | 80.5 | 1.6 | 7.9 | 585 |
| Light Jigging B66L | | 4571584100753 | 2 B | 1985 | 1525 | 131 | Jig 40 ∼ 80g | PE 0.6 ∼ 1 | SiC-S Stainless frame K | PULS17 | D | - | 1&H | 80.4 | 1.6 | 8.2 | 585 |
| Light Jigging B66ML | | 4571584100760 | 2 B | 1985 | 1525 | 131 | Jig 40 ∼ 120g | PE 0.8 ~ 1.2 | SiC-S Stainless frame K | PULS17 | D | - | 1&H | 81.1 | 1.6 | 8.2 | 585 |
| Light Jigging B65M | | 4571584100777 | 2 B | 1960 | 1490 | 128 | Jig 60 ∼ 150g | PE 0.8 ~ 1.5 | SiC-S Stainless frame K | PULS17 | D | - | 1&H | 80.3 | 1.5 | 8.0 | 595 |

Galahad / Jigging Category

| 632S | 4560395517300 | 1 3 | 1915 | - | 169 | Jig MAX 140g | MAX PE 2 | SiC-S Stainless frame K | DPS18 | U | 3kg | - | 84.9 | 1.9 | 9.3 | 637 |
|-------------|---------------|-------|--------|------|-----|-----------------|----------|-------------------------------|---------|---|-------|-----|------|-----|------|-----|
| 633S | 4560395517317 | 1 : | 1915 | - | 178 | Jig MAX 180g | MAX PE 3 | SiC-S Stainless frame K | DPS18 | U | 4kg | - | 84.5 | 2.0 | 9.8 | 633 |
| 634S | 4560395517324 | 1 : | 1915 | - | 196 | Jig MAX 220g | MAX PE 4 | SiC-S Stainless frame K | DPS18 | U | 6kg | - | 73.9 | 2.2 | 10.4 | 660 |
| 585S | 4560395517331 | 1 : | 1745 | - | 212 | Jig MAX 280g | MAX PE 5 | SiC-S Stainless frame K | DPS18 | U | 8kg | - | 88.4 | 2.7 | 9.8 | 700 |
| 526S | 4560395517348 | 1 ! | 1585 | - | 304 | Jig MAX 350g | MAX PE 6 | SiC Ocean Guide | DPS20 | U | 12kg | - | 86.5 | 3.6 | 12.0 | 693 |
| 622B | 4560395517270 | 1 | 3 1890 | - | 187 | Jig MAX 150g | MAX PE 2 | SiC-S Stainless frame K | PLS18 | D | 3kg | - | 85.3 | 1.9 | 9.0 | 621 |
| 623B | 4560395517287 | 1 | 3 1890 | - | 188 | Jig MAX 200g | MAX PE 3 | SiC-S Stainless frame K | PLS18 | D | 4kg | - | 85.7 | 2.1 | 10.1 | 623 |
| 624B | 4560395517294 | 1 | 3 1890 | - | 191 | Jig MAX 250g | MAX PE 4 | SiC-S Stainless frame K | PLS18 | D | 6kg | - | 86.0 | 2.2 | 10.6 | 615 |
| 526B | 4560395517355 | 1 | 3 1585 | - | 303 | Jig MAX 350g | MAX PE 6 | SiC Ocean Guide | T-DPS20 | D | 12kg | - | 86.5 | 3.6 | 11.7 | 717 |
| 633B ER | 4560395516082 | 1 | 3 1925 | - | 200 | Jig \sim 150g | ~ PE 3 | SiC-S + SiC Stainless frame K | TCS18 | D | 4kg | - | 88.5 | 2.2 | 8.3 | 715 |
| 624B ER | 4560395513951 | 1 | 3 1905 | - | 199 | Jig ∼ 250g | ∼ PE 5 | SiC-S + SiC Stainless frame K | TCS18 | D | 6.5kg | - | 93.1 | 2.3 | 9.0 | 720 |
| 586B ER | 4560395516099 | 1 | 3 1740 | - | 269 | Jig ∼ 350g | ∼ PE 6 | SiC Ocean Guide | TCS18 | D | 10kg | - | 93.8 | 3.2 | 10.5 | 715 |
| TRAVEX 593S | 4560395517362 | 2 : | 1775 | 1135 | 206 | Jig MAX 180g | MAX PE 3 | SiC-S Stainless frame K | DPS18 | U | 5kg | 1&H | 89.5 | 2.5 | 8.6 | 800 |
| TRAVEX 594S | 4560395517379 | 2 ! | 1775 | 1135 | 221 | Jig MAX 240g | MAX PE 4 | SiC-S Stainless frame K | DPS18 | U | 6.5kg | 1&H | 89.9 | 2.7 | 9.4 | 780 |
| TRAVEX 595S | 4560395517386 | 2 ! | 1780 | 1130 | 279 | Jig MAX 320g | MAX PE 5 | SiC Ocean Guide | DPS20 | U | 8.5kg | 1&H | 89.9 | 3.0 | 9.9 | 807 |

BlueSniper / Boat Casting Category

| Diacomper / | Dual Cast | ilig Calegory | | | | | | | | - ⊗RA | CK STC | P Double | Nut | | | | |
|--------------|-----------|---------------|-----|------|------|-----|---------------|-----------|---------------------------------|--------|--------|----------|-----|------|-----|------|-----|
| 81/2 | | 4560395514514 | 2 S | 2480 | 1830 | 233 | 15 ~ 50g | PE 2 ~ 3 | SiC-S Stainless frame K | DPS18% | D | 4kg | 1&H | 91.0 | 2.3 | 11.5 | 780 |
| 70/2 | | 4560395514521 | 2 S | 2140 | 1550 | 220 | 20 ~ 60g | PE 2 ~ 3 | SiC-S Stainless frame K | DPS18* | D | 4kg | 1&H | 91.0 | 2.2 | 10.8 | 725 |
| 72/3 | | 4560395517959 | 2 S | 2210 | 1655 | 222 | 30 ∼ 60g | PE 2 ~ 3 | SiC-S Stainless frame K | DPS18% | D | 5kg | 1&H | 81.1 | 2.1 | 11.0 | 685 |
| 79/3 | | 4560395512664 | 2 S | 2365 | 1740 | 263 | 30 ∼ 70g | PE 2 ~ 4 | SiC-S Stainless frame K + Ocean | DPS18% | D | 5kg | 1&H | 92.1 | 2.4 | 12.6 | 795 |
| 75/4 | | 4560395514538 | 2 S | 2260 | 1670 | 279 | 30 ∼ 100g | PE 3 ∼ 4 | SiC-S Stainless frame K + Ocean | DPS18% | D | 7kg | 1&H | 96.0 | 2.5 | 12.8 | 785 |
| 82/4 | | 4560395514545 | 2 S | 2520 | 1840 | 310 | $30\sim110g$ | PE 4 ∼ 5 | SiC-S Stainless frame K + Ocean | DPS20% | D | 8kg | 1&H | 95.0 | 2.4 | 13.4 | 830 |
| 82/6 | | 4560395514569 | 2 S | 2505 | 1820 | 346 | 50 ∼ 130g | PE 5 ∼ 6 | SiC Ocean Guide | DPS20% | D | 12kg | 1&H | 96.0 | 2.6 | 14.0 | 835 |
| 85/4 Canary | | 4560395515979 | 2 S | 2570 | 1860 | 339 | 25 ~ 100g | PE 3 ∼ 5 | SiC-S Stainless frame K + Ocean | DPS20% | D | 8kg | 1&H | 95.5 | 2.3 | 14.0 | 870 |
| 81/6 Blacky | | 4560395514576 | 2 S | 2480 | 1775 | 378 | 30 ∼ 110g | PE 4 ∼ 6 | SiC Ocean Guide | DPS20% | D | 13kg | 1&H | 96.0 | 2.7 | 13.7 | 910 |
| 81/8 Blacky | | 4560395514583 | 2 S | 2480 | 1775 | 387 | 45 ∼ 120g | PE 6 ~ 8 | SiC Ocean Guide | DPS20% | D | 15kg | 1&H | 96.0 | 2.8 | 14.2 | 885 |
| 81/10 Blacky | | 4560395514590 | 2 S | 2480 | 1775 | 399 | $50\sim130$ g | PE 8 ~ 10 | SiC Ocean Guide | DPS20% | D | 17kg | 1&H | 93.0 | 3.4 | 14.6 | 900 |

Members Limited Models / Members Limited

| BLC 60 Junior | 4571584100838 | 2 S | 1830 | 940 | 62 | ~ 7g | PE 0.3 ~ 0.8 | Alconite ring · Stainless frame K | IPS16 | D | - | Put over | 92.5 | 1.3 | 7.8 | 325 |
|-----------------------|---------------|-----|------|------|--------|-----------------------|--------------|-----------------------------------|--------|---|---|----------|------|-----|------|-----|
| BLC 70 Trippers | 4571584100821 | 4 S | 2145 | 560 | 72 | ∼ 12g | PE 0.3 ~ 0.8 | TZ Titanium frame K | VSS16 | D | - | Spigot | 99.8 | 1.4 | 8.3 | 360 |
| New BLC 86 All Range | 4571584101651 | 2 S | 2580 | 1320 | 94(P) | 3 ∼ 21g | PE 0.4 ~ 1.0 | TZ Titanium frame K | NHSS13 | U | - | Spigot | 99.8 | 1.6 | 11.2 | 405 |
| New BLC 100 Surf | 4571584101712 | 2 S | 3055 | 1555 | 101(P) | 4 ∼ 30g | PE 0.5 ~ 1.0 | TZ Titanium frame K | VSS16 | D | • | Put over | 99.8 | 1.7 | 14.0 | 420 |
| New Ballistick 106MMH | 4571584101668 | 2 S | 3205 | 1635 | 188(P) | 7 ∼ 50g | PE 0.8 ~ 2.0 | SiC-S Titanium frame K + RV | DPS18 | U | - | Spigot | 99.8 | 2.1 | 15.8 | 575 |
| New BLC 74TZ | 4571584101736 | 2 S | 2240 | 1150 | 74.5 | 2 ~ 18 g | PE 0.4 ~ 1.0 | TZ Titanium frame K | VSS16 | D | - | Put over | 99.8 | 1.6 | 9.9 | 360 |
| New BLC 78TZ | 4571584101743 | 2 S | 2345 | 1205 | 80.9 | 5 ∼ 25 g | PE 0.4 ~ 1.0 | TZ Titanium frame K | VSS16 | D | - | Put over | 99.7 | 1.7 | 10.4 | 370 |
| FWP-90 | 4571584100876 | 2 S | 2670 | 1415 | 208 | $20\sim100\mathrm{g}$ | MAX PE 3 | SiC-S Stainless frame K | DPS18 | U | - | Put over | 95.6 | 2.5 | 12.1 | 615 |

Reel/\$=\$pinning B=Overhead reel Guide/TZ=TORZITE ring SiC-S=SiC-S ring K=K guide LDB=SiC Stainless frame LDB guide RV=SiC Titanium frame RV guide

Lock nut/U=Up lock D=Down lock DragMax/Drag max value assuming a rod angle of 45° Joint/Spigot=Spigot Ferrule Put over=Put over Ferrule 1&H=Grip Joint PO&ST=Put over Ferrule & Straight Ferrule

Tip(mm)/Diameter of just below top guide Butt(mm)&Position(mm)/Position(mm) stand for the length from end of grip to point that is measured for Butt(mm)

^{**}Regarding the reel seat the product photo in this catalog, if there is a change of color by the manufacturer, the color may be changed without notice. Please kindly understand this matter.



Precautions for use and repair =

Precautions for use

- Do not cast with a tangled line or line trouble In the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your rod.
- If you continue to reel in your rig (lure, popper, lig etc) after it has reached the top guide, this will cause the rod to break.
- If you force the Joint section of the rod when joining together, this will cause cracking or splitting of the joints.
- If you use the rod while the joint section is still loose, this may cause breakage.
- If the Joint section is stuck together, use a rubber sheet for added grip while twisting away from each other.
- Beware of power cables, overhead power lines, or phone lines. The material (carbon) will easily pass through electricity causing serious injury or death.
- Olf you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious injury or death.

About the contents on this catalog

- Specifications might be changed without previous notice.
- ●Some of images on this catalog are proto type so it might be different from
- Images on this catalog might be different from actual products depending on the

Maintenance and storage

• Wash the rod with running water to rid of any filth and salt. Then wipe off any excess water.

If you store your rod without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated areas with no high temperature.

• Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

Contents in this catalog

- Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.
- Specifications listed on this catalog may be altered without notice.
- The colors presented in the pictures may differ from the actual color, Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

Repair and support

- Please take products which is required repairing to sales outlet. At that moment, please send a whole rod (not only the section of the breakage)
- Please be aware that any rod that was personally modified will not be covered by warranty (even if it is under warranty) Any repair that we have judged as changed/tampered with the specification or made to order is unacceptable.



= About YAMAGA Blanks -







YAMAGA Blanks VIDEO



YAMAGA Blanks



YAMAGA Blanks PICTURE

•• flickr



YAMAGA Blanks Instagram





YAMAGA Blanks Facebook





1047 Iwajiri Nagomi-cho Tamana-gun **KUMAMOTO-PREF 865-0114 JAPAN** E-Mail: info@yamaga-blanks.com