

# BlueCurrent TZ/NANO

Light Game Model / 8 Lineup



Series category page Details of each model are available from OR code on each model YAMAGA Blanks Official Web site

BlueCurrent TZ/NANO series are flag ship models which are filled with our knowledge and techniques of designing blanks of light game.Carbon prepreg which NANOALLOY® technology have been applied is chosen and TORZITE ring guides which are light and less friction are loaded. Once you fish with this series, you notice the lightness and sensitiveness, casting feel that you never get unwanted worble and massive butt nower hidden in butt section that will be increased when it is bent.



#### This is a special plugging model with aggressiveness and sensitiveness that let you strike even a slight contact.

610 Plua Ouickness

This plugging model was developed to enable anglers to sense the subtle changes in water pressure and currents with outstanding balance to breathe life into your lures through rod action. The tip section is designed to be stiff to give the lure variant action while the whole blank will bend in to reduce hook offs. When simply retrieving minnows and sinking pencils, the super sensitive tip section will immediately transmit the smallest of bites enabling anglers to swiftly hookup with the belly section of the blank.

LURE: Plug 1.5g~6g

JH 0.5g~5g LINE: PE 0.1~0.4

Spinning Model / 2pcs (Put over Ferrule Reel seat: VSS16 (Fuii) Down lock nut

•Suitable reel size: D: LT1000~2000 / S: 1000~C2000

●Target: Horse Mackerel • Rock fish • Migratory fish

• Lure : Small Sized Plug · Jighead





a.270mm | b.335mm | Length: 2100mm Closed length: 1075mm Weight: 64q



#### This plugging model emphasizes retrieving method with high sensitivity and natural lure appeal.

The blank is designed to have contradicting characteristics of sharpness and flexibility in order to successfully hookup the subtle "sucking" and "nibbling" bites. The rod will smoothly respond to your hooking followed by the fight. Anglers will be able to pick up those minute bites when the targets are feeding on micro baits by slowing drifting your

Spinning Model / 2pcs (Put over Ferrule Guide: TORZITE Titanium frame K Guide (Fuii) LURE: Plug 1.5g~6g Reel seat: VSS16 (Fuji) Down lock nut JH 0.3g~5g

 Suitable reel size: D: LT1000~2000 / S: 1000~C2000 •Target: Horse Mackerel • Rock fish • Migratory fish

• Lure : Small Sized Plug • Jighead

LINE: PE 0.1~0.4





a.275mm| b.340mm| Length: 2220mm Closed length: 1135mm Weight: 67g

Jighead Special

Accurate lure operation and high castability. A model for skillful use of lightweight jig heads and microplugs.

PRICE .

LINE: NY · FC 1~3lb

BlueCurrent 62TZ Nano have gotten sharpness within blanks themselves and once fish is on, its bend nice and smoothly from tip to butt section. Thanks to NANOALLOY® technology from TORAY, you can keep fish under control at your own will and you cast lure with minimum motion so you do not have to worry about rough condition if you choose it. We have sharpened this 62TZ Nano up to manipulate both jig head and plug gently with high sensitivity.

Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut LURE: JH ~3g

•Suitable reel size: D: LT1000~2000 / S: 1000~C2000 ■Target: Horse Mackerel • Rock fish

• Lure : Jighead • Small Sized Plug





**Jighead Special** 

## A basic model with cast performance and operability that uses a lightweight jig head to cover various situations.

This is specialized model for jig head game which is employed high sensitivity, smoothness, and flexibility on blanks. Although it is nice and flexible, the sharpness and speed of blanks are progressed while reducing unwanted wobble of tip section. Taking full of advantage of NANOALLOY® technology. it has been achieved seamless bend curve and incredible power of recovery that let you enjoy not only big mackerel or rockfish but also even a small target.

LURE: JH ~5g LINE: **PE** ~0.4

Plug ~3.5g

Guide:TORZITE Titanium frame K Guide (Euii) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2000 / S: 1000~C2000 Target: Horse Mackerel · Rock fish

•Lure : Jighead • Small Sized Plug

NY·FC 1~3lb

a.265mm | b.330mm | Length: 2020mm Closed length: 1035mm Weight: 61g

#### A highly versatile model with enhanced sensitivity and operability when reeling in sharp usability and flexibility.

**Jighead Special** 

71TZ Nano is most regular action in BlueCurrent Jig head special series. Although this is specialized model for jig head game, you can approach to target with slow retrieving of small plug or light rig. The sensitivity while you are retrieving is high enough to sense slightly changes of current and tiny vital information. Fish will take your lure without strangeness and blanks will bend smoother like seamless while on fighting.

LURE: JH 0.3g~5g / Rig ~7g Plug 1.6g~4.5g

LINE: **PE** ~0.4 NY·FC 1~4lb

Spinning Model / 2pcs (Put over Ferrule) Reel seat: VSS16 (Fuii) Down lock nut

Suitable reel size · D· LT1000~2000 / S· 1000~C2000

Lure: Jighead · Light rig · Plug · Light"Wind" \*Twitch the rod tip up to flick the jig head

#### While taking advantage of the long length rod, it can be used in a variety of games with a sense of operation that combines sharpness and flexibility.

If you wish to deliver light weight of jig head farther than ever and manipulate fight without anxious thanks to ability of reshaping itself speedy.

it as you want, we are sure that 83TZ Nano will make you satisfy. Flexibility and LURE: JH 0.8g~5g sensitivity of blanks enable you to manipulate light weight of plug gently even Rig 1.8~10.5g you have delivered it farther than you have expected and you can manipulate it as you are at close range. If it is rough condition at closer range of you, you can Plug 1.5g~8g LINE: PE 0.2~0.6

Spinning Model / 2pcs (Put over Ferrule) Guide:TORZITE Titanium frame K Guide (Fuji)


Reel seat: VSS16 (Fuii) Down lock nut Suitable reel size: D: LT2000~2500C / S: 2000~C2500 Target: Horse Mackerel • Rock fish • Bream • Seabass

●Lure: Rig • Jighead • Plug • Metal Jig

## Persued ultra-high general-purpose performance. it have been achieved the one for various method and waters.

a.325mm|b.390mm| Length: 2520mm Closed length: 1290mm Weight: 73g

a.265mm| b.330mm| Length:2175mm Closed length:1115mm Weight:63q



85TZ Nano will make your dream come true. Every range of water will be covered with light line by BlueCurrent 85TZ Nano which have been gotten sensitiveness and toughness. You will never lose initiative even if you hook big one up accidently. You will be able to aim Rock Fish, Black Sea Bream, Seabass (aim from top water to deep water), Horse Mackerel or even squid.

LURE: 3~21a LINE: PE 0.4~1 Guide: TORZITE Titanium frame K Guide (Fuii) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT2000~2500 / S: 2000~2500

Target: Anything

All Range



#### A long length model to explore a wider area while keeping the 85 All-Range concept.



Actually, it is all depends on your imagination to pull out the infinite potential of this 93TZ Nano All-Range. We have extended length and enhanced power of 85T7 Nano All-Range to cover farther range and tougher target Of course, you can use it for Horse Mackerel or rockfish, it works for black sea bream, seabass or even for squid. As we mentioned, potential of 93TZ Nano All-Range become unlimited depending on your skill and imagination

Guide: TORZITE Titanium frame K Guide (Fuii) Reel seat: VSS16 (Fuji) Down lock nut LURE: 3~21a •Suitable reel size: D: LT2500C~2500 / S: 2500~C3000 LINE: PE 0.4~1


Target: Anything

21





## **BlueCurrent BENDING CURVES**



# **BlueCurrent** III

Light Game Model /13 Lineup



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

Anglers will be able to utilize light PE1.5~2 line to conquer the tough high-pressure fields or small bait fish patterns. The flexible ML class tip will enable anglers to easily cast out small 20~40g iigs and smaller seabass hard lures for a more finesse approach while the M class butt power can allow for a more speedy power game against your targets in crowded and rugged areas using PE3. The fusing of the contradicting characteristics of torque required to overcome the thrashing blue-runners and lightness for anglers to continuously maintain concentration throughout the day will assist you on your next adventure out to the rocks.





#### This is a special model that combines sensitiviness and sharpness for targets that require a variety of strategies.

Bream, seabass and rock-fish being its main target species, the flexible tip and resilient blank is best suited for hard lure games. Although you can use free rigs, jig-heads and soft plastic lures, it is ideal for anglers to utilize hard bodied lures for your top-water popping games targeting bream and seabass feeding on micro-baits. The flexible tip, resilient belly and powerful butt section will support anglers until the very end of the fight,

LURE: Max 15g (Plug 2~15g/Float 3.3~15g/Rig 1~15g)

LINE: PE 0.3~0.8

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide(Fuil) Reel seat: VSS16 (Fuji) Down lock nut

•Suitable reel size: D: LT2000~2500 / S: 2000~2500 ●Target: Black sea bream · Seabass · Rockfish · Flatfish

■Lure: Rig • Jig • Plug





#### This is the one that to explore the possibility of bottom water game with the gentle reeling performance of the overhead reel.

This super sensitive bait-caster model is ideal for use with free-rigs and Texas-rigs in the vast surf, estuaries, break-waters and pebble-beach situations to go after the bream, flat-heads and other bottom fish. The flexible tip will allow for a smooth bite and successful hook up while the sensitivity will help transmit the texture of the seabed through the blank. The power of recovery in the belly section will help anglers get out of snags and allow for thorough sweep of the bottom area, Anglers will be able to enjoy this rod in their local fields in any given

LURE: Max 15q

LINE: PE 0.4~0.8

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuji Reel seat: PMTS17 (Fuji) Down lock nut

Suitable reel size: Overhead Reel For Ultra Fine Line (Plug 2~15g/Float 3.3~15g/Rig 2~15g) ●Target : Black sea bream • Seabass • Rockfish • Flatfish

●Lure: Rig · Jig · Plug





a.310mm | b.415mm | Length:2350mm Closed length:1200mm Weight:92g

#### High performance in games with ultra light weight jig heads. High sensitivity short length model for game in short range. PRICE:

53 have been designed in 2 pcs to be carried anywhere you want. Once you fished with it, you will be surprised that ability to get the picture of details and situation inside of the water. Even when you fish with jig head under 1g, you can sense the slightly changes of current and give the action as you wished. Which means that you will always know what you are doing and what is happening under the water.

LURE: Max 4.5g (JH 0.1~4.5g)

LINE: PE 0.06~0.3 NY·FC 1~3lb

Spinning Model / 2pcs (Put over Ferr Guide: SiC-S stainless frame K guide(Fuii) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2000 / S: 500~C2000

Target: Horse Mackerel · Rock fish · trout •Lure: Jighead • Small Sized Plug • Small Sized Metal Jig





a.160mm| b.225mm| Length:1610mm Closed length:835mm Weight:53g

#### This is a short length model that can handle 1g of jig head at will and hook up the small bites firmly and swiftly.

This is tuned to be used for jig head game around 0.5g $\sim$ 1.5g with comfortable feeling. Especially even when you fish with jig head around 1g in strong wind, you will not lose performance of casting and manipulating. If you could take advantage of that sharpness and moderate stiffness, you can twitch and jerk aggressively to catch selective one even in day game.

LURE: Max 4.5q (JH 0.3~4.5q) LINE: PE 0.06~0.3

NY·FC 1~3lb

Guide: SiC-S stainless frame K guide(Fuji) seat: VSS16 (Fuji) Down lock nut

•Suitable reel size: D: LT1000~2000 / S: 500~C2000 ■Target: Horse Mackerel • Rock fish • trou

●Lure: Jighead • Small Sized Plug • Small Sized Metal Jig





## This sensitive model utilized its short length to cover a wide range of lure weights and water ranges.



This is short stick which enable you to fish with jig head around 0.5g~3g while getting enough distance to reach the spot that fish might be there. The sharpness of blanks enables you to make jig head move as you wished and you will be able to strike instantaneously as soon as you sensed bite of target. The flexibility and sensitivity of blanks transmits slightly changes of current, vital information and a sense of existence

PRICE:

LURE: Max 5g (JH 0.3~5g/Plug 1.6~3.5g)

LINE: PE 0.06~0.3 NY·FC 1~3lb

ning Model / 2pcs (Put over Ferrule Reel seat: VSS16 (Fuii) Down lock nut

ning Model / 2pcs (Put over Ferrule)

Suitable reel size: D: LT1000~2000 / S: 1000~C2000

Guide: SiC-S stainless frame K guide(Fuji)

Reel seat: VSS16 (Fuji) Down lock nut

• Lure : Small Sized · PlugJighead

•Suitable reel size: D: LT1000~2000 / S: 500~C2000 ■Target: Horse Mackerel • Rock fish

•Lure: Jighead · Small Sized Plug



22





a.220mm| b.285mm] Length:1910mm Closed length:985mm Weight:59g





#### This is a versatile technical model with excellent performance on manipulation of the jig head and plug.



We have designed tip and belly section of this 69 very carefully to manipulate jig head and plug exactly as you wished. Tip and belly section have been applied moderate stiffness for achieving high sensitivity to transmits small vital information and slightly changes of current and sharpness to twitch and jerk jig head aggressively. Also, if you really wish to fish with plug, we recommend you to take this 69. Of course, you can take 69 for light game off the boat as well,

LURE: Max 7a

(JH 0.3~7g/Plug 1.6~5g)

NY·FC 1~4lb

LINE: PE 0.08~0.4



#### An all-around model that covers almost every light game method and situation.



If you wish to fish with various kind of method in various situation with one rod, this 74 will be the one for sure. 74 can handle all of method for light game fishing such as jig head, sinker, metal jig, and plug at your will. High sensitivity will not be lost even if you search target deeper than 10m. You will definitely be able to feel what is "BlueCurrent III" like once you fish with this 74.

LINE: PE 0.1~0.5

LURE: Max 10g (JH 0.3~7a/Ria 1~10a/Plua 1.6~7.8a)

NY·FC 1~5lb

 Suitable reel size: D: LT1000~2500C / S: 1000~2500 •Target: Horse Mackerel •Rock fish • Migratory fish

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide(Fuji)

Reel seat: VSS16 (Fuji) Down lock nut

• Lure : Jighead • Rig • Small Sized Plug • Small Sized Metal Jig





#### BlueCurrent**Ⅲ**

#### This is a specialized model for plugging games that lures target out in the stream.

Stream

This 76 Stream have been designed for various kind and size of plugs as such as small one for mackerel and medium size for seabass or black sea bream. Moderate stiffness and comfortable recovery speed which is applied on tip and belly section let you manipulate top water plug, minnow or sinking pencil at your will for sure. If you are going to aim target hidden in current with plug. we recommend you to take this specialized rod for plugging game.

LURE: Max 12q (Plug 1.6~12g)

LINE: PE 0.3~0.8

Spinning Model / 2pcs (Put over Ferrule) Guide : SiC-S stainless frame K guide(Fuji) Reel seat: VSS16 (Fuji) Down lock nut

Suitable reel size: D: LT2000~2500C / S: 2000~2500

●Lure: Plug · Small Sized Metal Jig



## a.290mm | b.355mm | Length: 2290mm Closed length: 1175mm Weight: 81g A long length model with a sharpness on casting and this is one for delivering lightweight jig head further. BlueCurrent**∭**



Even if you cast small jig head a long distance, you will not lose your sense to feel movement of jig head with this 711. Also, 711 which is categorized in long length model though, transmits information of underwater world and vital information constantly even in rapid water or deep area. Flexible and sensitive tip section will let target bite your jig head without strangeness and powerful butt section will lead you assured landing.

LURE: Max 11g (JH 0.5~7a/Ria 2~11a)

LINE: PE 0.2~0.6

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuii

Reel seat : VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2500C / S: 1000~2500 Target: Horse Mackerel · Rock fish · Migratory fish •Lure: Jig head • Small Sized Rig • Small Sized Plug





This is a long distance model that allows you to operate float rig, Carolina rig, and metal jig over a long distance gently. This 82 have been tuned as sharper to get more distance than previous model. Although butt section has been enhanced, whole blanks bend smoothly and recover powerfully. On the other hand, sensitiveness and flexibility of tip section have been sharpened to transmits information that angler needs. You can handle not only plugs around 7~9cm to aim seabass or black sea bream but also of course use jig head up to 20g with swimming action to aim rockfish.

LURE: Max 20q

(JH 2~20g/Float 3.3~20g/Jig 2~20g Rig 2~20g/Plug 2~15g) LINE: PE 0.3~0.8

Guide: SiC-S stainless frame K guide(Fuii) Reel seat: VSS16 (Fuji) Down lock nut Suitable reel size: D: LT2000~2500C / S: 2000~2500 Target: Bream · Seabass · Rock fish · Horse Mackere Lure: Metal Jig· Rig· Plug·Jighead

Spinning Model / 2pcs (Put over Ferrul



a.325mm | b.390mm | Length: 2495mm Closed lengt: 1280mm Weight: 83g

#### This is a short range finesse model for Overhead reels that can handle lightweight jig heads.

Length:1610mm Closed lengt:835mm Weight:67g

b.360mm | Length: 2070mm | Closed lengt: 1065mm | Weight: 77g



This is 2 pcs overhead model to aim selective and spooky target at close range. Even if you have to use jig head under 1g, you can feel the weight of it when you cast and manipulate and also you can get enough distance to reach targets comfortably. As taking advantage of overhead tackle, you can keep tension of line while letting jig head fall into the range where the target must

b.305mm J

LURE: Max 4.5q (JH 0.5~4.5g) LINE: PE 0.3~0.5

Overhead reel Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide (Fuji +SiC-S titanium frame RV Guide (Fuii) Reel seat: PMTS17 (Fuji) Down lock nut Suitable reel size: Overhead Reel For Ultra Fine Line

NY·FC 3~5lb

 Target: Horse Mackerel · Rock fish · trout •Lure: Jighead • Small Sized Plug • Small Sized Metal Jig

## This is a technical Overhead reel model that enable you to manipulate jig head and plug with reeling method comfortably.



This is the standard model of overhead series that let you cast and manipulate jig head and plug as exactly as you wished. Tip section which have been loaded flexibility and sensitivity will transmits vital information clearly and belly section that have moderate stiffness make light wind action comfortably. Especially when you fish with plug, the potential of 69 overhead model will be pulled out. You will notice that you can give the action to plug as exactly as you have planned.

LURE: Max 7a (JH 0.8~7g/Plug 1.6~5g/Rig 1~7g) LINE: PF 0.3~0.6

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) +SiC-S titanium frame RV Guide (Fuji) Reel seat: PMTS17 (Fuji) Down lock nut •Suitable reel size: Overhead Reel For Ultra Fine Line

NY·FC 3~6lb

 Target: Horse Mackerel · Rock fish · Migratory fish •Lure: Jighead · Small Sized Plug · Small Sized Jig

Overhead reel Model / 2pcs (Put over Ferrule)

Guide: SiC-S stainless frame K guide (Fuji)



#### A long-length Overhead reel model with an outstanding cast feel that can be delivered lure with an overwhelming range.



Although this is over 8ft long, you can handle like it is 7.6ft long thanks to sharpness and lightness of blanks themselves. Tip section which have flexibility to manipulate lure gently link to butt section which is strong enough to stop the powerful run of large target. This deserved to be called all mighty overhead rod to cover various situations and target such as surface game for seabass or black sea bream, rock fish game and mackerel of course.

LURE: Max 20g (JH 2~20g/Float 3.3~20g/Jig 2~20g Rig 2~20g/Plug 2~15g)

NY · FC 4~10lb

PRICE

+SiC-S titanium frame RV Guide (Fuji) Reel seat: PMTS17 (Fuji) Down lock nut Target: Rock fish · Seabass · Bream · Horse Mackere LINE: PE 0.4~0.8

Lure: Jighead · Rig · Plug · Metal Jig











## **BlueCurrent II** BENDING CURVES



## BlueCurrent Series Comparison data




\*\*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

## **BlueCurrent** RECOMMENDED TARGET & GAME STYLE

BlueCurrent series have versatility to aim many kinds of target such as Horse mackerel, Rock fish, Black sea bream or Seabass and even more.



Models to be able to keep twitching seamlessly and let it stop as you wished to without unwanted wobbles on tip, If you love to fish with overhead reel, III 53/B is recommended





Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

In the current subdivided squid fishing scene, there are various techniques and the skill of individual anglers have drastically improved. There is one simple reason why we have embarked on the renewal of the series. It is none other than the fact that we want anglers to have the lightest, most responsive and absolute castability of what we have to offer with the current given technology. The new Calista series have been rebuilt from the start and it is the crown of our manufacturing techniques and efforts. Its more than a "renewal" or a "new model", it's the "Origin of Calista".

As a blank manufacturer, there is no better challenge than creating this totally new Calista series for the squid fishing scene.





#### Long length model that can perform sensitive actions without losing high sensitivity performance even in the current

This is a highly sensitive and flexible long length model able to feel for the squid jig in the current. We have fused together the light tip section to a medium class strength butt section to realize its outstanding casting ability. Although the rod is a long length model, the exceptional balance will allow anglers to easily and lightly control the rod to induce the bite of the squid while the highly sensitive blank will transmit the slightest touch from the squid and feel for the current during the curve fall of the squid jig.

EGI: #2.5~3.5

Spinning Model / 2pcs (Spigot Ferrule) Guide:TORZITE Titanium frame K Guide +Butt Guide: SiC Titanium frame RV Guide(Fuji) Reel seat: VSS16 (Fuji) Up lock nut LINE: PE 0.4~0.8

•Suitable reel size: D: LT2500 / S: 2500







#### This is a technical model that utilized a short length of light handling and plenty of variations of jerking to lure squid.

The technical short length model was designed to enable anglers to utilize their various jerking techniques. The flexible yet short length blank will be a tactical weapon for anglers to precisely maneuver the squid jig for the final leg of the pursuit of the squid. It will be most suited for fishing around structures and drop-offs or technically controlling the lure when sight fishing. Furthermore, he responsiveness of the short length blank will also assist anglers to speedily search a vast area. This short length versatile blank will also be great for off-shore boat squid fishing.

EGI: #2.5~3.5 LINE: PE 0.4~1 Spinning Model / 2pcs (Spigot Ferrule) Guide:TORZITE Titanium frame K Guide +Butt Guide: SiC Titanium frame R\ Reel seat: VSS16 (Fuji) Up lock nut

Suitable reel size: D:LT2500 / S:2500







#### This all-around model expands the possibility of techniques. This is the one that reflect the new technology of new Calista.

This is the new all-rounder model of the renewed Calista series where anglers will be able to first handedly experience our developmental concept. The blank is fused together with castability, controllability, sensitivity and power for anglers to bring out its true colors all year round at any given situation. The sharpness hidden beneath the user-friendly characteristics will breathe life into the squid jig controlled by the angler through long distance casting, jerking and line-control.

EGI: #2.5~3.5 LINE: PE 0.4~1 Spinning Model / 2pcs (Spigot Ferrule)
Guide:TORZITE Titanium frame K Guide
+Butt Guide: SiC Titanium frame RV Guide(Fuji)
Reel seat:VSS16 (Fuji) Up lock nut

Suitable reel size: D:LT2500 / S:2500

Target : Squid





#### This item is achieves sensitive operability that overturns common sense for power models.

Like the 82ML/AR, it is an all-rounder model suitable for year round fishing with lightness and responsiveness as its distinct qualities. The blank was back to the drawing board and rebuilt from the ground up to break all stereotypes of the standard 86M specifications for squid fishing. Even if you own a rod with similar specs to 86M, we would like you to take hold of this rod to first handedly experience the highly responsive controllability of the squid jig and outstanding casting distance the blank produces.

EGI: #2.5~4.0 LINE: PE 0.4~1 Reel seat: VSS16 (Fuji) Up lock nut

Suitable reel size: D: LT2500 / S: 2500







#### A special concept model dedicated to more aggressive game both from shore and boat.

There are no specific rule books for squid fishing, and there are as many styles and game plans as there are anglers. The 79MMH/AG is a super highly responsive model for hose anglers who aggressively allure the squid by technical approaches. It is designed with a medium class tip section and a medium heavy class butt section to easily and sharply maneuver the # 3.5 squid jigs. We have also reduced the stress on the anglers side by giving the rod contradicting characteristics of flexibility and power.

EGI: #3.0~4.5 LINE: PE 0.6~1 Spinning Model / 2pcs (Spigot Ferrule)
Guide: TORZITE Titanium frame K Guide
+Butt Guide: SiC Titanium frame RV Guide(Fuji) Reel seat: VSS16 (Fuji) Up lock nut Suitable reel size: D:LT2500 / S:2500

Target: Squid











## Calista RADAR CHART COMPARISON

#### **Description of chart items**

Long Cast Performance · Evaluation of casting ease and power within the blank

Finesse Action · Evaluation of Slack Jerks and twitching actions that are important with sight fishing.

 $\textbf{Aggressive Action} \cdot \textbf{Evaluation of Aggressive Jerks which include general jerks, winding jerks, and combination jerks}$ Stiffness of tip · Advantages of a stiffer tip include easier operation in deeper waters, waters with strong currents,

Calista 76ML/TJ

and larger resistance Eqi. The advantages of a softer tip include an increase in sensitivity to feel changes in the water and is less physically demanding.

Comfortability · A model with stiffness may increase the physical burden, so please refer to this item and choose it if you tend to hurt your wrist.



Tidal currents spot










## Calista BENDING CURVES



- ●Here are pictures representing the bending curve of the new Calista series with a static load of 500g. We have especially focused on the length and blank individuality of each model for the lineup of the new Calista series.
- •Anglers will be able to experience the lightness of the next generation blanks in 3 different lengths (short, medium and long lengths) of the main ML class rods.
- This is a comparison of bending with a loading 100g statically, which is lighter than the 250g on the left. The 90LML/S has the most flexible tip, but in order to eliminate the unwanted wobbles on tip section which comes from its lengths, it has a blank design with high recovery force, and it will bend like this under light wight of loads, In addition, the 79MMH/AG, which has the strongest butt section, has a flexible tip so that it does not become too stiff, so even if it is a stiffest and shortest of Calista series, it will bend smoothly and be easy to handle.

\*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently



# **Mebius**



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

We hope that fishing rod from YAMAGA Blanks is going to be used by much more number of anglers. That is ambition what we put into Mebius series. It is quite difficult to keep low budget while pursuing performances and quality. But we have succeeded to achieve those elements as making extensive use of our techniques of design and quality of factory. That is how we build fishing rods and once you fish with Mebius series you will definitely know as much about our policy and performance of blanks. We offer you 6 different type of character for Mebius series as such as short length, light weight model or medium heavy class to cover various situation that you are going to face. Of course you can take one as main rod, you can also take one as a substitution for specific circumstances.



#### This lures the target out that can be realized only because it is light and short in length, and it captures various situations.

If you wish to use super fine PE line to sense slightly changes of pressure of current and lure out carefully, this sensitive short length model is the one. When squid is less activity than usual then you are required to feel slightly changes of current and need to manipulate and lure out delicately, sensitiveness which is loaded to 710 enable you to cast light weight of Egi, sense tiny contact of squid and keep squid over 2kg under control. Of course you can take 710 for fishing from boat.

LURE: **EGI #1.8~3.5** (~21g) LINE: PE 0.3~0.6

LURE: EGI #2.5~3.5 (~21g)

LINE: PE 0.4~0.8

Spinning Model / 2pcs (Put over Ferrul

Reel seat : VSS16 (Fuii) Down lock nut Suitable reel size: D: LT2500 / S: 2500~C3000

Length: 2390mm Closed length: 1225mm Weight: 84g

A light class that makes use of its flexibility for easy and quick action.

This is the light class model which is good for short pitch jerk and jerk making use of line slack. You can cast even light weight of Egi with a comfortable feeling thanks to the flexibility and moderate power of recovery. So this is good to be used on sight fishing technically. Yet it has enough power to keep huge squid under control, you can manipulate Egi with less power than others. Once you fish with it you will recognize that it has gotten high potential to be used in all seasons.

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuii) Down lock nut

Suitable reel size: D: LT2500~3000C / S: C3000 Target: Squid



a.310mm | b.385mm | Length: 2645mm Closed length: 1350mm Weight: 93g

ML

### To improve the efficiency of search in a high pressure field by specializing in performance of light manipulating feel.

It have been designed to be more flexible than 86M and finished to become technical rod which is enable anglers to manipulate various weight of Egi at your will. You will be able to take advantage of versatility of 85ML as such as luring out delicately on sight fishing, jerk making use of line slack and short pitch  $\,$  jerking. We recommend 85ML for any level of anglers as an all-rounder

LURE: EGI #2.5~3.5 (~24g) LINE: PE 0.5~0.8

PRICE:

Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuii) Down lock nut Suitable reel size: D: LT2500~3000C / S: C3000 Target: Squid

a.310mm | b.385mm | Length: 2555mm Closed length: 1305mm Weight: 93g

## A short length power model that improves the operating response of the Egi. Also ideal for boat eging.

M

Blanks of 79M have been brushed up to be taking advantage of length. You will feel the high response speed of blanks and high usability as characteristics of short length models while pursuing long casting performance. Yet it has enough power to cast and manipulate even size 4 Egi (about 25g), It has been loaded with moderate power of recovery, flexibility, and lightness on blanks. If you are required to lure a speedy or take time to lure a spooky one out, 79M will be your huge advantage for sure.

LURE: EGI #2.5~4.0 (~28g)

LINE: PE 0.5~1

Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT2500~3000C / S: C3000

Guide: SiC-S stainless frame K guide (Fuji)

Spinning Model / 2pcs (Put over Ferrule)

Target: Squid



a.300mm| b.375mm| Length:2365mm Closed length:1210mm Weight:89g

#### It has both lightness and power, and is intended to aim large squid.

It is standard model of Mebius series, Although it is medium class rod, it have gotten sensitive, flexible tip and belly section to be adjusted modern eging scene technically It have been designed to be well balanced to cast and manipulate Egi with less input by angler reducing burden of angler's wrist. This 86M is the most versatile model of this series. You can cast long distance and manipulate at your will even size 4 Egi (about 30g) without any anxious.

Guide: SiC-S stainless frame K guide (Fuji) LURE: EGI #2.5~4.0 (~30g) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT2500~3000C / S: C3000 LINE: PE 0.5~1

Target: Squid





MH

#### This is a medium heavy class that allows you to easily operate large egi. This model specializes in targeting large squid.

Although this is the medium heavy model which have been loaded massive power on butt section, blanks of 83MH have lightness and flexibility. It is good for size 3.5~4 of Egi mainly, you can of course use heavy type of size 4.5 of Egi. This 83MH have been designed to be loaded enough power to set hook on huge squid even heavier than 2kgand lightness and flexibility of blanks will reduce unwanted kickback when you jerk.

Guide: SiC-S stainless frame K guide (Fuii) LURE: EGI #3.0~4.5 (~35g) LINE: PE 0.6~1.2

Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT3000C / S: C3000


Spinning Model / 2pcs (Put over Ferrule)

Target : Squid





## Mebius BENDING CURVES



These are comparison images of Mebius series which are loaded 500g weight on tip. Mebius series have been loaded more flexibility than calista series to get more versatility and usability. We have focused on cast feeling of Mebius series. Wide range of release point and power of recovery will provide you excellent feeling and distance of cast. Comfortability of casting and toughness as eging rod are directly linked to versatility for aiming at various target. Enough versatility that to be used for horse mackerel, rockfish, black sea bream, seabass or light jigging game is hidden in those blanks.





# BattleWhip TR / IM / OR ONO Rig

(TIP RUN·IKA METAL·OMO RIG) / 6 Lineup





Series category page Details of code on each model. AMAGA Blanks Official Web site

"BattleWhip" series to be adjusted boat eging scene which being developed day by day. We take advantage of skill, knowledges and experiences of designing fishing rod to shape the lineup of TipRun series, Ikametal series and also Omorig, which are adjusted to seamentalized game

All of these models have given own specialized character one by one to make angler sense slightly changes which is transmitted through blanks.





3 types of BattleWhip TR series which have been given original character is lined up to cover various situations of TipRun eging scene. Anglers will enjoy to feel differences of sensitivity and speed of settle of tip section without unwanted wobble.



#### The high sensitivity for hooking is thoroughly pursued, and the signal is transmitted not only visualy but also sensually through the hand.

This is a multi-purpose model that can be enjoyed in a wide range of ways, from tip-run eging in shallow water to boat egging.

Making use of advantage of high sensitivity accumulated from light game scene, blanks transmit slightly touch of squid. This characteristic of TR63 makes you to distinguish activity of squid and to stay focused even you faced touch condition. This is for the angler who does not want to lose opportunity of catching squid. You do not have to look at tip to get indication of vital information. Blanks definitely transmits signal to your hand, All you have to do is just feel it!This 63/N will make differences for sure. (Carbon Solid Tip model)

EGI: 30~60q LINE: PE 0.4~0.8 DEPTH: 20~50m

Reel seat: VSS16 (Fuii) / Down lock

Suitable reel size: D: LT2500C~3000C / S: 2500~C3000

Spinning Model / 2ncs (Put over Ferr

Lure : Eqi





a.295mm| b.360mm| Length:1920mm Closed length:975mm Weight:75g



## This is specialized model with high sensitivity and operability to cover from shallow to 30m depth of water. 7.3ft length of blanks will help you to stay your Egi still even you fish from

mid-large boat or in situation that you are struggled in welter of the sea surface. You can fish with S-Fall techniques while taking advantage of its length, Of course, casting game is available with this versatile model. We believe that you will be able to enjoy the variety of situation and method of sauid games with this TR 73/S. (Carbon Solid Tip model)

EGI: 20~40g LINE: PE 0.4~0.8 DEPTH: ~30m

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Fuji) Reel seat: VSS16 (Fuii) / Down lock

Suitable reel size: D: LT2500~3000C / S: 2500~C3000

•Target : Squid







### This is a power model that allows you to capture deep waters and make quick luring out using heavy weight egi.

This is the most powerful model in this series to cover area such as deep and rapid water. If you aim huge squid in tough area such as current runs rapidly or deep water around 40m or more, TR 69/D is the best choice. It will be bent very smoothly while accumulating huge power of recovery inside of blanks themselves to lift even squid much bigger than you have thought. This is for anglers who wish to explore untouched area for aiming massive squids (Carbon Solid Tip model)

EGI: 50~80a

LINE: PE 0.6~1


Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Euii) Reel seat : VSS16 (Fuji) / Down lock

•Suitable reel size: D: LT2500~4000C / S: 2500~4000 Target: Squid


DEPTH: 40~90m


a.295mm | b.360mm | Length: 2075mm | Closed length: 1060mm | Weight: 80g

## **BattleWhip TR** BENDING CURVES



- These are comparison image of BattleWhip TR seies. The image below is comparison of 3 models and the others are comparison which are loaded 50g/100g/200g on tip section of each models.
- TR63/N have high sensitivity and ability of manipulation. You will feel moderate stiffness on blanks. Even you are fishing on tough situations, it will tell you vital information visually and transmit you slightly touch of squid sensuously.
- ●The longest carbon solid section is loaded and it will tell you vital information even you are fishing on wavy condition. And also, mildest model in this series.
- Although TR69/D is for deep area and rapid current. you can handle it comfortably. Of course, you can use it with heavy weight of egi to get faster speed of fall as you have imagined.







Ika Metal series have been well balanced to achieve comfortable manipulate feeling and versatility that is enable you to jerking, shaking, posing, slow lifting and slow

### It has a lightness, sensitiveness, and broad action performance and strong butt power in thin blanks.



Thanks to sensitivity and visibility of blanks are increased for achieving the excellent results. The lightness of it let you handle this stick as your extended arm, flexibility and power of recovery provide you comfortability and toughness of butt section enable you to lift unexpected monster up to surface without anxious and burden of physical. This IM69/S will cover various situation, method and size of target with fun for sure. (Carbon Solid Tip model)

EGI : Egi Max #25 (90g) LINE: PE 0.4~0.8

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide +SiC stainless frame LDB guide(Fuji)

Reel seat: VSS16 (Fuii) / Down lock Suitable reel size: D: LT2500~3000C / S: 2500~C3000

•Lure: Ika Metal • Light Omorig • Light rig game(Off shore)



a.445mm| b.515mm| Length: 2070mm Closed length: 1060mm Weight: 86g

## In addition to fine-tuning the reeling of the overhead reel model, it transmitted condition of water clearly when lure is falling.

Carbon solid tip lets you know vital information visibly and transmits a lot of information to your finger through blanks. Although it has flexibility and sensitivity, once you have sensed a touch of squid you can strike aggressively without any delay thanks to moderate stiffness and power of recovery which also help anglers to lift huge squid up from the bottom of the sea. Taking advantage of IM69/B overhead model, we hope that you hunt squid as many as you have wished, (Carbon Solid Tip model)

Guide: SiC-S stainless frame K guide EGI: Egi Max #30 (110g) LINE: PE 0.4~0.8

+SiC stainless frame LDB guide(Euii) Reel seat: PMTS17 (Fuii) / Down lock

Suitable reel size: D: 100~200 / S: 100~200

Lure: Ika Metal



This OR model have been designed to aim monster sauid which is hidden the edge of lighting or conquer the tough situation that squid hardly take your egi at all. You can cast sinker with small size of egi to reach the point where the squid might be there and you can give it action exactly as you have planned.



#### Specially designed for the Omo-rig method to expand the selection of Ika metal games. Ideal for dealing with wide range of waters. This OR72/C have been designed to manipulate sinker weight 90g~150g comfortably.

Also powerful enough butt and belly section to cast sinker up to 150 safety and comfortably. Thanks to moderate stiffness of tip section vital information of squid will be transmitted very clearly. You can search as wide as you have wished and you can sense what is going on inside of water very clearly. You will definitely enjoy this squid game as you are having jigging game with it. (Tubeler Tip model)

SINKER WEIGHT

b.530mm | Length: 2070mm Closed length: 1060mm Weight: 100g


: Cast Max #40 (150g) LINE: Max PE 1

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide (Fuii) eel seat : VSS16 (Fuji) / Down lock

•Suitable reel size: D: LT2500~5000C / S: 3000~C5000 Target: Squid




## BattleWhip IKA METAL BENDING CURVES



This is a comparison of bending when load 130g of weight statically is applied to Battle Whip IM for Ika metal games and Battle Whip OR for Omorig. The Battle Whip IM is designed to attract squid under the boat using things such as Sutte and Obama rigs, and the solid tip also brings a great advantage as indicator. Although it bends overall, the butt remains firmly, so it is possible to make large squid float or even a hook up double with high power of recovery. Spinning model from IM series and overhead model are configured with the same blank, but the overhead model is a slightly stiffer due to different parts specifications.

OR is a type of rod that uses a sinker to cast a rig and lure target out by pulling horizontally, so the highly force of recovery of the entire rod allows you to hook them up. In addition, OR is a model with a tubular tip that has moderate stiffness throughout the rod to make it easier to cast with under hand.

\*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation, it was loaded with weight on rods gently




#### Precaution for carbon solid tip model As we have mentioned, TR&IM series have been loaded carbon

solid tip. The material of carbon solid tip is extremely delicate and fragile. So please careful with shock of impact and handle gentry when you fish and shored them with care. Although you can fish in properly use with them, it might be cause of breakage of carbon solid tip if you retrieve your lure too much or wind u knot into top guide.









In 2024, Yamaga Blanks release its first trout rod series for fishing ponds, "Lupus Area Trout"

Among the freshwater games, fishing ponds trout has its own world. Although the game requires more gameplay, it often fails to catch fish as expected because it only targets fish in a limited range, and high actual fishing performance is required for tackling. Especially, the size of the lure and the variation of the aiming method are diversified like no other, and one of the major techniques is how to adjust to the situation

"Lupus Area Trout" is a new rod series, Yamaga Blanks is devoting all the know-how of the salt light game rod that it has accumulated. While inheriting the brand concept of "light," "cast well," and "strong" of Yamaga Blanks, it has five models specializing in luring the target out. Feel the potential of the blank of Yamaga Blanks with the "Lupus Area Trout," in which you can fully enjoy a game of fishing ponds using different lures to conquer various situations.

# **Lupus** for Area Trout Game

Lupus / for fishing ponds / 5 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

situations and conditions when fishing in these trout ponds and we have expanded our line up to 3 models specially designed for retrieval and 2 models for more active action of the rod. We have created trout fishing rods that will be able to cover various situations in various areas around the world.

<Compared to the light game fishing Blue Current series, the overall power is lower and it will</p> bend in nicely from the tip to the belly. On the other hand, the butt section has enough powe to be able to deal with larger species, Furthermore, we have increased the size of the guides to improve line emission during the seasons when the guides freeze up.>



## Lupus for AREA / type: RETRIEVE Spoon and Crank

#### Ideal for all types of retrieval with shallow running minnows and regular "stop and go" with bottom type cranking baits.

It is the most versatile model of the series, able to cast various types and weight of lures with a regular taper blank. The sensitive tip section will capture the subtle bite of the fish and moderately stiff belly section will not only help a swift hookup but also reduce miss bites. We can confidently recommend this rod for those anglers who want to use 1 rod for all types of approaches and different trout ponds as well as beginner trout

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuii) Reel seat : DPS16 (Fuji) -Up lock

 Suitable reel size : D:LT1000~2000 / S:1000~C2000 LINE: 1.5~4lb / PE 0.15~0.5 mmended Lure: Spoon · Crank-baits





#### This is the finesse model for use with ultra thin line and super light lures (micro spoons and small crank-baits).

This is the finesse model of the 61RM for down-sizing your main lures. The rod possess a sensitive and flexible tip to belly section, capable of hooking up the subtlest bites of ultra light lures with a slow retrieval. The flexible blank will absorb the load and prevent the ultra thin line from bust offs LURE: ~4q and stretching of the super fine hooks. Although it is a finesse model, the butt section has amble power for the unexpected big trout. It is most ideal for small~middle size ponds for close range fishing for numbers and those anglers who prefer a softer rod as their main rod.

Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS16 (Fuji) -Up lock

• Suitable reel size : D:LT1000~2000 / S:1000~C2000 Recommended Lure: Micro spoon · Micro crank-baits







#### This is the sharpest model to swiftly hook up high drag lures like crank-baits and spoons that have been cast out long distances.



The tip section has been designed with plenty of flexibility for a more loose action of the lure during retrieval and will allow anglers to successfully hook up the slightest of bites. In contrast, the belly section is stiffer to effectively hookup those cranking baits that tend to have more drag and are more difficult to transmit the hooking towards the fish. The 6,6ft length will also allow anglers easier line mending if required and possesses the most powerful butt section in the retrieval type rods.

LURE: 0.8~6a LINE: 1.5~5lb / PE 0.15~0.5

LINE: ~3lb / PE ~0.4

Spinning Model / 2pcs (Put over Ferrule) Guide : SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS16 (Fuji) -Up lock

•Suitable reel size: D:LT1000~2500C / S:1000~C2500 Recommended Lure · Crank-haits Spoon (Large size available





## Lupus for AREA / type: MOTION Vibration and Minnow



#### This is a highly responsive model ideal to maneuver your bottom type lures and metal vibrations type lures with the bottom bouncing technique.

Since the blank has been engineered to be stiffer with a bouncy tip section, anglers will be able to rhythmically utilize the "lift and fall" technique with metal vibrations. This stiffness will also allow for a swift hookup while the angler is maneuvering the lure, Furthermore, this will also help the initial action of the lure when utilizing the "stop and go" method. This model is not only great for deeper ranges, but also ideal for naneuvering top water lures,

LURE: 1~6g LINE: 2~6lb / PE 0.15~0.6 Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuii Reel seat : DPS16 (Fuji) -Up lock

•Suitable reel size: D:LT1000~2500C / S:1000~C2500 ended Lure: Vibration · Lures for bot





#### This is a model to actively hookup through twitching and simple retrieval. A model for those anglers chasing large mountain and brown trout.

This model has been designed with stiffness required to actively twitch the rod to nimate the lure in the water. Anglers can continuously twitch the rod to dramatically bring life into the lure. The sensitivity and stiffness of the blank will also help anglers successfully set hook in the hard mouth of the various species of trout. Furthermore, the "stop and go" technique with buoyant minnows will allow for a vertical approach which is highly productive for rainbow trout.

LINE: 2.5~8lb / PE 0.2~0.6

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji Reel seat: DPS16 (Fuji) -Up lock

33

•Suitable reel size: D:LT1000~2500C / S:1000~C2500 Recommended Lure: Minnows



a.215mm | b.280mm | Length:1830mm Closed length:940mm



# **Lupus 61RM**


This multi purpose rod is capable of handling various types of lures with this single rod. It is most ideal for simple retrieval of 1 ~ 4g spoons and crank baits, but also able to handle micro-spoons and crank-baits with fairly strong drag. This is the most standard Area fishing model produced by Yamaga Blanks and will also allow for vertical appeal of the minnows by jerking the rod or the "stop and go" thod for your bottom type lures,



## **Lupus 511RF**

**FINESSE** 

This model is especially designed for use with ultra light micro spoons and micro crank-baits, With the use of ultra fine line and lures under 1g, anglers can induce a bite with a super slow retrieval, Although it is a super light sensitive rod, the underlying butt power will allow anglers to efficiently land large numbers of trout with larger 3g class spoons when the fish are on the bite. Once you take hold of this rod. we are confident that you will be able to feel the Yamaga Blanks spirit within,



## **Lupus 66RS**

**S**HARPNESS

It is also capable of handling heavier spoons (above 3g) and crank-baits lures which have more drag compared to other lures. The flexible tip section will give freedom to the variant crank-baits and will maximize the potential of their action. The sharp belly section will help reduce the heavy drag even with bigger lipped deep cranking baits. With its great castability, this model will be of great advantage in large areas which require long distance casting,



## **Lupus 62MB**

**BOTTOM BOUNCING** 

This model is ideal for bottom type lures like metal vibrations. Anglers can swiftly hookup fish while utilizing the lift and fall technique, The stiff and sensitive rod tip will allow anglers to easily control the "bottom bump" with spoons and "bottom knock" with deep cranking lures. It is also ideal for use with top water lures.



## **Lupus 60MTR**


TWITCH & RETRIEVE

The rod is designed for anglers to actively twitch the rod to animate the minnows. The stiffer action of the rod is ideal for using minnows that do long side to side darting action or highly buoyant minnows which naturally rise after animating the lure by twitching. Anglers will be able to successfully transmit the action they wish through the responsive blank whether it be short shaking or large maneuvering twitching of the lures.




## Lupus BENDING CURVES Area Trout & Native Trout Models


#### Lupus for Area Trout Series / Comparison of bending by model



## **Lupus for Area Trout Series**



### **Lupus for Native Trout Series**



# **Lupus** for Native Trout Game

Lupus / for Native trout / 6 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

The Lupus series are designed to cover the river systems from headwaters to the main-stream and possess the controllability required to maneuver the minnows to induce the bites in the intricate river currents. The sharp castability and the seamless bending curve will assist anglers to adequately twitch the lures in the strong currents, while the powerful butt section will smoothly pump the fish towards you. Yamaga Blanks believe that these are necessary qualities required in the river game. The Mountain-Stream models are for smaller streams running in the mountains and the Main-Stream models are for your larger rivers to target salmon and trout.



#### This is a high response model that can pull out various lure operations with a short length with good handling.

Mountain Stream

This is short length trout rod to perform at its full potential on the mountain stream as known as small and varied. We have been loaded high ability of cast and manipulation of Jure to fish on headwaters of mountain stream where the tough for anglers. You will be able to cast comfortably and once you have hooked fish up no matter how big it is, you will be fascinated with power and beautiful bending curve, It will be also recommended if you fish on the river where restricted area such as narrow and bushy in summer time.

LURE: 1~7a

LINE: 2~6lb Class

Spinning Model / 2pcs (Spigot Ferrule) Guide: TZTitanium frame K Guide (Fuii) Reel seat : Original wood seat / Down lock

•Suitable reel size: D: LT1000~2000 / S: 1000~2000

Recommended Target:Trout

Recommended Field : Mountain Stream





#### By sharpening basic performance, this model can handle any situation in a mountain stream without stress.

This is the basic length model to cover various situation on the river. One of the remarkable characteristic of Lupus 61 is wide range of use of lures to search selective trout in various ways. You will be able to cast lightly without any stress while being loaded enough power on butt section to keep large trout under control. We believe that you will never leave it behind when you go to fish because of potential within blanks.

LURE: 2~10a

LINE: 3~8lb Class

Guide:TZTitanium frame K Guide (Fuii) Reel seat: Original wood seat / Down loc

Suitable reel size: D: Around LT2000 / S: Around 2000

Spinning Model / 2pcs (Spigot Ferrule)

• Recommended Target : Trout • Recommended Field : Mountain Stream

b.315mm | Length:1855mm Closed length:960mm Weight:85g

#### A mid-length, versatile model with the Long cast and operation performance needed to find fish in open waters.

Mountain Stream

This is the one for wide and deep river. This is well balanced middle length trout rod which is good to be used at not only just wide area but also pool or back water of dam. You will keep large trout under control with its powerful but section and you will be able to hook small trout up smoothly with its sensitive and flexible tip section. Of course it have been loaded versatility to manipulate not only minnow but also spoon,

LURE: 3~12g


LINE: 4~10lb Class

Spinning Model / 2pcs (Spigot Ferrule) Guide : TZTitanium frame K Guide (Fuji) Reel seat: Original wood seat / Down lock

•Suitable reel size: D/S: 2000~2500 / S: 2000~2500

Recommended Target: Trout
 Recommended Field: Mountain Stream







## A light class technical model that is useful in mainstream situations where sensitive lure operations are required.

This is light class rod for Cherry Salmon, This will be matched to fish on main stream not only Cherry Salmon but also to large Yamame or Rainbow trout larger than 60cm, even good for land locked cherry salmon, This have been loaded more flexibility than other model so there will be less chance of hooking off. We believe that this is excellent light class rod to sense small bite and full of potential of this rod will be taken out when tough situation that angler have to concentrate on contact from fish which might be able to get only once a day

LURE: 4~25g

Spinning Model / 2pcs (Spigot Ferrule) Guide: TZTitanium frame K Guide (Fuji) Reel seat : Original wood seat / Up lock LINE: 6~20lb Class

 Suitable reel size: D/S: LT2500~3000C / S: 2000~C3000 Recommended Target: Cherry salmon ● Recommended Field: Main stream · Mountain stream · Backwater





81 is good to be used with every kinds of minnows or sinking pencil and remarkable characteristic of it is sensitive tip section with superb sharpness which is enable anglers to manipulate lure at their own will and set hook on easily even lure is in the rapid current. These have been loaded high versatility which is enable angler to use plugs or spoons for Cherry Salmon with amazing cast feeling.

LURE: 5~28g

Guide: TZTitanium frame K Guide (Fuji) Reel seat: Original wood seat / Up lock •Suitable reel size: D/S: LT2500~3000C / S: 2000~C3000 LINE: 8~20lb Class

 Recommended Target: Cherry salmon •Recommended Field : Main stream • Backwater • Sea

Spinning Model / 2pcs (Spigot Ferrule)





Versatile model with the power to find pinspots in strong currents and stop large cherry trout from running.

## This model combines power for targeting large cherry trout, light operation performance and casting performance.

86 Monster Cherry will suit to the monster hunter who is aiming at trophy fish over 70cm, Compared to other 3 models, this 86 Monster Cherry have been loaded huge power on it. It have gotten more than enough butt power to fight against monster fish without losing sharpness to cast rhythmically, sensitivity to manipulate lure gently. We can proudly say that this would be flagship model of Lupus series. We have built this up with the knowledge and experiences that have been cultivated from fishing for big one in saltwater so that this is more than enough to be called Monster Cherry for sure

LURE: 8~30g LINE: 10~24lb Class

Spinning Model / 2pcs (Spigot Ferrule) Guide: TZTitanium frame K Guide (Fuji) Reel seat : Original wood seat / Up lock

 Suitable reel size: D/S: LT2500~4000C / S: 2500~3000 Recommended Target: Cherry salmon Recommended Field: Main stream · Backwater · Sea

35









# **SeaWalk Cast Jigging**

SeaWalk Cast Jigging Cast Jigging Model / 2 Lineup



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

"Seawalk" for inshore boat games. It is a series that pursues performance to efficiently explore a wide range by casting metal jigs, plugs, jig heads, etc., and two models which is different power classes, 71ML and 73M are lined up.

It is a series aiming at multiple targets by capturing a wide range and all layers of waters by letting lure "swim" (just winding) and the letting lure "skip" (lift and fall, wind, etc.) on the bottom of the sea. The main concept is to enjoy a fishing from the boat simply and easily.



## This model is the core of cast jigging with its sensitive tip and belly for long-cast performance and stable winding.

With its flexible tip and belly section, it is a model that has improved the basic performance of cast jigging that suppresses blurring and flapping of jig even during high-speed reeling, realizing stable reeling comfort and smooth hooking. It is easy to cast over and under hand, and even though it is ML power class, the butt section keeps unexpectedly big fish under control. From shallow area to depths around 20m, while capturing multiple fish species with blade jigs, metal vibrations, and Inchiku, in sandy areas, 71ML work effectively to aim Flounder or Flathead with jig heads + worms by taking advantage of the high sensitivity.

CAST WEIGHT: Max 40g / Under hand Cast Max 60g LINE: Max PE 1.5

Spinning Model / 2pcs (Center cut/Put over ferrule) Guide: SiC-S Stainless frame K guide (Fuji) Reel Seat: DPS17 · BACK STOP Double Nut (Fuii) / Up lock nut Target: Small sized Blue-runner

various rock fish, Red sea bream, Flatfish, Seabass ●Lure: Jig • Blade Jig • Vibration plug • Jighead+Soft plastic

a.465mm | b.582mm | Length:2170mm Closed length: 1118mm Weight: 116a

 Suitable reel size D: 4000~6000 (SW4000~SW6000) / S: 4000~C5000 (SW4000~SW6000) \*\*Precautions when using SW6000 class: When performing high-speed winding in blade jigging, increasing the reel size will reduce fatigue, so we recommend up to the SW6000 class.

**Cast Jigging** 

### This is the one that masters various kind of lures with high response operability to capture the wide range and deep waters.

73M has more moderate stiffness than 71ML, and this is a model that is to capture the wide range and deep area while using metal jigs up to 80g. It is easy to cast a heavy weight lure farther than you expected with light force even under hand, and it is good at lure with emphasis on action using not only metal jigs but also heavy weight minnows, sinking pencils and jerk baits, It is also recommended for aiming migratory fish when its feeding on the surface. rockfish aiming by wind method with heavy weight jig head + worm or lift and fall method in rocky reefs. This is the almighty model that covers a variety of styles with just 73M itself.

CAST WEIGHT: Max 60g / Under hand Cast Max 80g • Target: Small sized Blue-runner

Guide: SiC-S Stainless frame K guide (Fuji) Reel Seat : DPS17 · BACK STOP Double Nut (Fuii) / Up lock nut

various rock fish, Red sea bream, Flatfish, Seabass ●Lure: Jig • Blade Jig • Vibration plug • Jighead+Soft plastic





•Suitable reel size D: 4000~6000 (SW4000~SW6000) / S: 4000~C5000 (SW4000~SW6000) \*\*Precautions when using SW6000 class: When performing high-speed winding in blade jigging, increasing the reel size will reduce fatigue, so we recommend up to the SW6000 class.



# SeaWalk Tairubber

SeaWalk Tairubber / Tairubber Model / 4 Lineup



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

SeaWalk Tairubber series, we have differentiated the categories for the 4 rods depending on style and conditions rather than rod power to set them apart from one another. Equipped with not only the lightness of a light game rod, but also the sensitivity and strength, these blanks will be the extension to your arm enabling anglers to go head to head with monstrous snapper exceeding 80cm in length. We hope you can experience our



Tairubber



#### An all-rounder Tairubber model that sharpens the blanks that you bring to the hook up smoothly.

exquisite blanks that will shine a new light into your snapper game.

This is a specialized model to automatically hook up snapper by simply continuing to reeling in your rig following the small nibbles which frequently occur prior to the main bite. The automatic yet smooth hooking of the fish is brought on by the flexible yet powerful blank. This model is the backbone for the series and can be recommended for use in various field conditions

LURE: 60~150q (Tai rubber) LINE: PE 0.6~1

Over head Model / 2pcs (Grip Joint)
Guide: SiC-S Stainless frame K Guide / Spiral guide (Fuji) Reel Seat: PUI S17 (Fuii) Down lock nut

•Suitable reel size: D:100~200 / S:100~300 •Target : Red Sea Bream

Lure: Tairubber



a.458mm | b.585mm | Length: 2143mm Closed length: 1624mm Weight: 134g

# Tairubber

#### A special model that condenses the ability to capture the deep-area game of Tairubber in a light and responsive. Anglers will have to utilize heavy weight Tairubber jigs when fishing in 100m of water.

This model is specifically designed to enable anglers to easily handle these heavy rigs. The blank was shaped to reduce the heavy load on the angler during the reeling of the heavy rig from the deep waters in intricate current conditions. We were able to create this rod with attention to the smallest detail in components for anglers to enjoy the Tairubber game in the deep waters.

Overhead reel Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide / Spiral guide (Fuji)
Reel Seat: PULS17 (Fuji) Down lock nut LURE: 100~250g (Tai rubber)

•Suitable reel size: D:200~300 Electric reel:200 LINE: PE 0.8~1.2

É 🚱

S:200~300 Electric reel:600 •Target : Red Sea Bream

• Lure · Tairubber



Length: 2125mm Closed length: 1550mm Weight: 179g

#### Supersensitive model that focuses on sensitivity and lightness and can hook up even the smallest bite. Overhead reel Model / 2pcs (Center cut · Put over Ferrule)

This is the sensitive Tairubber model packed with our expertise and knowledge from producing light game rods, It has the most flexible tip section of the series and its outstanding sensitivity will allow anglers to successfully hook up the slightest of bites. The sensitive tip will transmit the vital information of the current and the slightest nibbles from the fish through the sensitive blank and successfully lead to a hookup, This model will become your biggest asset in situations where the fish are reluctant to take a proper bite, and the flow of the current is super weak.

LURE: 30~100q (Tai rubber) LINE: PE 0.4~0.8

Reel Seat: PMTS17 (Fuii) Down lock nut •Suitable reel size: D:100~200 / S:100~200

•Target: Red Sea Bream



## High response tai rubber model realizing aggressive game development with high power of recovery in blanks.

More specifically, the rod is built up of a carbon solid tip to feel for the minute changes in currents and bites and the highly responsive belly section allows anglers to swiftly and aggressively hookup the fish. Although it is short in length with a stiffer blank, the smooth blank taper will reduce the instability when reeling in your rig, enabling anglers to maintain their concentration. We highly recommend this model for those anglers who like to use both Tairubber rigs and snapper jigs depending on the fishing conditions.

LURE: 60~120g (Tai rubber) /~100g (Jig)

Overhead reel Model / 2pcs (Center cut · Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuii) eel Seat: PMTS17 (Fuji) Down lock nut

 Suitable reel size: D:100~200 / S:100~300 •Target: Red Sea Bream LINE: PE 0.6~1

•Lure:Tairubber • Metal jig



# **SeaWalk Light Jigging**

Light Jigging Model / 6 Lineup



Series category page Details of each model are available from OR code on each model YAMAGA Blanks Official Web site

You can aim Grunt, Horse mackerel, Blue runner, Rockfish, Sea bream or Hairtail systematically with these line up of Seawalk series. Blanks of light ligging series have been employed flexibility on tip, high operational performance on belly section and huge power on butt section to keep large fish under control especially when you use Tungsten-Jig. As we have explained already, you do not have to worry if bigger fish than you have expected is on. All models of light ligging series have been loaded enough power to keep huge fish under control.





#### This model has the sensitivity and power to aim horse mackerel, large red sea bream and blue fish while enjoying the best of SLJ.

This is the ultra-light class of light-jigging series to aim Grunt, Horse mackerel or else on shallow water with light weight jigs (around 20g). Combination of super fine PE line and Tungsten-jig make super light jigging possible to aim school of Grunt with falling action or Horse mackerel on the very bottom of the sea. And you will be able to cast jigs up to 25g or let jig up to 40g swim naturally in the 40m depth of water without any stress so you can aim variety of target depend on depth of water systematically,

LURE: Jig 15~40g / Cast Max 25d

Spinning Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: VSS16 (Fuji) Up lock nut

LINE: PE 0.4~0.8

•Suitable reel size: D: LT2000~2500 / S: 2000~C3000 ●Target · Bluerunner • Bockfish • Grunt • Horsemackere •Lure: Metal jig (Up to 80g is available if you just reeling)





Length: 2015mm Closed length: 1570mm Weight: 102g

# Light Jigging

#### A basic model that can handle a variety of methods such as SLJ to Tai-rubber and cover waters from shallow to deep.

This is the standard model for light-jigging with Tungsten-jig on inshore, If you wish to cast jig up to 35g compactly or if you wish to cast Tungsten jig or Tai rubber jig to search arget widely around 30-60m depth of the sea, belly and butt section which have beer loaded moderate stiffness and strength make it possible. Thanks to performance of well-balanced tip and belly section, you can manipulate jig up to 80g on 80m depth of the water and you can keep jig swimming naturally without too much kickback.

LURE: Jia 30~80a / Cast Max 35g

LINE: PE 0.6~1

Spinning Model / 2pcs (Grip Joint) Reel Seat : VSS16 (Fuii) Up lock nut

 Suitable reel size: D: LT2500~4000C / S: C3000~4000 Target: Bluerunner · Rockfish · Grunt · Horsemaci

Lure: Metal jig (Up to 120g is available if you just reeling)





Length: 1935mm Closed length: 1475mm Weight: 114g

# Light Jigging

#### Captured deep area and strong currents with this one. it can handle everything from swimming method to high pitch action.

This is heaviest model of spinning model in this series. It will suit to deep area such as 50m-100m depth or field that current running rapidly. You can cast jig up to 50g. At the situation of vertical and horizontal fishing, you can handle jig up to 120g without any stress. You will notice that strength of butt section of 64ML once bigger fish than you expected is on. Taking advantage of cast ability and falling speed as spinning model, this 64ML will be the huge advantage if you fish on the sea very deep or current running rapidly

LURE: Jig 60~120g / Cast Max 50g

Spinning Model / 2pcs (Grip Joint) Guide : SiC-S Stainless frame K Guide (Fuji, Reel Seat : VSS16 (Fuii) Un lock nut Suitable reel size: D: LT2500~4000C / S: C3000~4000

LINE: PE 0.6~1.2

 Target: Bluerunner • Rockfish • Hairtail • Brean Lure: Metal jig (High pitch jerking is available)





a.400mm| b.525mm] Length:1935mm Closed length:1475mm Weight:115g

# **Light Jigging**

#### This is a the high versatility overhead reel model that can play not only SLJ but also Tai-rubber game and Hairtail jigging.

This 66L have employed high versatility to fish with Tungsten-Jig on 20m-50m depth of the sea.It will good to be used for Tairubber game thanks to its flexible tip section and belly section which have moderate stiffness with high sensitivity to let you notice vital information or slightly changes of current. If you wish to aim Hair tail or Sea bass on bay area and try not to let jig move too much, this 66L will make it easier than other

LURE: Jig 40~80g

LINE: PE 0.6~1

Overhead reel Model / 2pcs (Grip Joint Guide: SiC-S Stainless frame K Guide (Fuji, Reel Seat: PULS17 (Fuji) Down lock nut

•Suitable reel size: D: 100~200 / S: 100~300 ●Target · Bluerunner · Rockfish · Hairtail · Bream · Seahass

• Lure : Metal jig • Tairubber

b.530mm | Length:1985mm Closed length:1525mm Weight:131g

# Light Jigging

### High-response blanks with sensitiveness and toughness make this model suitable for various situations.

66ML have characteristic to cover wide range of depth of the sea (30m-80m) thanks to its well-balanced sensitiveness and powerfulness. Even you fish with Tungsten-jig, you will never lose response speed of jerk taking advantage of high sensitivity and manipulate ability thanks to characteristics of overhead model. It is also good to be used for Tairubber game in deep area(80m-100m) or current running rapidly.

LURE: Jig 40~120g

LURE: Jig 60~150g

LINE: PE 0.8~1.5

Reel Seat: PULS17 (Fuji) Down lock nut •Suitable reel size: D: 100~200 / S: 100~300 LINE: PE 0.8~1.2

Target: Bluerunner · Rockfish · Hairtail · Bream · Seabass
 Lure: Metal jig · Tairubber

Overhead reel Model / 2pcs (Grip Joint)



Length:1985mm Closed length:1525mm Weight:131g

# Light Jigging

#### This is the one that can be used in waters where many chances to get contact from bluerunners, and is also ideal for deep waters.

This 65M is the most powerful model of light-jigging series which is good to be fished. in high population of blue runner. Compared to other models of light-jigging series, it have been loaded a little stiffer blank than other and you can enjoy manipulating jig manually with this 65M at your will. You can handle 80g-150g of Tungsten-jig comfortably with it. If you are going to fish in 100m depth of water or rapid area with fine line, we recommend you to take this 65M.

Overhead reel Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: PULS17 (Fuji) Down lock nut


 Suitable reel size : D: 100~200 / S: 100~300 Lure: Metal jig
 (Up to 250g is available if you fish with slow pitch jerking)


a.415mm | b.540mm |

Length: 1960mm Closed length: 1490mm Weight: 128g


## SeaWalk Series BENDING CURVES

## **▶** SeaWalk Cast Jigging






## SeaWalk Tairubber



## ► SeaWalk Light Jigging



#### Light Jigging Jig weight Correspondence Table

SWTR 6110

Dod	Spinning Model			Overhead reel Model		
Jig Rod	67UL	64L	64ML	B66L	B66ML	B65M
~20g	0					
~40g	0	0		0	0	
∼60g	0	0	0	0	0	0
∼80g	0	0	0	0	0	0
~100g		0	0	0	0	0
~120g			0		0	0
~150g			0		0	0
~200g						0

### Hairtail Jigging Jig weight Correspondence Table

Jig Rod	Spinning Model			Overhead reel Model				
	67UL	64L	64ML	B66L	B66ML	B65M		
~80g				0				
~100g		$\triangle$		0	0	0		
~150g			Δ	0	0	0		
~200g					0	0		
For Hairtail jigging, only gentle actions can use jig weights that								



Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

Galahad from YAMAGA Blanks which has been designed as 1 pc model to taking advantage of bending curve and power of recovery as a jointless stick are line up for ijaging game,632S,633S and 634S have been loaded flexible tip section to let jig swim naturally and moderate power of recovery on belly and butt section to let jig move rhythmically. 585S and 526S high elasticity to let jig move speedy and aggressively when you jerk vertically. We have succeeded to load high sensitivity to sense small vital information, ease of manipulation to reduce physical burden and high speed of response to transfer your input power. You can jerk both short and long strokes as you wish easily. 3 models for electric reel which are enhanced durability and tenacity against continuous jerking action.



#### This model can provide you the sensitive action with a blank design that have moderate stiffness and force of recovery.

This is the lightest model of spinning which have high flexibility on tip and belly section. Although it has flexibility and high sensitivity to sense slightly changes of current and reducing the chance of breaking line or hook, once loaded heavily tough butt section keep unexpected huge fish under control. If you focus to input the load on belly section, jig will swim very smoothly without unnatural movement

LURE: Jig Max 140g LINE: Max PE 2 DRAG: Max 3kg/45°

Guide: SiC-S stainless frame K quide (Fuii) Reel seat : DPS18 (Fuii) Up lock nut •Suitable reel size: S · D: 5000~6000 Target: Blue-runne

• Field : Depth to about 60m



.485mm | b.610mm | Length: 1915mm Weight: 169a

#### An all-rounder with sensitive operation and high sensitivity that cover wide range of difficult waters and situatifions.

You can call this 633S all-rounder of inshore jigging model. Sometimes you have to do one pitch jerk on horizontally, combination jerk on vertically with just one stick. 633S work well on various kind of jigging situation as an all-rounder. You can sense even a small vital information so if the target would not take your jig then you can switch the rhythm of jerking to let them bite. If you fish with jig around 150g please take 633S or if you use around 120g mainly, 632S is the best choice.

LURE: Jig Max 180g LINE: Max PE 3 DRAG: Max 4kg/45°

Spinning Model / 1pc Guide : SiC-S stainless frame K guide (Futi Reel seat : DPS18 (Fuji) Up lock nut ●Suitable reel size:S·D: 5000~6000 ●Target · Blue-runne • Field : Depth to about 80m



a.485mm| b.610mm| Length:1915mm Weight:178g

#### Combines power and operation performance in a well-balanced blank and can capture from the shallow area to the deep area. PRICE

If you face the situation that you are required to move long jig naturally, to input load effectively on deep or rapid area, even on horizontally jigging in windy condition, 634S will cover all of these without any anxious. You will rearise that 634S have massive power to fight with kingfish at shallow or rough reef. The versatility of 634S enable you to jerk in one pitch or combinational jerk if you necessary to approach with different method.

LURE: Jig Max 220g LINE: Max PE 4

DRAG: Max 6kg/45°

Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut

•Suitable reel size: S · D: 6000~8000 ■Target: Blue-runner • TUNA

Field: Depth to about 100m



a.485mm| b.640mm| Length:1915mm Weight:196g

#### This is the one for capturing deep areas with its high operation performance to jerk seamlessly with high power of recovery.

585S have been designed to control the game of kingfish or amberjack without losing initiative. Short and fine blank of 585S enable you to jerk jig aggressively does not matter the shape of Jig to approach the target. Of course, butt section has enough power to keep giving pressure on fish with PE5. If you wish to fall jig vertically and jerk aggressively to aim huge one at fish bed or rough reef, 585S is the perfect choice for sure

LURE: Jig Max 280g LINE: Max PE 5 DRAG: Max 8kg/45°

Reel seat: DPS18 (Fuii) Up lock nut Suitable reel size: S ⋅ D: 8000~10000

■Target : Huge Blue-runner • TUNA

Field: Depth to about 120m

b.670mm | Length:1745mm Weight:212g

## Emphasized power and force of recovery, allowing for stable fights with huge and heavy target in the deep waters.

If you wish to aim great amberjack, large dogtooth tuna around 200m depth of water or huge kingfish feeding on the fish bed, this 526S which is specialized for high pitch ierk will be perfect choice. You can transfer your loading to metal jig with small motion easily thanks to the high modulus design of blank. So, you can jerk very quickly as you wish to even in quite deep water.

LURE: Jig Max 350g LINE: Max PF 6

DRAG: Max 12kg/45

Reel seat : DPS20 (Fuii) Un lock nut •Suitable reel size: S • D: 10000~20000

●Target: Huge Blue-runner • TUNA Field: Depth to about 150m

b.670mm | Length:1585mm Weight:304a

## This is a technical model that uses light lines to create a sensitive feeling and create a variety of jig actions.

This is the lightest model for overhead reel to be used on near shore with PE line up to 2. You can approach the target with various action as such as natural swimming action focused on tip section, high speed short pitch jerking concentrate on belly and butt section or long fall action to cover various situation thanks to sensitivity and lightness of blank itself. If you wish to aim vellowtail or kingfish delicately with fine line, 622B is the one.

PRICE LURE: Jig Max 150g LINE: Max PE 2

DRAG: Max 3kg/45°

Overhead reel Model / 1pc Guide: SiC-S stainless frame K guide (Fuji) Reel seat: PLS18 (Fuji) Down lock nut ●Suitable reel size:S・D: 1000~1500 Target: Blue-runne



40



### This is a high versatility model that can provide you various kind of jerking styles from slow action to high pitch action.

If you wish to give metal jig various kind of action as such as one pitch jerk in slow tempo, long fall or high pitch jerk with just one stick, we recommend you to pick this 623B. It has high sensitivity to sense what is happening in the deep water so you will be able to switch the way of approach depends on situations. It have been achieved high standard as overhead reel jigging tackle to aim yellowtail, kingfish or amberjack technically without any anxious and stress.

LURE: Jig Max 200g LINE: Max PE 3

DRAG: Max 4kg/45°

Overhead reel Model / 1pc Guido · SiC-S stainless frame K guido (Futi) Reel seat: PLS18 (Fuji) Down lock nut Suitable reel size: S⋅D: 1000~2000 Target · Blue-runner



b.590mm | Length: 1890mm | Weight: 188g

#### It is high response model that enables a variety of jig actions and have enough power to cover variety of situation of waters.

This 624B is supposed to be chosen by anglers who is pursuing large kingfish or amberiack with PE4. 624B covers various way of approach as such as not only high pitch action thanks to blank which can transfer your loading of power very well but also good at long fall action in slow pitch. The potential of 624B will be shown by anglers especially who fish at deep or rapid area mainly to set hook on the target as you have planned exactly.

LURE: Jig Max 250g

LINE: Max PE 4 DRAG: Max 6kg/45° Overhead reel Model / 1pc Guide: SiC-S stainless frame K guide (Fuji) Reel seat : PLS18 (Fuii) Down lock nut

●Target : Blue-runner • TUNA Field: Depth to about 120m

Suitable reel size: S+D: 2000

b.590mm | Length: 1890mm Weight: 191a

#### Enough power to keep huge target of deep waters under control at your will with the strong force of recovery.

This 624B is supposed to be chosen by anglers who is pursuing large kingfish or amberjack with PE4. 624B covers various way of approach as such as not only high pitch action thanks to blank which can transfer your loading of power very well but also good at long fall action in slow pitch. The potential of 624B will be shown by anglers especially who fish at deep or rapid area mainly to set hook on the target as you have planned exactly.

LURE: Jig Max 350g LINE: Max PE 6 DRAG: Max 12kg/45°

Overhead reel Model / 1pc Guide: SiC Ocean Guide(Fuji) Reel seat: T-DPS20 (Fuji) Down lock nut •Suitable reel size:S·D: 3000~4000 Target: Huge Blue-runner · TUNA

Field: Depth to about 200m

b.700mm | Length:1585mm Weight:303d



Electric Reel Jigging Model / 3 Lineup The Galahad "電" are series especially designed for jigging with electric reels. These electric reels create a unique jig action which is difficult to replicate with ordinary reels that sometimes create unnecessary pauses. The heavy load placed on the blank by the

mechanical winding of the reel is absorbed by the tip and the highly resilient belly section Series category page Details of each model are available from QR code on each model. YAMAGA Blanks Official Web site

will allow anglers to rhythmically maneuver the jig through their rod-work. All 3 models are highly resilient and will assist the anglers to maintain a dominant position when fighting unexpected large species that may bite.



## This is the lightest model of this series which have enough power to keep blue runner around 10 kg under control.

If you are going to aim at small sized Blue Runner with PE 3, this 633 would be a perfect choice. Even though automatic reeling at constant speed, flexibility of tip and belly section will help you to jerk jig comfortably and set hook on with less failure. It will bend very much when fish is on, but you can fight with fun without any worry. You will be surprised that potential which is hidden inside blank of 633 for sure.

LURE: Jig Max 150g LINE: ~PF 3 DRAG: Max 4kg/45


PRICE

Overhead reel Model / Inc. Reel seat: TCS18 (Fuii) Down lock nut Suitable reel size: S⋅D: 1000~2000 Target: Blue-runne Field: Depth to about 100m











This is standard jigging rod for ER to aim bluerunner around 5kg. You can be reeling with any speed thanks to nice and flexible tip section, then you can give the action to jig at your own will. If you hooked bluerunner more than 10kg, you do not have to worry about anything! It will enable you to keep it under control without being anxious. We believe that it may be allowed to call almighty jigging rod for ER and we want anglers all over the world to fish with it.

PRICE

LURE: Jig Max 250g LINE: ~PE 5 DRAG: Max 6.5kg/45°

Overhead reel Model / 1po Guide: SiC-S stainless frame K guide (Fuji) Reel seat:TCS18 (Fuji) Down lock nut ●Suitable reel size:S•D: 1000~2000 ■Target : Blue-runner • TUNA Field: Depth to about 150m



a.470mm ı b.695mm | Length:1905mm Weight:199g

#### A power model that have high power of recovery to supports anglers and allows you to fight with huge target in deep waters.



If you are going to aim king fish or yellow tail over 10kg we recommend you to choose this monster hunter. You can give action to jig around 300g in 100m depth of the sea effectively. It is going to help you to jerk heavy jig without any burden or stress and to fight with big fish with huge advantage thanks to its flexibility, toughness, and versatility. Fulcrum point is going to move to butt section when you fight It is not just stiff rod, you can use it feel like your arm for sure.

LURE: Jig Max 350g LINE: ~PE 6 DRAG: Max 10kg/45°

Overhead reel Model / 1pc Guide: SiC Ocean Guide(Fuii) Reel seat :TCS18 (Fuji) Down lock nut Suitable reel size: S ⋅ D: 2000~3000 Target: Huge Blue-runner · TUNA Field: Depth to about 200m



b.690mm | Length:1740mm Weight:269g

# **Galahad TRAVEX**



Series category page Details of each model are available from OR code on each model. YAMAGA Blanks Official Web site

TRAVEX is designed to be transferred your power to metal jig directory thanks to high power of recovery hidden in new blanks. Also, it will be bent from little farther than previous models, you can give a various kind of action to your metal iig as such as one pitch ierk, high pitch jerk or combination easier than before. These models are not only ideal for your fishing trips overseas but also great for your local waters. The sharp, yet flexible blank is best suited for anglers who prefer a speedy and quick action of your jigs.





#### This is a 2 piece model with a sharpness and lightness while having the strong force of recovery.

This is a versatile stick to cover various methods of jigging such as horizontally or vertically with around PE3. Thanks to the sharpness and lightness of this blank, you can enjoy manipulating your jig as you wish. If you aim for yellowtail or kingfish with metal jig up to 180g on 30~80m depth of water, the potential of 593S will be shown definitely. Although the blanks of 593S seem slim and delicate, fish will be stopped and lifted by the butt section which has been loaded with massive power.

LURE: Jig Max 180g

LINE: Max PE 3

Length:1775mm Closed Length:1135mm Weight:206g

Guide: SiC-S+SiC stainless frame K quide (Fuji) Reel seat : DPS18 (Fuji) Up lock nut ●Suitable reel size:S·D: 5000~6000

Target: Blue-runner

Field: Depth to about 100m



#### A model with strong butt power that combines power and lightness to maximize the advantages of 2 pieces.

If you aim kingfish or amberiack at near shore on expedition with around PE4, this 594S is the best choice. Lightness feeling of manipulation that is loaded as common characteristics of TRAVEX series enable you to handle long jig naturally at horizontally or to jerk jig aggressively at vertically. When you fish at fish bed with rough bottom or shallow area to aim tough target, you do not have to afraid to let it stop forcefully and aggressively without losing your initiative.

LURE: Jig Max 240g

LINE: Max PE 4

Spinning Model / 2pcs (Grip-Joint)
Guide: SiC-S+SiC stainless frame K guide (Fuji) Reel seat : DPS18 (Eurii) Un lock nut

Suitable reel size: S.D: 6000~8000

Field: Depth to about 150m



b.715mm | Length:1775mm Closed Length:1135mm Weight:221g

# TRAVEX

#### This model has the power, flexibility and high performance of manipulating necessary for catching big fish in the style of jerking vertically.

If you have plan to go to southern island of Japan or deep sea of overseas to aim large amberjack, dogtooth tuna or yellowfin tuna, please take 595S without hesitations. Tip section have been adjusted to become little flexible for increasing ability of manipulation and reducing burden of anglers when they jerk aggressively. Once huge fish is on, you will notice that it bends very smoothly and you might forget that it is 2pics

LURE: Jig Max 320g LINE: Max PE 5

Spinning Model / 2pcs (Grip-Joint) Reel seat: DPS20 (Fuji) Up lock nut

 Suitable reel size: S ⋅ D: 8000~10000 ●Target : Huge Bluerunner • Tuna

Field: Depth to about 200m




Length: 1780mm Closed Length: 1130mm Weight: 279g




# Galahad Series BENDING CURVES

## **▶** Galahad Spinning & Overhead reel model





## **Jigging Model Comparison Table**





 The above table shows the distribution of hardness, tension and strength of all models of the Gallahad series. The Gallahad series is designed to have high strength when bent so that it can withstand the high load of high-speed winding when using an electric reel.


•The image of 1kg load shows you the bend curve when you jerk jig. And other images are weight as drug max and weight in between of them. Rods are held on the angle that you are supposed to keep it when you are fighting with fish.


















#### Galahad ER for Electric reel models BENDING CURVES













To absorb the impact of power loading by electric reel, blank of this series have been designed to become more seamless even on continuous supply of loading. These have kind of parabolic action so good to be fished with manual overhead reel as well.

## ▶ Galahad TRAVEX BENDING CURVES









Galahad TRAVEX series are designed to become little stiffer and sharper than same power spec of 1piece model, Easier to load your power directory to jig when you start jerking especially on vertical jigging or approach to deep area with high pitch jerk

<sup>\*\*</sup>These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.