# **BlueCurrent**

Light Game Model /13 Lineup 

Que Current

For the BlueCurrent III, we aimed to expanded the release point for easier casting. created a seamless bending curve to prevent any hook-offs and improve the response time as if the rod was part of the anglers body.

The lineup comprises of 9 spinning and 4 bait-casting models. User-friendly being the biggest attribute of the series, the rods are a work of art. We hone you can experience the spirit of Yamaga Blanks first handedly.



YB Official Web site



Lure: tin 10g Highest 0.3-7g / mg 1-10g / Line: = 0.1-0.5 | wrate 1-50 YAMAG

## BlueCurrentⅢ

## High performance in games with ultra light weight jig heads. High sensitivity short length model for game in short range.

53 have been designed in 2 pcs to be carried anywhere you want. Once you fished with it, you will be surprised that ability to get the picture of details and situation inside of the vater. Even when you fish with jig head under 1g, you can sense the slightly changes of LURE: Max 4.5g (JH 0.1~4.5g) current and give the action as you wished. Which means that you will always know what LINE: PE 0.06~0.3 you are doing and what is happening under the water.

NY · FC 1~3lb

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuii) Reel seat: VSS16 (Fuji) Down lock nut

- Suitable reel size : D: LT1000~2000 / S: 500~C2000 •Target: Horse Mackerel • Rock fish • Trout
- Lure : Jighead Small Sized Plug Small Sized Metal Jig







## BlueCurrentⅢ

## This is a short length model that can handle 1g of jig head at will and hook up the small bites firmly and swiftly.

This is tuned to be used for jig head game around 0,5g~1,5g with comfortable feeling, Especially even when you fish with jig head around 1g in strong wind, you will not lose rformance of casting and manipulating. If you could take advantage of that sharpness LURE: Max 4.5g (JH 0.3~4.5g) and moderate stiffness, you can twitch and jerk aggressively to catch selective one even

NY · FC 1~3lb

Guide: SiC-S stainless frame K guide(Fuii) Reel seat: VSS16 (Fuji) Down lock nut

Spinning Model / 2pcs (Put over Ferrule

Suitable reel size: D: LT1000~2000 / S: 500~C2000 •Target: Horse Mackerel • Rock fish • Trout •Lure: Jighead • Small Sized Plug • Small Sized Metal Jig





a.210mm| b.275mm| Length:1775mm Closed length:915mm Weight:56g

## BlueCurrentⅢ

## This sensitive model utilized its short length to cover a wide range of lure weights and water ranges.

This is short stick which enable you to fish with jig head around 0.5g~3g while getting PRICE: enough distance to reach the spot that fish might be there. The sharpness of blanks enables you to make jig head move as you wished and you will be able to strike instantaneously as soon as you sensed bite of target. The flexibility and sensitivity of blanks transmits slightly changes of current, vital information and a sense of existence LINE: PE 0.06~0.3 of jig head.

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuji) LURE: Max 5g Reel seat: VSS16 (Fuii) Down lock nut (JH 0.3~5g/Plug 1.6~3.5g)

- Suitable reel size : D: LT1000~2000 / S: 500~C2000 ●Target : Horse Mackerel • Rock fish
- I ure: linhead Small Sized Plun





a.220mm| b.285mm| Length:1910mm Closed length:985mm Weight:59g

## BlueCurrentⅢ

## This is a versatile technical model with excellent performance on manipulation of the jig head and plug.



We have designed tip and belly section of this 69 very carefully to manipulate jig head and plug exactly as you wished. Tip and belly section have been applied moderate stiffness for achieving high sensitivity to transmits small vital information and slightly changes of current and sharpness to twitch and jerk jig head aggressively. Also, if you really wish to fish with plug, we recommend you to take this 69. Of course, you can take LINE: PE 0.08~0.4 69 for light game off the boat as well.

LURE: Max 7a (JH 0.3~7g/Plug 1.6~5g)

NY · FC 1~4lb

NY · FC 1~3lb

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuji) Reel seat: VSS16 (Fuii) Down lock nut

•Suitable reel size: D: LT1000~2000 / S: 1000~C2000 ■Target: Horse Mackerel •Rock fish • Migratory fish •Lure: Small Sized Plug • Jighead







## An all-around model that covers almost every light game method and situation.

a.265mm| b.330mm| Length: 2070mm Closed length: 1065mm Weight: 66g



If you wish to fish with various kind of method in various situation with one rod, this 74 will be the one for sure. 74 can handle all of method for light game fishing such as jig nead, sinker, metal jig, and plug at your will, High sensitivity will not be lost even if you search target deeper than 10m. You will definitely be able to feel what is "BlueCurrentIII like once you fish with this 74.

LURE: Max 10g (JH 0.3~7g/Rig 1~10g/Plug 1.6~7.8g) LINE: PE 0.1~0.5

ning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide(Fuii) Reel seat: VSS16 (Fuji) Down lock nut

- Suitable reel size: D: LT1000~2500C / S: 1000~C2500 Target: Horse Mackerel · Rock fish · Migratory fish
- Lure : Jighead Rig Small Sized Plug Small Sized Metal Jig NY·FC 1~5lb





## ${\it This is a specialized model for plugging games that lures target out in the stream.}$

a.280mm| b.345mm| Length: 2235mm Closed length: 1145mm Weight: 71q



This 76 Stream have been designed for various kind and size of plugs as such as small one for mackerel and medium size for seabass or black sea bream. Moderate stiffness and comfortable recovery speed which is applied on tip and belly section let you LURE: Max 12g (Plug 1.6~12g) manipulate top water plug, minnow or sinking pencil at your will for sure. If you are going to aim target hidden in current with plug, we recommend you to take this specialized rod for plugging game.

LINE: PE 0.3~0.8

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuji) Reel seat: VSS16 (Fuji) Down lock nut

•Suitable reel size: D: LT2000~2500C / S: 2000~2500 Target: Bream · Seahass · Migratory fish · Rock fish •Lure : Plug • Small Sized Metal Jig







## This is a special model that combines sensitiviness and sharpness for targets that require a variety of strategies.

Bream, seabass and rock-fish being its main target species, the flexible tip and resilient blank is best suited for hard lure games. Although you can use free rigs, jig-heads and soft plastic lures, it is ideal for anglers to utilize hard bodied lures for your top-water popping games targeting bream and seabass feeding on micro-baits. The flexible tip. resilient belly and powerful butt section will support anglers until the very end of the

LURE: Max 15q (Plug 2~15g/Float 3.3~15g/Rig 1~15g)

LINE: PE 0.3~0.8

Reel seat: VSS16 (Fuii) Down lock nut •Suitable reel size: D: LT2000~2500 / S: 2000~2500 ●Target:Black sea bream・Seabass・Rockfish・Flatfish • Lure : Rig • Metal Jig • Plug

Spinning Model / 2pcs (Put over Ferrule)

Guide: SiC-S stainless frame K guide(Fuji)



A long length model with a sharpness on casting and this is one for delivering lightweight jig head further. BlueCurrentⅢ

Length: 2350mm Closed length: 1200mm Weight: 790

Even if you cast small jig head a long distance, you will not lose your sense to feel movement of jig head with this 711. Also, 711 which is categorized in long length model though, transmits information of underwater world and vital information constantly even in rapid water or deep area. Flexible and sensitive tip section will let target bite your jig head without strangeness and powerful butt section will lead you assured landing.

Spinning Model / 2pcs (Put over Ferrule) LURE: Max 11g (JH 0.5~7g/Rig 2~11g) LINE: PE 0.2~0.6

Guide: SiC-S stainless frame K guide(Fuii) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2500C / S: 1000~2500

 Target: Horse Mackerel · Rock fish · Migratory fish •Lure: Jig head • Small Sized Rig • Small Sized Plug



a.300mm | b.365mm] Length: 2425mm Closed length: 1245mm Weight: 81g BlueCurrent III This is a long distance model that allows you to operate float rig, Carolina rig, and metal jig over a long distance gently.

This is a short range finesse model for Overhead reels that can handle lightweight jig heads.

This 82 have been funed as sharper to get more distance than previous model. Although butt section has been enhanced, whole blanks bend smoothly and recover powerfully. On the other hand, sensitiveness and flexibility of tip section have been sharpened to transmits information that angler needs. You can handle not only plugs around 7~9cm to aim seabass or black sea bream but also of course use jig head up to 20g with mming action to aim rockfish.

LURE: Max 20q (JH 2~20g/Float 3.3~20g/Jig 2~20g Rig 2~20g/Plug 2~15g) LINE: PE 0.3~0.8

Spinning Model / 2pcs (Put over Ferrule) Reel seat: VSS16 (Fuii) Down lock nut

•Suitable reel size: D: LT2000~2500C / S: 2000~2500 Target: Bream · Seabass · Rock fish · Horse Mackerel • Lure : Metal Jig · Rig · Plug · Jighead







BlueCurrentⅢ

This is 2 pcs overhead model to aim selective and spooky target at close range. Even if you have to use jig head under 1g, you can feel the weight of it when you cast and nanipulate and also you can get enough distance to reach targets comfortably, As taking advantage of overhead tackle, you can keep tension of line while letting jig head fall into the range where the target must be there.

LURE: Max 4.5g (JH 0.5~4.5g) LINE: PE 0.3~0.5 NY·FC 3~5lb

Overhead reel Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide (Fuii) +SiC-S titanium frame RV Guide (Fuji) Reel seat: PMTS17 (Fuii) Down lock nut Suitable reel size: Overhead Reel For Ultra Fine Line ●Target: Horse Mackerel • Rock fish • trout •Lure : Jighead · Small Sized Plug · Small Sized Metal Jid





## This is a technical Overhead reel model that enable you to manipulate jig head and plug with reeling method comfortably. This is the standard model of overhead series that let you cast and manipulate jig head




and plug as exactly as you wished. Tip section which have been loaded flexibility and sensitivity will transmits vital information clearly and belly section that have moderate stiffness make light wind action comfortably. Especially when you fish with plug, the potential of 69 overhead model will be pulled out. You will notice that you can give the action to plug as exactly as you have planned.

LURE: Max 7g (JH 0.8~7a/Plua 1.6~5a/Ria 1~7a) LINE: PE 0.3~0.6 NY·FC 3~6lb

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) +SiC-S titanium frame RV Guide (Fuii) Reel seat: PMTS17 (Fuji) Down lock nut •Suitable reel size: Overhead Reel For Ultra Fine Line ■Target: Horse Mackerel • Rock fish • Migratory fish •Lure: Jighead · Small Sized Plug · Small Sized Metal Jig





## This is the one that to explore the possibility of bottom water game with the gentle reeling performance of the overhead reel.

This super sensitive bait-caster model is ideal for use with free-rigs and Texas-rigs in the vast surf, estuaries, break-waters and pebble-beach situations to go after the bream, flat-heads and other bottom fish. The flexible tip will allow for a smooth bite and successful hook up while the sensitivity will help transmit the texture of the seabed through the blank, The power of recovery in the belly section will help anglers get out of snags and allow for thorough sweep of the bottom area. Anglers will be able to enjoy this rod in their local fields in any given situation.

LURE: Max 15g (Plug 2~15g/Float 3.3~15g/Rig 2~15g) LINE: PE 0.4~0.8

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide(Fuii) Reel seat: PMTS17 (Fuji) Down lock nut Suitable reel size: Overhead Reel For Ultra Fine Line ■Target: Black sea bream • Seabass • Rockfish • Flatfish •Lure: Rig · Metal Jig · Plug







lightness of blanks themselves. Tip section which have flexibility to manipulate lure gently link to butt section which is strong enough to stop the powerful run of large target. This deserved to be called all mighty overhead rod to cover various situations and target such as surface game for seabass or black sea bream, rock fish game and mackerel of

LURE: Max 20g (JH 2~20g/Float 3.3~20g/Jig 2~20g Ria 2~20a/Plua 2~15a) LINE: PE 0.4~0.8 NY · FC 4~10lb

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuii) +SiC-S titanium frame RV Guide (Fuji) Reel seat: PMTS17 (Fuii) Down lock nut •Suitable reel size: Overhead Reel For Ultra Fine Line ■Target : Rock fish • Seabass • Bream • Horse Mackerel • Lure : Jighead · Rig · Plug · Metal Jig

23



b.425mm | Length: 2495mm Closed length: 1280mm Weight: 93g

b.415mm | Length: 2350mm Closed length: 1200mm Weight: 92a

# **BlueCurrent TZ/NANO**

BlueCurrent TZ/NANO series are flag ship models which are filled with our knowledge and techniques of designing blanks of light game.Carbon prepreg which NANOALLOY\* technology have been applied is chosen and TORZITE ring guides which are light and less friction are loaded. Once you fish with this series, you notice the lightness and sensitiveness, casting feel that you never get unwanted wobble and massive butt power hidden in butt section that will be increased when it is bent.





For more details of category YB Official Web site





## This is a special plugging model with aggressiveness and sensitiveness that let you strike even a slight contact.

This plugging model was developed to enable anglers to sense the subtle changes in water pressure and currents with outstanding balance to breathe life into your lures through rod action. The tip section is designed to be stiff to give the lure variant action while the whole blank will bend in to reduce hook offs. When simply retrieving minnows and sinking pencils, the super sensitive tip section will immediately transmit the smallest of bites enabling anglers to swiftly hookup with the belly section of the blank.

LURE: Plug 1.5g~6g JH 0.5g~5g LINE: PE 0.1~0.4

Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuii Reel seat: VSS16 (Fuji) Down lock nut ■Suitable reel size : D: IT1000~2000 / S: 1000~C2000 Target: Horse Mackerel • Rock fish • Migratory fish • Lure : Small Sized Plug · Jighead

a.270mm | b.335mm | Length: 2100mm Closed length: 1075mm Weight: 64g



## This plugging model emphasizes retrieving method with high sensitivity and natural lure appeal.

The blank is designed to have contradicting characteristics of sharpness and flexibility in order to successfully hookup the subtle "sucking" and "nibbling" bites. The rod will smoothly respond to your hooking followed by the fight, Anglers will be able to pick up those minute bites when the targets are feeding on micro baits by slowing drifting your lures in the current.

LURE: Plug 1.5g~6g JH 0.3g~5g

LINE: PE 0.1~0.4

Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2000 / S: 1000~C2000

Target: Horse Mackerel • Rock fish • Migratory fish

• Lure : Small Sized Plug • Jighead





## Accurate lure operation and high castability. A model for skillful use of lightweight jig heads and microplugs.

BlueCurrent 62TZ Nano have gotten sharpness within blanks themselves and once fish is on, its bend nice and smoothly from tip to butt section. Thanks to NANOALLOY® technology from TORAY, you can keep fish under control at your own will and you cast lure with minimum motion so you do not have to worry about rough condition if you choose it. We have sharpened this 62TZ Nano up to manipulate both jig head and plug gently with high sensitivity.

LURE: JH ~3g LINE: NY · FC 1~3lb Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuii) Down lock nut

•Suitable reel size: D: LT1000~2000 / S: 1000~C2000 Target: Horse Mackerel • Rock fish

• Lure : Jighead • Small Sized Plug

a.205mm|b.275mm| Length:1880mm Closed length:965mm Weight:53g

## A basic model with cast performance and operability that uses a lightweight jig head to cover various situations.

This is specialized model for jig head game which is employed high sensitivity, smoothness, and flexibility on blanks. Although it is nice and flexible, the sharpness and speed of blanks are progressed while reducing unwanted wobble of tip section. Taking full of advantage of NANOALLOY® technology, it has been achieved seamless bend curve and incredible power of recovery that let you enjoy not only big mackerel or rockfish but also even a small target.

Spinning Model / 2pcs (Put over Ferrule Guide: TORZITE Titanium frame K Guide (Fuii) Reel seat: VSS16 (Fuji) Down lock nut LURE: JH ~3g / Plug ~3.5g LINE: **PE** ~0.4

•Suitable reel size: D: LT1000~2000 / S: 1000~C2000 Target: Horse Mackerel · Rock fish •Lure: Jighead • Small Sized Plug





## A highly versatile model with enhanced sensitivity and operability when reeling in sharp usability and flexibility.

71TZ Nano is most regular action in BlueCurrent Jig head special series. Although this is specialized model for jig head game, you can approach to target with slow retrieving of small plug or light rig. The sensitivity while you are retrieving is high enough to sense slightly changes of current and tiny vital information. Fish will take your lure without strangeness and blanks will bend smoother like seamless while on fighting.

LURE: JH 0.3g~5g / Rig ~7g Plug 1.6g~4.5g LINE: **PE** ~0.4


NY·FC 1~4lb

NY · FC 1~3lb

Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2000 / S: 1000~C2000 •Target: Horse Mackerel • Rock fish • Migratory fish

• Lure : Jighead • Light rig • Plug • Light"Wind"






### While taking advantage of the long length rod, it can be used in a variety of games with a sense of operation that combines sharpness and flexibility. PRICE

If you wish to deliver light weight of jig head farther than ever and manipulate it as you want, we are sure that 83TZ Nano will make you satisfy. Flexibility and sensitivity of blanks enable you to manipulate light weight of plug gently even you have delivered it farther than you have expected and you can manipulate it as you are at close range. If it is rough condition at closer range of you, you can fight without anxious thanks to ability of reshaping itself speedy.

LURE: JH 0.8g~5g Ria 1.8~10.5a Plug 1.5g~8g LINE: PE 0.2~0.6

Guide: TORZITE Titanium frame K Guide (Fuii) Reel seat: VSS16 (Fuji) Down lock nut

•Suitable reel size: D: LT2000~2500C / S: 2000~C2500 ■Target: Horse Mackerel • Rock fish • Bream • Seabass • Lure : Rig · Jighead · Plug · Metal Jig



## Persued ultra high general purpose performance. it have been achieved the one for various method and waters.

If you want to do everything in light game category, we think that BlueCurrent 85TZ Nano will make your dream come true, Every range of water will be covered with light line by BlueCurrent 85TZ Nano which have been gotten sensitiveness and toughness. You will never lose initiative even if you hook big one up accidently. You will be able to aim Rock Fish, Black Sea Bream, Seabass (aim from top water to deep water), Horse Mackerel or even squid

Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuji) LURE: 3~21a Reel seat: VSS16 (Fuii) Down lock nut •Suitable reel size: D: LT2000~2500 / S: 2000~2500 LINE: PE 0.4~1

Target: Anything •Lure : Anything



# a.310mm | b.375mm | Length: 2570mm Closed length: 1315mm Weight: 84g

## A long length model to explore a wider area while keeping the 85 All-Range concept.

Actually, it is all depends on your imagination to pull out the infinite potential of this 93TZ Nano All-Range. We have extended length and enhanced power of 85TZ Nano All-Range to cover farther range and tougher target, Of course, you can use it for Horse Mackerel or rockfish, it works for black sea bream, seabass or even for squid. As we mentioned, potential of 93TZ Nano All-Range become unlimited depending on your skill and imagination.

LURE: 3~21q LINE: PE 0.4~1

Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut Suitable reel size: D: LT2500C~2500 / S: 2500~C3000

Spinning Model / 2pcs (Put over Ferrule)


Target: Anything

# a.335mm | b.400mm | Length: 2825mm Closed length: 1440mm Weight: 90g

## BlueCurrent III & TZ/NANO BENDING CURVE


Blue Current Light Game Series has models for various targets with light rigs. We compared all Blue Current III and Blue Current TZ/NANO models in terms of bending curves, matching on game(target/lure) and power. Please use this as a reference to understand characteristics of each model. \*Static load comparison does not express all the characteristics of the rod. The rod's instantaneous force of recovery and feeling of use are not expressed. Please refer to this as a comparison of the power and condition of the rod.

### BlueCurrent III



## **BlueCurrent TZ/NANO**

considered as an alternative secondary option.



• BlueCurrent 78 and 78/B which specialize in bottom strategy, with the main focus being black • The majority of the lineup are JH specials which are designed for use with jighead rigs, while sea bream games, making it a series that allows you to enjoy a wider range of inshore games. The the others are more versatile and can be utilized to target varying species depending on your BlueCurrent III is a series that anglers who go beyond the framework of light games should use, as area utilizing various rigs and lures.

it has the basic power to support detailed styles and freestyle with no choice of target. • For anglers who want to heighten the sensitivity, the bait casting model is ideal as the winding concept to other models. They are specifically designed for use with hard bodied lures to and sinking of your rig will directly transmit to your hands. Furthermore, it is also suited for the target Japanese Horse Mackarel and Japanese rock fish, and the usage of jighead rigs can be bait-finesse game targeting trout in streams.

•The 610Plug and 73Plug are both designed with TZ/NANO and have a totally different

BlueCurrent II 711






# **BlueCurrent** RECOMMENDED TARGET & GAME STYLE Blue Current BlueCurrent series Blue Current Wize 610 710 810 72S 72B 53B 69B 78B 82B Target & Game $\bigcirc \bigcirc \bigcirc \bigcirc \bigcirc$ 0000 Versatile 7~21g

**BlueCurrent / Light game Comparison Table** →BlueCurrent Wizy 86AR 85TN ●→BlueCurrent Member Wizy 72/B 73AR Wizy 810 ●→BlueCurrent III Wizy 72 **Ⅲ82/B** ●→BlueCurrent TZ/NANO **Ⅲ76ST** Ш82 Wizy 710 This is characteristics comparison of BlueCu series. We have put an importance on sensitiveness **Ⅲ78/B** Wizy 610 **83TN** and toughness as a favor of natural bending curve Ш78 Stiffness which is on this table have been caused by feeling when you actually fish and speed of pulling 70Trippers On the other hand, we have considered that power on this table have been caused by the biggest size Ш74 Ш711 of fish according to limit of strength of line. We have considered that variation of target for light 67TN game category and even 53 have enough power keep large horse mackerel under control. **Ⅲ**69/B 62TN Ш69 Ⅲ510 60Jr Ш53/В \*Comparison chart shows strength and stiffness visually. Ш53 But it is based on reference value from the concept of design so the feeling of stiffness and strength of these rods **46/B BETA** is depend on personal equation. And also please note that 41 BETA

BlueCurrent series have versatility to aim many kinds of target such as Horse mackerel, Rock fish, Black sea bream or Seabass and even more. Please refer to the chart table below when you wish to aim target and try new method with BlueCurrent series.








## Advantage given by bending





# Sensitivity to collect vital information By keeping the angle between the line and tip at about 90 degrees during tension fall of jig head rigs, the tip section will slightly bend and allow the blank to transmit the slightest of changes in the current or fish in pursuit through to your hands.



27



Calista 72L/TF

to meet the demands of the modern eging scene with each model having a

clear concept. In 2025, the "72L/TF" will be added as an additional model

The 72L/TF is by no means a light egi model nor a model that seeks to

reduce the rod weight. The TF adopted in the naming stands for "Tactical

Finesse" and is a model that takes into account the "tactical use of size 3 eqi"

to catch large squid. With the increasing pressure from anglers, the eging scene has become more and more difficult and anglers are resorting to use smaller size 3 egi to target the large size spring squids. It is a technical and

reasonable strategy, but when changing the size from 3.5 to 3, many

There will also be technical situations where anglers will need to tightly

control their egi through seaweed and other structures, feel for the different

flow of the current at different depths and lively animate their egi to

approach visible squids. The sensitivity required for these technical situations is in another level. In addition to the operability of the size 3 egi, the ultra sensitive blank will transmit the slightest of changes in the flow of

current and bottom texture through the blank to your hands. Although it is classified as a L Class power, it will easily bend in once loaded while the

highly repulsive blank characteristics of the Calista series creates a sharp

feel to it. Thanks to this repulsion and resilience of the blank, this versatile

rod can be utilized all season round as it can also handle size 3.5 egi. If

82ML/AR is one of the mainstream rods of the Calista series, 72L/TF is Yamaga Blanks answer to the ever changing and diversifying eging scene.

The concept for the added model is to "induce the bite".

anglers will feel uncomfortable when maneuvering the egi.

to the Calista series.

Callista has not only used the latest carbon materials, but also been developed with our latest design and technology to refine the blank performance. The 72L/TF, which will be added in 2025, is a rod conceptualized to "bite". Thanks to the highly repulsive blank characteristics unique to the Calista series, even the delicate L (light) class model has a crisp feeling when in use. With the release of the 72L/TF, anglers will have an even more fun time choosing from the Calista series. We hope you can select a model that suits you best as every model has Calista-



## Calista

## 72L / TF

EGI: #2.5~3.5

LINE: PE 0.4~0.8



The trump card of the Calista series that takes advantage of the series' most sensitiveness features to capture selective situations. A tactical fineness model developed for anglers to tactically use size 3 egi, While

utilizing the size 3.5 as the main weapon, anglers can maneuver the size 3 egi without any stress with its lightness. The synergistic effect of the sharp and short length 7.2 ft blank dramatically improves the ability to transmit information through the blank Thanks to the strong butt power common to the series, anglers will easily be able to target the monstrous spring squid.

Spinning Model / 2pcs (Spigot Ferrule) Guide: TORZITE Titanium frame K Guide Reel seat: VSS16 (Fuji) Up lock nut









## Long length model that can perform sensitive actions without losing high sensitivity performance even in the current

This is a highly sensitive and flexible long length model able to feel for the squid jig in the current, We have fused together the light tip section to a medium class strength butt section to realize its outstanding casting ability. Although the rod is a long length model, the exceptional balance will allow anglers to easily and lightly control the rod to induce the bite of the squid while the highly sensitive blank will transmit the slightest touch from the squid and feel for the current during the curve fall of the egi.

Spinning Model / 2pcs (Spigot Ferrule)
Guide: TORZITE Titanium frame K Guide
+Butt Guide: SiC Titanium frame RV Guide(Fuji) EGI: #2.5~3.5 Reel seat: VSS16 (Fuji) Up lock nut LINE: PE 0.4~0.8

Suitable reel size: D: LT2500 / S: 2500 Target: Sauid



a.315mm | b.400mm | Length: 2744mm Closed length: 1404mm Weight: 96g




## This is a technical model that utilized a short length of light handling and plenty of variations of jerking to lure squid.

The technical short length model was designed to enable anglers to utilize their various jerking techniques. The flexible yet short length blank will be a tactical weapon for anglers to precisely maneuver the squid jig for the final leg of the pursuit of the squid. It will be most suited for fishing around structures and drop off or technically controlling the lure when sight fishing, Furthermore the responsiveness of the short length blank will also assist anglers to speedily search a vast area This short length versatile blank will also be great for off shore boat eging.

EGI: #2.5~3.5 LINE: PF 0 4~1

Spinning Model / 2pcs (Spigot Ferrule)
Guide: TORZITE Titanium frame K Guide
+Butt Guide: SiC Titanium frame RV Guide(Fuji) Reel seat: VSS16 (Fuji) Up lock nut

Suitable reel size: D: LT2500 / S: 2500





## This all around model expands the possibility of techniques. This is the one that reflect the new technology of new Calista.

This is the new all rounder model of the renewed Calista series where anglers will be able to first handedly experience our developmental concept. The blank is fused together with castability, controllability, sensitivity and power for anglers to bring out its true colors all year round at any given situation. The sharpness hidden beneath the user-friendly characteristics will breathe life into the egi controlled by the angler through long distance casting, jerking and line control.

EGI: #2.5~3.5 LINE: PE 0.4~1 Spinning Model / 2pcs (Spigot Ferrule) Guide: TORZITE Titanium frame K Guide +Butt Guide: SiC Titanium frame PV Guide(Fuii) Reel seat: VSS16 (Fuji) Up lock nut

•Suitable reel size: D:LT2500 / S:2500 Target: Squid







## This item is achieves sensitive operability that overturns common sense for power models.

Like the 82ML/AR, it is an all rounder model suitable for year round fishing with lightness and responsiveness as its distinct qualities, The blank was back to the drawing board and rebuilt from the ground up to break all stereotypes of the standard 86M specifications for eging. Even if you own a rod with similar specs to 86M, we would like you to take hold of this rod to first handedly experience the highly responsive ontrollability of the egi and outstanding casting distance the blank produces.

EGI: #2.5~4.0 LINE: PE 0.4~1 Spinning Model / 2pcs (Spigot Ferrule) Guide: TORZITE Titanium frame K Guide +Butt Guide: SiC Titanium frame RV Guide(Fuji) Reel seat: VSS16 (Fuji) Up lock nut •Suitable reel size: D:LT2500 / S:2500








## A special concept model dedicated to more aggressive game both from shore and boat.

There are no specific rule books for eging, and there are as many styles and game plans as there are anglers. The 79MMH/AG is a super highly responsive model for those anglers who aggressively allure the squid by technical approaches. It is designed with a medium class tip section and a medium heavy class butt section to easily and sharply maneuver the # 3,5 eqi. We have also reduced the stress on the anglers side by giving the rod contradicting characteristics of flexibility and power.

EGI: #3.0~4.5 LINE: PE 0.6~1 Spinning Model / 2pcs (Spigot Ferrule)
Guide: TORZITE Titanium frame K Guide
+Butt Guide: SiC Titanium frame RV Guide(Fuji) Reel seat: VSS16 (Fuji) Up lock nut Suitable reel size: D: LT2500 / S: 2500






Faina Model / 6 Lineup

We hope that fishing rod from YAMAGA Blanks is going to be used by much more number of anglers. That is ambition what we put into Mebius series. It is quite difficult to keep low budget while pursuing performances and quality. But we have succeeded to achieve those elements as making extensive use of our techniques of design and quality of factory. That is how we build fishing rods and once you fish with Mebius series you will definitely know as much about our policy and performance of blanks. We offer you 6 different type of





a.320mm| b.395mm| Length: 2515mm Closed length: 1285mm Weight: 98g

## Calista RADAR CHART COMPARISON

## **Description of chart items**


nce · Evaluation of casting ease and power within the blank

Finesse Action · Evaluation of Slack Jerks and twitching actions that are important with sight fishing.


Aggressive Action · Evaluation of Aggressive Jerks which include general jerks, winding jerks, and combination jerks.

Stiffness of tip · Advantages of a stiffer tip include easier operation in deeper waters, waters with strong currents.

and larger resistance Eq. The advantages of a softer tip include an increase in sensitivity to feel changes in the water and is less physically demanding. Comfortability - A model with stiffness may increase the physical burden, so please refer to this item and choose it if you tend to hurt your wrist.



## Calista & Mebius BENDING CURVES



The additional model 72L/TF in 2025 is an L (light) class model with the most finesse characteristics in the Calista series. The tip and belly bends flexibly, but the butt section remains so firmly comparable to the other models. Thanks to this butt power, anglers will easily and efficiently be able to surface the supersize spring squid. It cannot be expressed in the diagram but the highly repulsive blank characteristics unique to the Calista series can be experienced with the sharp and speedy feel of the blank.


These are comparison images of Mebius series which are loaded 500g weight on tip. Mebius series have been loaded more flexibility than calista series to get more versatility and usability. We have focused on cast feeling of Mebius series. Wide range of release point and power of recovery will provide you excellent feeling and distance of cast. Comfortability of casting and toughness as eging rod are directly linked to versatility for aiming at various target. Enough versatility that to be used for horse mackerel, rockfish. black sea bream, seabass or light jigging game is hidden in those blanks.

to quantify, but these five items do not represen

everything about the rod. Depending on the length of

else, the way the angler feels about using it will change Please use this as a guide only.

\*\*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently





31

# BattleWhip IM/OR/TR Ika Metal OMO Rig Tip Run

(TIP RUN·IKA METAL·OMO RIG) / 9 Lineup





"BattleWhip" series to be adjusted boat eging scene which being developed day by day. We take advantage of skill, knowledges and experiences of designing fishing rod to shape the lineup of TipRun series, Ikametal series and also Omoria, which are adjusted to seamentalized game. All of these models have given own specialized character one by one to make

# Battle Whip in a All of these models have given own specialized character one by one angler sense slightly changes which is transmitted through blanks.

# A super slight weight short length spinning model for anglers to seek out the hit range and induce the bite through a variety of actions.

It is an aggressive model specialized in sensitivity and power, The super sensitive blank will assist anglers by instantaneously transmitting the slightest of touches from the squid for you to swiftly set the hook. Although it is a slender and lightweight rod, it has

the operability to handle up to 150g and the power to easily lift multiple hookups of large size squid. ( Model equipped with carbon solid tip)

Spinning Model / 2pcs (Put over Ferrule +SiC stainless frame LDB guide(Fuji)

Reel seat: VSS16 (Fuii) / Down lock Suitable reel size: D: LT2000~2500C / S: 2000~2500

Target: Squid •Lure: Ika Metal • Light Omorig • Light rig game(Off shore)





## A highly balanced bait casting model equipped with clear sensitivity and power to captivate tough situations.

This model will allow anglers to efficiently find the range where the squid are most productive in the deep or fast flowing currents. The butt power hidden in the slender blank does not lose its controlability and high sensitivity even when anglers have to utilize heavy squid-jigs up to 190g. This is a No look IM model for those who want to keep their concentration or for those who want to standout from other anglers around

EGI: Max #50 (185g) LINE: PE 0.4~0.8

EGI: Max #40 (150g)

LINE: PE 0.4~0.8

Overhead Reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide +SiC stainless frame LDB guide(Fuji) Reel seat: PMTS17 (Fuji) / Down lock ●Suitable reel size: D·S: 100~200 •Lure: Ika Metal







## It has a lightness, sensitiveness, and broad action performance and strong butt power in thin blanks.

Thanks to sensitivity and visibility of blanks are increased for achieving the excellent results. The lightness of it let you handle this stick as your extended arm, flexibility and wer of recovery provide you comfortability and toughness of butt section enable you to lift unexpected monster up to surface without anxious and burden of physical. This IM69/S will cover various situation, method and size of target with fun for sure, (Carbon Solid Tip model)

EGI : Eqi Max #25(90g) LINE: PE 0.4~0.8

ning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide +SiC stainless frame LDB guide(Fuii) Reel seat: VSS16 (Fuji) / Down lock Suitable reel size: D: LT2500~3000C / S: 2500~C3000

Target: Squid

• Lure : Ika Metal • Light Omorig • Light rig game(Off shore)



## In addition to fine-tuning the reeling of the overhead reel model, it transmitted condition of water clearly when lure is falling.

a.445mm | b.515mm] Length: 2070mm Closed length: 1060mm Weight: 86g

Carbon solid tip lets you know vital information visibly and transmits a lot of information to your finger through blanks. Although it has flexibility and sensitivity, once you have sensed a touch of squid you can strike aggressively without any delay thanks to moderate stiffness and power of recovery which also help anglers to lift huge squid up from the bottom of the sea. Taking advantage of IM69/B overhead model, we hope that you hunt squid as many as you have wished. (Carbon Solid Tip model)

EGI : Eqi Max #30(110a) LINE: PF 0.4~0.8

Overhead Reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide +SiC stainless frame LDB quide(Fuii) Reel seat: PMTS17 (Fuji) / Down lock Suitable reel size: D·S: 100~200 Target: Squid

a.430mm <sub>I</sub>

b.530mm | Length: 2070mm Closed length: 1060mm Weight: 100g



## A tubular tip model which maximizes the benefits of the bait-casting tackle specialized for Omorig game to open up new frontiers.

Why bait tackle? Simply, there are many advantages. Just to mention a few, anglers can easily cast heavy rigs, capture the range easily with the counter on the reel, easily determine a bite and the powerful winding ability of bait casting reels. The 60B/C is a model dedicated to Bait Omorig to make the most of its advantages in the squiding game. In situations where Omorig out fishes any other technique, we are confident that is rod will produce you results. ( Tubular tip model)

SINKER WEIGHT : Cast Max #40(150g) Vertical Max #60(225g)

Overhead Reel Model / 2ncs (Put over Ferrule Guide: SiC-S stainless frame K guide +SiC stainless frame LDB guide(Fuji) Reel seat: PMTS17 (Fuii) / Down lock Suitable reel size · D · S · 100~200



Specially designed for the Omo-rig method to expand the selection of Ika metal games. Ideal for dealing with wide range of waters. This OR72/C have been designed to manipulate sinker weight 90g~150g comfortably. Also powerful enough butt and belly section to cast sinker up to 150 safety and comfortably. Thanks to moderate stiffness of tip section vital information of squid will be transmitted very clearly. You can search as wide as you have wished and you can sense what is going on inside of water very clearly, You will definitely enjoy this squid game as you are having jigging game with it. (Tubeler Tip model)

SINKER WEIGHT : Cast Max #40(150g)

LINE: Max PE 1

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide (Fuii) Reel seat: VSS16 (Fuji) / Down lock Suitable reel size: D: LT2500~5000C / S: C3000~C5000 Target: Squid





## The high sensitivity for hooking is thoroughly pursued, and the signal is transmitted not only visualy but also sensually through the hand.

Making use of advantage of high sensitivity accumulated from light game scene, blanks transmit slightly touch of squid. This characteristic of TR63/N makes you to distinguish activity of squid and to stay focused even you faced touch condition. This is for the angler who does not want to lose opportunity of catching squid. You do not have to look at tip to Vpe-N : No Loo get indication of vital information, Blanks definitely transmits signal to your hand, All you ave to do is just feel it! TR63/N will make differences for sure. (Carbon Solid Tip model)

EGI: 30~60q LINE: PE 0.4~0.8 DEPTH: 20~50m

Spinning Model / 2pcs (Put over Ferrule) Reel seat: VSS16 (Fuii) / Down lock •Suitable reel size: D: LT2500C~3000C / S: 2500~C3000 •Target : Squid I ure : Fai





## This is a multi purpose model that can be enjoyed in a wide range of ways, from tip run eging in shallow water to boat egging. This is specialized model with high sensitivity and operability to cover from shallow to 30m depth of water. 7.3ft length of blanks will help you to stay your Egi still even you fish from mid-large boat or in situation that you are struggled in welter of the sea surface, You can fish

with S-Fall techniques while taking advantage of its length. Of course, casting game is available with this versatile model. We believe that you will be able to enjoy the variety of situation and method of squid games with this TR 73/S, (Carbon Solid Tip model)

EGI: 20~40a LINE: PE 0.4~0.8 DEPTH: ~30m

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Fuji) Reel seat: VSS16 (Fuji) / Down lock •Suitable reel size: D: LT2500~3000C / S: 2500~C3000


Target : Squid Lure : Eqi

## Length: 2225mm Closed length: 1145mm Weight: 83g BattleWhip TR This is a power model that allows you to capture deep waters and make quick luring out using heavy weight egi.

This is the most powerful model in this series to cover area such as deep and rapid water. If you aim huge squid in tough area such as current runs rapidly or deep water around 40m or more, TR69/D is the best choice. It will be bent very smoothly while accumulating huge power of recovery inside of blanks themselves to lift even squid much bigger than you have thought. This is for anglers who wish to explore untouched area for aiming massive squids. (Carbon Solid Tip model)


EGI: 50~80a LINE: PE 0.6~1 DEPTH: 40~90m Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide+SiC stainless frame LDB guide(Fuji Reel seat: VSS16 (Fuii) / Down lock Suitable reel size: D: LT2500~4000C / S: 2500~4000 Target : Squid Lure : Eai






## BattleWhip IM/OR/TR BENDING CURVES

## **BattleWhip IM**




•This is a comparison of 4 models of BattleWhip IM models with the angle of the rod almost horizontal with a static load of 150g. Due to the flexibility and bending of the tip section of the IM69S&B model, the slightest touches from squid will transmit to large movements of the tip for anglers to visually recognize the bite. The 511S&B is a model specialized to aggressively hookup the squid with its highly responsive operability, By reducing the bending of the blank, anglers can directly feel for the bites while improving the operability of the eq. It is a model that will expedite the reaction speed of anglers making it way more fun to fish with.

## BattleWhip OR




This is a comparison of the two models of BattleWhip OR with the angle of the rod almost horizontal with a tatic load of 150g. The OR60B/C is designed for use with 190~225g usage vertically but can also easily cast and control 150g with the powerful butt section. Although the stiffness of the tip has been reduced for anglers to visually recognize the bites, the highly sensitive tubular blank transmits the slightest changes under the surface directly to your hands. The OR72/C is designed with a bendy tip section for anglers to easily recognize the slightest touches from the squid even when the rod is loaded with the weight of the sinker or jig. Anglers will easily be able to cast and control the 150g rigs in the depth thanks to the sharp belly to butt section of the rod.

## **BattleWhip TR**



- TR63/N have high sensitivity and ability of manipulation. You will feel moderate stiffness on blanks. Even you are fishing on tough situations, it will tell you vital information visually and transmit you slightly touch of squid sensuously
- •The longest carbon solid section is loaded and it will tell you vital information even you are fishing on wavy condition. And also, mildest model in this series.
- Although TR69/D is for deep area and rapid current, you can handle it comfortably. Of course. you can use it with heavy weight of egi to get faster speed of fall as you have imagined.

## Precaution for carbon solid tip model



As we have mentioned, TR&IM series have been loaded carbon solid tip. The material of carbon solid tip is extremely delicate and fragile. So please careful with shock of impact and handle gentry when you fish and shored them with care. Although you can fish in properly use with them, it might be cause of breakage of carbon solid tip if you retrieve your lure too much or wind up knot into top guide.

# **2025 NEW MODEL** Lupus for Area 61STT Type:SPECIAL TASK / TROPHY The appeal of area trout lies in its unique style, method and field, where you can face the fish as equals and enjoy them purely. In addition, the evolution of tackle such as rods, lures, and lines offer endless new ways to enjoy the game on fishing ponds. We will continue to take on challenges and pursue "More fun". for Area Trout Lupus for fishing ponds


## Lupus for Area Trout Game


Lupus / for fishing ponds / 6 Lineup

This is Lupus area trout series to capture pond trout game from all directions. In order to respond to the diverse situations of each managed fishing spot and adapt to ever-changing conditions, "61STT" was added in 2025, further increasing the completeness of the series. Three RETRIEVE TYPE models are good at winding fishing, two MOTION TYPE models are good at active action fishing, and one SPECIAL TASK TYPE model pursues a different way of aiming and enjoying than the traditional fishing method. With a total of 6 models, we have created a lineup that will allow you to enjoy the area trout game even more deeply.











## Ideal for all types of retrieval with shallow running minnows and regular "stop and go" with bottom type cranking baits.

It is the most versatile model of the series, able to cast various types and weight of lures with a regular taper blank. The sensitive tip section will capture the subtle bite of the fish and moderately stiff belly section will not only help a swift hookup but also reduce miss bites. We can confidently recommend this rod for those anglers who want to use 1 rod for all types of approaches and different trout ponds as well as beginner trout fishermen.

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS16 (Fuii) -Up lock •Suitable reel size: D:LT1000~2000 / S:1000~C2000

PE 0.15~0.5





## This is the finesse model for use with ultra thin line and super light lures (micro spoons and small crank-baits).

This is the finesse model of the 61RM for down-sizing your main lures. The rod possess a sensitive and flexible tip to belly section, capable of hooking up the subtlest bites of ultra light lures with a slow retrieval. The flexible blank will absorb the load and prevent the ultra thin line from bust offs and stretching of the super fine hooks. Although it is a finesse model, the butt section has amble power for the unexpected big trout. It is most ideal for small~middle size ponds for close range hing for numbers and those anglers who prefer a softer rod as their main rod.

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS16 (Fuji) -Up lock

•Suitable reel size: D:LT1000~2000 / S:1000~C2000 nded Lure : Micro spoon · Micro crank-baits





## This is the sharpest model to swiftly hook up high drag lures like crank-baits and spoons that have been cast out long distances.

The tip section has been designed with plenty of flexibility for a more loose action of the lure during retrieval and will allow anglers to successfully hook up the slightest of bites. In contrast, the belly section is stiffer to effectively hookup those cranking baits that tend to have more drag and are more difficult to transmit the hooking towards the fish. The 6.6ft length will also allow anglers easier line mending if required and possesses the most powerful butt section in the retrieval type rods.

LINE: 1.5~5|b

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS16 (Fuji) -Up lock

 Suitable reel size: D:LT1000~2500C / S:1000~C2500 Recommended Lure: Crank-baits PE 0.15~0.5 Spoon (Large size available)

a.225mm|b.290mm| Length:1990mm Closed length:1025mm Weight:57g This is a highly responsive model ideal to maneuver your bottom type lures and metal vibrations type lures with the bottom bouncing technique.

## Lupus for Area Since the blank has been engineered to be stiffer with a bouncy tip section, anglers will

be able to rhythmically utilize the "lift and fall" technique with metal vibrations. This stiffness will also allow for a swift hookup while the angler is maneuvering the lure, Furthermore, this will also help the initial action of the lure when utilizing the "stop and go" method. This model is not only great for deeper ranges, but also ideal for neuvering top water lures.

LURE: 1~6a LINE: 2~6lb

Spinning Model / 2pcs (Put over Ferrule Guide: SiC-S Stainless frame K Guide (Fuii) Reel seat: DPS16 (Fuji) -Up lock

 Suitable reel size: D:LT1000~2500C / S:1000~C2500 Recommended Lure: Vibration · Lures for bottom PE 0.15~0.6





## This is a model to actively hookup through twitching and simple retrieval. A model for those anglers chasing large mountain and brown trout.



This model has been designed with stiffness required to actively twitch the rod to mate the lure in the water. Anglers can continuously twitch the rod to dramatically bring life into the lure. The sensitivity and stiffness of the blank will also help anglers successfully set hook in the hard mouth of the various species of trout. Furthermore, the "stop and go" technique with buoyant minnows will allow for a vertical approach which is highly productive for rainbow trout,

LURE: 1~10a LINE: 2.5~8|b PE 0.2~0.6

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji)

Suitable reel size: D:LT1000~2500C / S:1000~C2500





# Lupus **for Native Trout Game**


Lupus / for Native trout / 6 Lineup

The Lupus series are designed to cover the river systems from headwaters to the main-stream and possess the controllability required to maneuver the minnows to induce the bites in the intricate river currents. The sharp castability and the seamless bending curve will assist anglers to adequately twitch the lures in the strong currents, while the powerful butt section will smoothly pump the fish towards you. Yamaga Blanks believe that these are necessary qualities required in the river game. The Mountain-Stream models are for smaller streams running in the mountains and the Main-Stream models are for your larger rivers to target salmon and trout.









a.350mm| b.445mm] Length:2610mm Closed length:1340mm Weight:140g



## **Recommended Lures** by 6 models



# **Lupus 61STT**

## TROPHY

The 61STT is a model developed with the concerof "targeting the trophy sized fish lurking in the area by manipulating a minnow skillfully on the sight fishing," and seeking more ways to enjoy. We pursue performance that allows you to easily manipulate the largest size minnow that can be used in area trout games and long lip minnows with strong resistance of water, strengthen the stiffness of the entire rod so that you can adjust the strength, and enable you to give the action to



# **Lupus 61RM**

## **M**ULTIPURPOSE

This multi purpose rod is capable of handling various types of lures with this single rod. It is most ideal for simple retrieval of 1 ~ 4g spoons and crank baits, but also able to handle micro spoons and crank baits with fairly strong drag. This is the most standard Area fishing model produced by Yamaga Blanks and will also allow for vertical appeal of the minnows b jerking the rod or the "stop and go" method fo your bottom type lures.



# **Lupus 511RF**

## **FINESSE**

This model is especially designed for use with ultra light micro spoons and micro crank-baits, With the use of ultra fine line and lures under 1g, anglers can induce a bite with a super slow retrieval. Although it is a super light sensitive rod. the underlying butt power will allow anglers to efficiently land large numbers of trout with larger 3g class spoons when the fish are on the bite. Once you take hold of this rod, we are confident that you will be able to feel the Yamaga Blanks



# **Lupus 66RS**

## **SHARPNESS**


It is also capable of handling heavier spoons (above 3g) and crank-baits lures which have more drag compared to other lures. The flexible tip section will give freedom to the variant crank-baits and will maximize the potential of their action. The sharp belly section will help reduce the heavy drag even with bigger lipped deep cranking baits. With its great castability this model will be of great advantage in large areas which require long distance casting



# **Lupus 62MB**

## **BOTTOM BOUNCING**

This model is ideal for bottom type lures like metal vibrations. Anglers can swiftly hookup fish while utilizing the lift and fall technique. The stiff and sensitive rod tip will allow anglers to easily control the "bottom bump" with spoons and "bottom knock" with deep cranking lures. It is also ideal for use with top water lures.



# **Lupus 60MTR**


## TWITCH & RETRIEVE

The rod is designed for anglers to actively twitch the rod to animate the minnows. The stiffer action of the rod is ideal for using minnows that do long side to side darting action or highly buoyant minnows which naturally rise after animating the lure by twitching. Anglers will be able to successfully transmit the action they wish through the responsive blank whether it be short shaking or large maneuvering twitching of the lures,




## Lupus BENDING CURVES Area Trout & Native Trout Models

## **Lupus for Area Trout Series**




## **Lupus for Native Trout Series**











# The new Blue Sniper boat series is divided into 3 types and 7 models that can accommodate a wide variety of lures and fighting styles. By giving each one its own characteristics, you can conquer the casting game more comfortably, and at a bind of the confortably, and at a bind of the confortably and at a bind of the confortable and a bind of t

The new Blue Sniper boat series is divided into 3 types comfortably and at a higher level. We have built the lineup so that you can onion to by increasing the range of rod options.



2025NEW

## A model equipped with long castability and high accuracy to hit those feeding frenzies with small delicate lures.

This is a light casting model ideal for use with small lures equipped with highly accurate casting and long distance casting, For fish that are picky eaters and feed on small baits, the flexible tip section allows anglers to cast and utilize small naturally moving lures. The flexible yet rigid blank will help anglers easily fight the fish while reducing any hook offs. It is a specialized light model that ideal for use with light line and small lures.

LURE: 14~50g LINE: Max PE 2

Spinning Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS18 (Fuii) Down lock nut

Suitable reel size: D·S: SW4000~5000 Yellowtail (~10kg) Kingfish (~10kg)

•Lure: Sinking Pencil • Diving Pencil



This is a short-length agile model for use with PE2 to 3 line class with outstanding operability and handling. The sharp feeling of the blank is not only ideal for controlling top water lures but also the sensitivity of the rod will enable anglers to use minnows and soft plastic lures under the surface. It is an all-rounder model to target bonito, blue-runners, snappers and rock fish depending on what line class

LURE: 30~60q LINE: PE 2~3 DRAG: Max 5kg/45°

An all rounder model packed with sharp operability and powerful strength in the blank to expand the possibilities of the PE2~3 line class fishing.

DRAG: Max 3kg/45°

Spinning Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS18 (Fuji) Down lock nut

•Suitable reel size: D·S: SW5000~6000 •Target: Blue Runner (~10kg) · Snapper · Groupe

b.710mmj Length: 2310mm Closed length: 1617mm Weight: 301g

## b.610mm| Length: 2258mm Closed length: 1711mm Weight: 217g

2025NEW

This is a highly versatile model that not only covers top water games but also for use with large minnows with heavy water resistance and jig-heads to target rock-fish. In contrast to the flexible tip, the belly to butt section has ample resilience giving it a sharp casting feel and easily lift large targets from the depths, The light operability of this short length rod covers a wide range of situations and targets egardless of the size of the boat.

LURE: 40~90g LINE: Max PE 4 DRAG: Max 7kg/45°

Spinning Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide + Super Ocaen guide (Fuji) Reel seat: DPS20 (Fuji) Down lock nut

Suitable reel size: D · S: SW8000 ■Target: Blue Runner (10kg~) •Trevally • Grouper ■ Lure: Topwater Plug • Minnow • Jighead

a.475mm <sub>|</sub>

A new innovative boat casting model equipped with sharp operability to control top to underwater lures.



## A highly responsive manual model for outstanding lure control for tough situations.

With the high resilience of the blank, this highly responsive model will convert the smallest input from the angler to overwhelming output pressure towards the fish, With the sharp casting feel, anglers will be able to cast overhead or under cast diving pencils, poppers and sinking lures and maneuver them with swift action of the rod. In tough situations of seasonal patterns and glassed out water, this cutting edge rod will bring about new approaches for anglers to attract and intentionally maneuver the lure for that rare bite

LURE: 45~110g LINE: PE 4~5 DRAG: Max 10kg/45°

Spinning Model / 2pcs (Grip Joint) Guide: Super Ocaen guide (Fuji) Reel seat: DPS20 (Fuii) Down lock nut

Suitable reel size: D·S: SW8000~10000 ●Target:Blue Runner (10kg~) ・Yellowfin Tuna

Trevally · Grouper •Lure:Topwater Plug • Minnow • Jighead

b.750mm | Length: 2375mm Closed length: 1706mm Weight: 328g



## A new standard model that demonstrates its true power by "bending to capture"

The flexible tip and belly section will drastically reduce lure maneuvering errors while the outstanding butt power will assist anglers when fighting your large targets. Although the plank flexibly bends in, the guick repulsive force allows for great casting distance. This rod s the next generation standard model for boat casting that embodies the concept of bending and catching" by Yamaga Blanks.

LURE: 45~140g LINE: Max PE 6 DRAG: Max 12kg/45°

ning Model / 2pcs (Grip Joint) Guide: SiC+S Stainless frame K Guide + Super Ocaen guide (Fuii) Reel seat: DPS20 (Fuji) Down lock nut

•Suitable reel size: D · S: SW10000~14000 Target: Kingfish (around 20kg) Yellowfin Tuna (around 30kg) •Lure:Topwater Plug





A flexible yet high powered model with outstanding operability of medium to large size lures for large Kingfish and tuna. In order to control the large kingfish lurking in the rapids + shallows + around rough reefs and the harsh yellowtail tuna game in the summer, we have created a powerful blank that combines outstanding castability and comfortable operability of large lures and small

mouthed poppers. Depending on the target and anglers style, this model will adapt to your

needs when fighting the fish, stopping the fish, and lifting the fish off the bottom or rocks

o successfully land your trophy.

LURE: 60~180g LINE: Max PE 8 DRAG: Max 15kg/45°

Spinning Model / 2pcs (Grip Joint) Guide: Super Ocaen guide (Fuii) Reel seat: DPS20 (Fuji) Down lock nut

•Suitable reel size: D · S: SW14000~18000 Target: Kingfish (20kg~) Yellowfin Tuna (40kg~ Lure:Topwater Plug





## A highly powerful torque-filled model equipped with overwhelming lifting power and strong tenacity For supersize tuna.

This rod is a high-powered model for use with PE10 to go against large yellowfin tuna and bluefin tuna, It combines accurate casting performance and outstanding operability of pencils and small mouthed poppers, which is hard to imagine from powerful blank. The torque-filled butt power will gently bend in for anglers to be able to consistently apply pressure towards the monstrous tuna in the deep while reducing the load on the angler,

LURE: 40~150q LINE: Max PE 10 DRAG: Max 17kg/45°


Spinning Model / 2pcs (Grip Joint) Guide: Super Ocaen guide (Fuji) Reel seat: DPS20 (Fuji) Down lock nut

•Suitable reel size: D·S: SW18000~20000

●Target:Tuna Species over 100 kg Lure:Topwater Plug



## **BlueSniper Boat Casting BENDING CURVES**



\*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

and the "74/3RGD" of the PE2~3 line class light casting models, the stronger "74/3RGD" seems to look more flexible, however this is due to the different concepts of each model.

## ●83/2FLX

This model specializes in long-distance casting and controlling the diving pencils naturally. The blank design allows the rod to bend smoothly from the tip to the belly section and continuing on to bend even deeper towards the butt section. Although the butt power is comparable to that of the PE3 line class, you will notice that the light controllability of the rod is of the PE2 line class.


## ●74/3RGD

Although it has a large bending curve similar to the "83/2FLX", the short length of the rod has given it a highly responsive and sharp qualities. The bending point is set closer towards the anglers allowing for easier control of lures

### ●76/4RGD · 79/5RGD

Thanks to the compact handling of the rod, this model is highly versatile and is outstanding with its lure operability, Although both models are designed with increased stiffness, the butt section of the 76/4RGD. tenaciously bends in once the weight of the fish is loaded during the fight, reducing the physical strain on the angler, Even smaller anglers with less physical strength will comfortable be able to utilize this rod.


## 83/6 FLX & 81/8 FLX BENDING CURVES



bends deeper as more load is applied to the blank, demonstrating high followability and tenacity. At the same time, the bending point moves closer to the hand, making it possible to reliably apply pressure to the fish while reducing physical strain.

While the entire rod bends over for the 81/8FLX, we have beefed it up for anglers to be able to target large species in the difficult shallow areas. In order to maximize the power of the PE8 power class, the butt section has a solid core where the bending stops at the butt guide, clearly differentiating from the 83/6FLX.

## 81/10 TRQ BENDING CURVES



- The rod will demonstrate maximum butt power at 40° and 60° angle of the rod. By maintaining this angle, you will be able to apply maximum pressure on your target, allowing for a smooth, efficient fight and easily lifting the fish even when the fish is directly beneath the boat. This rod will provide anglers the "power position" ideal for short fights targeting those large Kingfish and GT that like to head straight to the rocks to bust you off.
- At 70 degree angle, by high sticking the rod, the underlying power will be brought out with its outstanding restoring power and high breakage strength at the butt section. The acute angle of the rod is the position that makes the most of the torque-filled characteristics of this model, consistently applying pressure on your target while reducing the physical strain on the angler. This will give anglers great advantage when fighting large Tuna for long durations.