

3

i,

R M H XWO

YAMAGA Blanks Made in Japan

Ballistick **EARLY** ALL CASTING **BLUESNIPER** YAMAGA BLANKS 20 CHAIN Blue Current Wizy Blue Current III BlueCurrert TZ/NANO Calista Mebius BattleWhip For Boat Estins TR M CR Lupus for Area Trout Lupus **B**lueSniper SeaWalk Galahad

YAMAGA Blanke

2025 YAMAGA Blanks PRODUCTS

YAMAG Blank

MADE IN JAPAN YAMAGA Blanks FACTORY BRAND IMPLE THINGS DONE WELL"

ENGLISH EDITION



PASSION FOR THE MISSION VAMAGA BIANKS ROD COMPANY

25

For that one moment.

In fishing, the most important moment that affects the fishing result is timing. That moment when the tide starts moving, birds start circling and fish begin to move actively, making the angler's heart pound. In order not to fail at the moment of truth, you must be fully prepared.

Modern fishing techniques have evolved in each genre, allowing for a variety of ways to approach your target. However, the reality is that the target fish are also harder to catch these days. That's why it's most important to be ready to capitalize the split second.

The reason why Yamaga Blanks continues to focus on in-house production at our domestic factories is to continue delivering reliable partners and weapons to anglers who are dedicated for that split moment. Each fishing rod is painstakingly handcrafted by individual craftsmen. Every moment spent on the fishing rods is dedicated to those anglers in the field. Our mission is to deliver reliable gear to our anglers.

2024 was the year for Yamaga Blanks to return to its roots and begin a new challenge. While we felt a positive response, it was also a year of many changes. Anglers are also constantly evolving in response to the rapidly changing fishing conditions and the surrounding environment. No one can predict what will happen a year from now, but if we don't keep moving forward, there will be no evolution.

Yamaga Blanks will continue to introduce many new products in 2025. The Ballistic series and BlueSniper Boat series have been renewed for the first time in about 10 years. With the latest design and technology in the industry, we will be releasing a diverse lineup of rods including the new BlueCurrent-Wizy series which was designed for greater freedom and enjoyment.

The best fishing rod for anglers who seek that split second moment. Yamaga Blanks continues to take on challenges.

YAMAGA Blanke

MADE IN JAPAN FACTORY BRAND





SEABASS & SURF CATEGORY

NEW Ballistick 6 LINEUP

90ML**M** 710ML**MH** 95**MH**

76MXH/B 106M**MH** 1010**MH**

Balliet

Seabass is the most familiar lure game fishing target for us. They can be targeted in rivers and estuaries in urban areas, and are great targets for anglers who can easily enjoy it on their way home from work. The Seabass game can be enjoyed in a variety of ways thanks to the evolution of tackle and the establishment of various methods. However, there is a level of difficulty one has to decipher and that is also the profound attraction of this game. For example, when the bait fish the Seabass feed on change, the pattern will change dramatically, creating the feeling that you are targeting a completely different fish. Just to mention rivers, we face different situations from unstream areas to the estuary, and the tackle needed to handle each situation must be altered When the field becomes the ocean, even more complex elements become intertwined, and each individual angler seeks something different. Furthermore, there are a wide variety of regional and seasonal patterns in the Seabass game. Even if you don't get any results, you can continue to go to the field and continue to make hypotheses and verify them, and you'll discover the true joy of this game. By continuing to visit the field, you will notice minute changes, and by making adjustments, you will receive solid results. Although the Seabass game may seem easy and familiar, it also makes you realize how difficult fishing can be and fun at the same time.

MLMH

MIM





Seabass & Surf game / 6 Lineup Ballistick

The length is set to accommodate a wide range of uses, from seawalls in urban ports to wading

games in rivers and tidal flats. The ML class tip provides high sensitivity and the flexibility will

capitalize on the bite, while the M class belly to butt section provides both highly responsive

operability and long distance casting performance. It has the best responsiveness in the series

which can handle a variety of methods and situations, including delicate drift games,

Yamaga Blanks' flagship model, the "Ballistic Series", will be renewed in 2025. This series consists of 6 models, 4 seabass models and 2 surf models, and while each model has its own unique characteristics, it also increases the versatility of the lures that can be used. As a result, we have created a unique and well-balanced lineup that enables a variety of strategies to suit any field, situation, and season.

Spinning Model / 2pcs (Spigot Ferrule

Reel seat: VSS16 (Fuii) Up lock nut


Target : Seabass

uide: SiC-S Titanium frame K Guide+SiC Titanium frame RV Guide (Fuji

•Suitable reel size:D: LT3000~4000C / S: C3000~4000




Ballistick Series BENDING CURVES



*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently

Ballistick Series REFL BALANCE



Please view this as a comparison of the center of gravity when setting reels of different weights.








Pursuing total balance and ready for different methods and situations. A classic seabass model with excellent responsiveness and followability.

PRICE :

LURE: 5~35g

LINE : PE 0.6~1.5



90MI-M

The entire rod is designed to bend deeply while providing a light feeling of use. This flexibility allows the rod to absorb the powerful thrashing and dashing of the fish while preventing hook-outs once the seabass get airborne.

●710MI-MH

「As the power description "ML-MH" indicates, the characteristics of this model can clearly be seen in the bending curve. The butt section has the same stiffness as 95MH, and it will not give in to lunker class seabass. On the other hand, when the rod is loaded. the tip to belly section flexibly bends, demonstrating the ability to easily cast lightweight lures, like the 90ML-M,

95MH

It is not only equipped with long-distance castability that allows easy swing through with large minnows, but also exhibits fighting performance that allows anglers to stop lunker-sized fish and reel them closer even in the strongest rapids and currents.

•76M-XH/B

While it boasts a high response when casting and controlling big baits, the flexibility of the tip makes it versatile enough to handle standard-sized minnows as the main lure or as a follow bait.

●106M-MH

In addition to its ability to cast heavy lures long distances in the surf area, its versatility allows anglers to search for break-lines while utilizing finesse lightweight lures.

1010MH

It is characterized by the stiff butt to belly section, allowing anglers to sharply cast out heavy lures. With its outstanding castability and power to control the fish in the rough seas, it is an ideal rod for anglers to not only target seabass but also black fin seabass off the rocks.

●710MI-MH

This model, which is characterized by outstanding operability, s balanced to have the load closer to the anglers' body so that you can easily control the rod. This has greatly improved the operability of the lure. Since the weight of the rod feels drastically lighter, this will reduce the load on the angler when working the rod hard.

•1010MH

The disadvantage of long length rods are their sluggish weight at the tip. This can be a serious disadvantage for the anglers in situations that require physical endurance, such as long fishing trips or running around different locations. The 1010MH is a model that anglers can swing so lightly that it's hard to believe it's 10ft10in long, while making it easy to cast super long distances. As a result of careful attention to rod balance, the weight balance has been set close to the hand even when a relatively lightweight reel is set. This is the secret to the light weight feel of the rod and the reason why we call the 1010MH the next generation of surf rods!

90MI-M / 95MH / 106M-MH

These three models are compatible with a wide range of reel weights and are well-balanced and highly versatile. You can use them comfortably, from simple reeling of the lure or anglers who want to animate their lures with plenty of rod work. ●76M-XH/B

Due to specific characteristics of bait-casting models, they tend to have the weight balance closer towards the anglers. However, as this model is designed to handle large lures, we paid close attention to its balance.





RLY51

EARLY for Boat series is to enjoy the game of Black porgy, Seabass, Small blue runner, Flat fish, and Rock fish on inshore. The 2025 new product "510ML" is a model with excellent operability and maneuverability to aim Spanish mackerel, Seabass or Black porgy. Although it is an aggressive model that intentionally makes them bite the minnow by jerking it, it bends deeply after hooking, so you can enjoy the fight fully even if it is small size.



ERY-510ML Power: Medium Light Class Length:5ft 10in Spec / Lure: 5~21g Line: Pe 0.6



An aggressive light boat casting model with compact handling and light operational performance.

t facilitates sharp jerking actions of top water lures and minnows, allowing the angler attract and switch on the inactive fish. The rod length is exceptional for rod work, and provides excellent casting accuracy for pinpoint shooting towards structures. This is a highly responsive rod that allows you to enjoy your local bay area targeting species such as abass, Spanish mackerel and bream.

PRICE :	
LURE : 5~21g	
LINE : PE 0.6~1.2	

Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Up lock nut •Suitable reel size: D: LT2500~3000 / S: 2500~3000

Target : Spanish Mackerel · Seabass · Bream Lure : Minnow · Vibration · Pencil bait

Spinning Model / 2pcs (Put over Ferrule)

Guide: SiC-S stainless frame K guide (Fuii)

•Lure : Minnow • Vibration • Spin tail • Pencil bait

•Suitable reel size: D: LT2500~3000 / S: 2500~3000

Target : Seabass · Bream · Spanish Mackerel · Rock fish

Reel seat: VSS16 (Fuji) Up lock nut

Small sized Blue runner





Suitable for all situations in the coastal area, from structure around port to open waters.

PRICE : LURE:7~32g LINE : PE 0.8~1.5

Weight: 104g

a.325mm

a.285mm | b.400mm | Length: 2055mm Closed length: 1060mm

This is an all rounder model ideal for light boat casting game targeting Bream, Seabass

and Spanish-Mackerels and other small blue-runners. With the sharp regular tapered

blank settings, anglers will be able to cast to pinpoint accurate holes and structures while still being able to cast long distances in the open area. The rod responds well to various

ures including minnow, shads, sinking pencils and dog walking of topwater lures.

This is the one that cover from bottom to surface. it is varsatile overhead model for boat casting game.



The rod is ideal to target rock-fish from boats. With the stiffness and sensitivity, anglers PRICE : will be able to feel for bottom structures to effectively maneuver your rigs and induce the pite. The rod possesses high resilience and will efficiently rip the fish off the bottom LURE:10~50g structures to eliminate any bust offs. It is also a versatile rod able to handle various rigs LINE: PE 1.2~2.5 including metal type jigs, vibration lures, deep-diving minnows, 40~50g joint type lures and even subsurface 150mm class minnows for seabass.

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: ACS17 (Fuji) Down lock nut

Suitable reel size:S·D: # 150~200 ●Target : Seabass · Rock fish · Small sized Blue runner •Lure : Minnow • Jointed lure • Pencil bait • Metal jig













1			
N.	1-MARIA EARL		RY-99ML Power: Medium Light Class 19th 9ft 9in Spec / Lure: 3-25g Line: Pe 8
		,.	
	ML class that expand the possibilities of surf games. This finesse model The blank is equipped with the castability rivaling a 10ft class rod and capable of	-	ration performance and long cast performance. Spinning Model / 2pcs (Put over Ferrule)
	transmitting vital information about the currents and bottom structures through the	PRICE :	Guide: SiC-S stainless frame K guide (Fuji)
	sensitive blank. In addition to the jig-head rigged up with soft plastics and small 9cm class minnows and sinking pencils, anglers will also be able to utilize a more finesse	, cog	Reel seat: VSS16 (Fuji) Up lock nut •Suitable reel size:D: LT4000C~5000C / S: 4000~C5000
	class minnows and sinking pencils, anglers will also be able to utilize a more finesse approach with light weigh (12g) vibrations for high pressure situations. You can cast long		 Target: Flatfish · Seabass · Sea trout · Small sized Blue runner Lure: Plug · Jighead · Metal Jig
	distances to search the vast surf or cast with pinpoint accuracy to the breaks.		•Lure: Mughagneau - Necal arg
	0		
	a.410mm b.515mm Length: 2980mm Closed length	:1525mm Weight:155g	1
	A versatile long cast model that matches not only flatfish on su	rf but also sea bass in	tidal flat and estuarine areas.
	If you wish to cast and manipulate various kind of lures as such as minnow 9cm class,	DRICE	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji)
	sinking pencil minnow 40g, jig minnow or jig head, this EARLY 103M is going to be enable you to fish comfortably thanks to that excellent casting feel. As long as you have		Reel seat: DPS18 (Fuji) Up lock nut
	loaded power on blanks even small amount, you can get enough distance without losing		 Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 Target: Flatfish · Small sized Blue runner · Seabass · Sea trout
	energy and concentrations. This 103M can be handled by any level and type of anglers for sure,		• Lure : Plug • Jighead • Metal Jig
	Ior sure,		
	a.420mm b.525mm] Length : 3150mm Closed length :	1610mm Weight:174g	\mathcal{O}
	It sharpens its performance as a long-length plugging model ar	•	
	109MMH have been loaded specialized ability to deliver plugs much farther than you can imagine even if its small or big plugs. Flexible and sensitive tip section will be enable		Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji)
	you to not only cast light lure easily but also sense slightly changes of current or	LURE: 8~50g	Reel seat: DPS18 (Fuji) Up lock nut
	situations of bottom sea even in night time. You can handle plug around 45g without any stress as same as 105MH, so please take this 109MMH to aim seabass or black fin		 Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 Target: Flatfish · Small sized Blue runner · Seabass
	stress as same as 105MH, so please take this 109MMH to aim seabass or black fin seabass from rocky or sandy beach.		Black Fin Seabass · Sea trout • Lure : Plug · Jig minnow · Metal Jig
_			
6			-
	- 420 b 525mm L Leasth - 2205 Cleased leasth	1000 Wilchb 100-	
	a.430mm b.535mm Length : 3295mm Closed length	:1690mm Weight:195g	\checkmark
			%
	A long-range all-rounder with a wide range of lures and the pow	ver to keep any target i	
	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever	ver to keep any target	under control. Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji)
	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control	ver to keep any target i PRICE : LURE : 10~50g	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut
	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass,	ver to keep any target i PRICE : LURE : 10~50g	Spinning Model / 2pcs (Put over Ferrule) Guide: SIC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut •Suitable reel size :D: LT4000C-/S000C / S: 4000~C5000 •Target : Flatfish · Small sized Blue runner
	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control	ver to keep any target of PRICE : LURE : 10~50g	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut • Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 • Target: Flatfish - Small sized Blue runner Seabass-Black Fin Seabass-Sea trout
	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass,	ver to keep any target of PRICE : LURE : 10~50g	Spinning Model / 2pcs (Put over Ferrule) Guide: SIC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut •Suitable reel size :D: LT4000C-/S000C / S: 4000~C5000 •Target : Flatfish · Small sized Blue runner
	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass,	ver to keep any target of PRICE : LURE : 10~50g	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut • Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 • Target: Flatfish - Small sized Blue runner Seabass-Black Fin Seabass-Sea trout
	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers.	ver to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut • Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 • Target: Flatfish - Small sized Blue runner Seabass- Black Fin Seabass - Sea trout
-	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass,	ver to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut • Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 • Target: Flatfish - Small sized Blue runner Seabass- Black Fin Seabass - Sea trout
-	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers.	wer to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2 th:1630mm Weight:192g	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut • Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 • Target: Flatfish - Small sized Blue runner Seabass - Black Fin Seabass · Sea trout • Lure: Plug - Jig minnow - Metal Jig - Jig head
-	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers. a.435mm b.540mm Length: 3180mm Closed length It lead you the new surf game with super long cast and high set	ver to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2 th: 1630mm Weight : 192g	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut •Suitable reel size: D: LT4000C~5000C / S: 4000~C5000 •Target: Flatfish ·Small sized Blue runner Seabass-Black Fin Seabass ·Sea trout •Lure: Plug-Jig minnow ·Metal Jig-Jig head
-	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers.	wer to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2 th: 1630mm Weight : 192g Insitivity that brings ou	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut Suitable reel size: D: LT4000C-5000C / S: 4000~C5000 - Target : Flatfish · Small sized Blue runner Seabass · Black Fin Seabass · Sea trout - Lure : Plug · Jig minnow · Metal Jig · Jig head
	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers. a.435mm b.540mmJ Length : 3180mm Closed length With long distance casting being absolute essential for the surf game, the 105MMH Overhead reel model was developed to shoot out lures in the vast surf without any stress and maximize the ability of the high performance bait casting reels out on the	ver to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2 th: 1630mm Weight : 192g nsitivity that brings ou PRICE : LURE : 15~50g	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut • Suitable reel size : D: LT4000C~S5000C / S: 4000~C5000 • Target : Flatfish · Small sized Blue runner Seabass · Black Fin Seabass · Sea trout • Lure : Plug · Jig minnow · Metal Jig · Jig head
-	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers. a.435mm b.540mm Length : 3180mm Closed length It lead you the new surf game with super long cast and high ser With long distance casting being absolute essential for the surf game, the 105MMH Overhead reel model was developed to shoot out lures in the vast surf without any stress and maximize the ability of the high performance bait casting reels out on the market today. You will be able to feel for the change in flow, current and underwater	ver to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2 th: 1630mm Weight : 192g nsitivity that brings ou PRICE : LURE : 15~50g	 Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut Suitable reel size: D:: LT4000C-%5000C / S: 4000~C5000 Target: Flatfish · Small sized Blue runner Seabass · Black Fin Seabass · Sea trout Lure: Plug · Jig minnow · Metal Jig · Jig head Int the performance of overhead reel. Guide: SiC-S stainless frame K guide (Fuji) Reel seat: ACSI7 (Fuji) Down lock nut Suitable reel size: D / S: around #200 Inter: Flatfish · Small Sized Blue runner · Seabass
-	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers. a.435mm b.540mmJ Length : 3180mm Closed length With long distance casting being absolute essential for the surf game, the 105MMH Overhead reel model was developed to shoot out lures in the vast surf without any stress and maximize the ability of the high performance bait casting reels out on the	ver to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2 th: 1630mm Weight : 192g nsitivity that brings ou PRICE : LURE : 15~50g	 Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut Suitable reel size: D: LT4000C-%5000C / S: 4000~C5000 Target: Flatfish · Small sized Blue runner Seabass · Black Fin Seabass · Sea trout Lure: Plug · Jig minnow · Metal Jig · Jig head Ut the performance of overhead reel. Gverhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: ACS17 (Fuji) Down lock nut Sutable reel size : D / S: around #200 Target: Flatfish · Small sized Blue runner · Seabass Black Fin Seabass · Sea trout
-	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers. a.435mm b.540mm Length : 3180mm Closed length It lead you the new surf game with super long cast and high ser With long distance casting being absolute essential for the surf game, the 105MMH Overhead reel model was developed to shoot out lures in the vast surf without any stress and maximize the ability of the high performance bait casting reels out on the market today. You will be able to feel for the change in flow, current and underwater	ver to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2 th: 1630mm Weight : 192g nsitivity that brings ou PRICE : LURE : 15~50g	 Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut Suitable reel size: D:: T4000C-%5000C / S: 4000~C5000 Target: Flatfish · Small sized Blue runner Seabass · Black Fin Seabass · Sea trout Lure: Plug · Jig minnow · Metal Jig · Jig head Int the performance of overhead reel. Guide: SiC-S stainless frame K guide (Fuji) Reel seat: ACSI7 (Fuji) Down lock nut Suitable reel size: D / S: around #200 Target: Flatfish · Small Sized Blue runner · Seabass
-	A long-range all-rounder with a wide range of lures and the pow This 105MH have most powerful blanks of 10ft series to deliver 50g of lure farther than ever you have reached, Especially the butt section of 105MH have been loaded huge power to launch heavy lure farther than your expectations and also to keep big target under control without losing initiative. High versatility employed to blanks for target as such as seabass, black fin seabass, or blue runner from rocky and sandy beach, rocks or piers. a.435mm b.540mm Length : 3180mm Closed length It lead you the new surf game with super long cast and high ser With long distance casting being absolute essential for the surf game, the 105MMH Overhead reel model was developed to shoot out lures in the vast surf without any stress and maximize the ability of the high performance bait casting reels out on the market today. You will be able to feel for the change in flow, current and underwater	ver to keep any target of PRICE : LURE : 10~50g LINE : PE 1~2 th: 1630mm Weight : 192g nsitivity that brings ou PRICE : LURE : 15~50g	 Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: DPS18 (Fuji) Up lock nut Suitable reel size: D: LT4000C-%5000C / S: 4000~C5000 Target: Flatfish · Small sized Blue runner Seabass · Black Fin Seabass · Sea trout Lure: Plug · Jig minnow · Metal Jig · Jig head Ut the performance of overhead reel. Gverhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: ACS17 (Fuji) Down lock nut Sutable reel size : D / S: around #200 Target: Flatfish · Small sized Blue runner · Seabass Black Fin Seabass · Sea trout











b.450mmj Length: 2100mm Closed length: 1080mm Weight: 125g

EARLY ALL-CASTING series is sought after the most important aspect for the lure game, "cast farther" and "cast more accurately". Our lineup of rods are built with not only these vital values sought after in the shore casting game, but also controllability, highly responsive and powerful blank for anglers to pursue their methods and styles of fishing. In addition, the vast lineup of the EARLY series are divided into different addition, the vast lineup of the EARLY series are divided into different genre depending on situations and will only have simple specifications written on the blank so we do not limit the anglers options and creativity. Feel free to choose the model that best suits your style and enjoy a one-of-a-kind fishing experience.

The EARLY for Surf are long distance casting models developed to meet the needs of surf casting. With the concept focusing on long distance casting, the light weight blank and light casting feel will allow anglers to maintain their concentration throughout the day. Although these are designed mainly for the surf game, its versatility will enable anglers to utilize these models for various games requiring long distance casting.



For more details of categor YB Official Web site

EARLY for **Rock**


Rock Fish Model / 3 Lineup

In the pursuit to develop the Early for Rock, we asked ourselves "What is the Rockfish game?". The blanks not only have strength and lightness but also have a highly efficient ability to restore its original form. In other words, the bent blank will flex back to its straight form, peeling the fish off the bottom and other structures efficiently. The stiff yet sensitive tips are highly sensitive to any changes in sea conditions while being versatile, enabling anglers to utilize various types of rigs and styles of fishing.



EARLY for **Mobile**

Multi Piece Model / 3 Lineup FARLY for Mobile



IThe EARLY for Mobile models are multi piece mobile pack rods which are able to separate into 3~4 pieces. These rods were developed to feel like a 2-piece rod as we refused to sacrifice the rod's performance in exchange for mobility. The rod's superior performances will not only assist the angler's fishing but the mobility has also added a new meaning to "versatility". When in your fishing grounds, we are limited in what we can use. The compact rod can easily be carried around stress free on bikes, bicycles and other public transports which you may use to access your fishing grounds in large cities.



ng Seabass will enable ws, jig head ht game on ns.	PRICE : LURE : 5~24q	Spinning Model / 4pcs (Put over • Grip Joint) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Up lock nut						
	LINE : PE 0.6~1.2	 Suitable reel size: D: LT2500~3000 / S: 2500~3000 Target: Seabass-Black seabream and any kind. Lure: Plugs-Pencil bait-and any kind. 						
igth : 667mm	Weight:126g							
h handling	ability and outstandi	ing cast performance.						
ng. You will e type lures the surf by	PRICE : LURE : 10~60g	Spinning Model / 4pcs (Put over • Grip Joint) Guide: SiC-S stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Up lock nut						
ss bending e trave l ing	LINE: PE 1~2	 Suitable reel size: D: LT4000C~6000 / S: 4000~C5000 Target: Seabass- Blue-runner - Flatfish and any kind. Lure: Plugs-Heavy iig head and any kind. 						

against the omestic or bass in the ore tropical d the world	PRICE : LURE : 8~55g LINE : PE 1~2	Spinning Model / 3pcs (Put over - Grip Joint) Guide: SIC-5 stainless frame K guide (Fuji) Reel seat: VSS16 (Fuji) Up lock nut •Suitable reel size: D: LT3000C~5000C / S: C3000~C5000 •Target: Seabas- Spanish Mackerd- Blue runner-Rock fish and any kind •Lure: Plugs - Heavy jig head - and any kind.


The recommended targets and method for EARLY series

© = Highly recommended O = Recommended +BOAT = Shore and off shore BOAT = Off shore only

Although, EARLY series is categorized as those characteristics, you can use them beyond the bounds of category of course. Please refer to chart table to choose one for your style, target and method.

EARLY Series		E	ARL: or Surf	Y			EARL for Rock		Ea. for Se	RLY abass		EARI or Mobil			CARI for Boa	
Category&All models Target & Game	99 ML	103 M	109 ммн	105 мн	105 MMH/B	86 мн	104 H	93 MH/B	93 M	97 ммн	84 ML	96 MMH	76 ммн	510 ML	68 M	610 MH/B
Flat fish	\bigcirc	\bigcirc		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		\bigcirc		O BOAT	BOAT	
Models for fishing from the sandy				Oass" are a			u use the li			\bigcirc	\bigcirc	\bigcirc		O BOAT	BOAT	
A recommended model that is mainly inter Seabass Although 2 models from "for Seal	\bigcirc	\bigcirc			\bigcirc	\bigcirc		\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc) +BOAT	bows the load	reduces brea	BOAT
Black Fin Seabass	fversatility	of 109MA				aiming at l	O Black fin se	abass								
Small sized Blue runner ~3kg All models are recommendable. Pleas	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc					+BOAT			BOAT
Blue runner ~5kg Models for Yellowtail up to 5kg. E	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc							\bigcirc	+BOAT	BOAT	BOAT	BOAT
Light Rock fish	\bigcirc					\bigcirc	aquipped	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	+BOAT	BOAT	BOAT	BOAT
Rock fish	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		\bigcirc	+BOAT		BOAT	BOAT
Although the models from "for Ro	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		\bigcirc		\bigcirc	\bigcirc		\bigcirc) +BOAT		BOAT	BOAT
Although, if you need to get maxi Bream 84ML for Mobile is recommended						\bigcirc					the angle	rs who fish	with minn		BOAT	BOAT
Jewfish		\bigcirc				ar Mahila	\bigcirc	anauah h	utt power	ta kaap it u	ndar aantr	\bigcirc				
Hairtail	\bigcirc						WHICH HOVE	enough b				\bigcirc				
86MH for Rock is going be the or Red Bream These models are equipped sens	\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	0 n and eno	Ugh power	to keep red	O d sea bread	() m under co	Ontrol.	\bigcirc				

EARLY ALL CASTING BENDING CURVES



**These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently





This is the creation of a new style. Let's connect the various kind of fishing fields.



This special model was designed to enable anglers to utilize various lures up to 40g to target various species. Even with the light specifications, anglers w easily be able to go head to head with smaller Blue-runners around 3kg. In addition to its lightness, the exquisite 8.8ft length will bring about grea advantage to the anglers to find new targets in your local waters. You can go after Blue-runners, snappers, rock-fish, squid, black-fin seabass from the rock migratory species, flat-fish and seabass from the surf and monstrous seabass the river mouths. This one rod will enable you to go after many different specie in your local waters.



About YB88 CHAIN variable taper action

The YB88 CHAIN uses a wide range of lures and, of course, targets. To enjoy all of them without stress, the blank design has what can be described as a "variable taper action" in which the bend and power change gears depending on the load.

As a versatile model, the 2nd powered gear (the apex of the bend) plays an active role in handling various lure sizes and types. When casting a small lure or casting with a small form, it will enter the 1st powered gear and push the lure smoothly. Next, when casting a jig or plug such as heavyweight with a pendulum, bend from the second-stage powered gear and push out the lure with even stronger force.

The same applies to fights. In the case of small targets such as black porgy, the 1st powered gear is effective, and the flexibility of blanks that bend smoothly enables you to set the hook in the target's mouth surely while reducing the risk of letting it off the hook.Furthermore, in the case of a large target exceeding 3 kg, the 2nd powered gear on the butt section is activated. A huge power is activated from the butt section while bending smoothly, and it transforms into a rod that stands out for its excellent performance that allows you to control it as you wish without losing the initiative to the target. This variable taper action is the main feature of the YB88 CHAIN, and it's what sets it apart from the usual versatile models.




Real of the second seco

to ill	PRICE :
In	LURE: 8~40g
at	LINE: PE 0.8~2
jo	
S,	
in	
es	

Spinning Model / 2pcs (Spigot Ferrule)

- Guide: SiC-S Titanium frame K Guide+SiC Titanium frame RV Guide (Fuji) Reel seat: DPS17 · BACK STOP Double-Lock Nut (Fuji) · Up lock
- Suitable reel size: D:1T3000S~IT5000C / S:C3000~C5000 Recommended Target : Blue Runner (Amberjack ~3kg / Yellowtail ~5kg), Small sized migrant (Bonito, Spanish mackerel, Dolphinfish) Various rock fish (~2kg), Red sea bream, Large squid, Sea bass Black fin seabass, Hairtail, Black sea bream
- Recommended Lure: Metal jig · Minnow · Top water plug Jig head · "Wind" type Jig head · Egi from #3.5 etc.

Length : 2650mm Closed length : 1355mm Weight : 138g



Comparison of bending of YB88 CHAIN with 4 levels of load in 250 g increments. The bending changes significantly from low load to higher load. As mentioned in the variable double taper design in the text, the moment the bending increases, a large power of recovery is created. The larger the bending of the static load, the greater the power of recovery.



BlueSniper Shore-Casting

ML-M

BlueSniper

M-MH

BlueSniper

副経営国

Shore Casting Series / 5 Lineup **BLUESNIPER**

Blue Sniper shore casting series from Yamaga Blanks which aims to be a tool that will inspire anglers in tough fields, pursuing ease of casting and handling to the utmost. Although power tends to be emphasized in games to aim blue runner from rocky shore, the essence is "casting performance". It has the ability to keep casting all day long without any stress, has a stable distance when casting long range, and has the ability to handle a variety of lures. Outstanding basic performance lead anglers to success in rough and tough fields.



BlueSniper RADAR CHART COMPARISON


STIFFNESS

PENCIL · Movability of diving pencils with emphasis on water JIG • Fasy to manipulate quick and continuous action of metal iig

POPPER · Ease of splashing and bubbling popper type lure

STIFFNESS · Tips that bends but is sharpness with high power of recovery

LONG CAST · All models have distance cast performance, but total distance cast performance including large plugs totally



Weight: 334g


96 with ease. Anglers will be pleasantly surprised with its ability to easily cast heavy weighing jigs and lightly maneuver these jigs with your rod action. It is not simply a stiff model, Whereas anglers will be able to manually control various types of hard lures responsively Η and the bending curve of the blank will help you efficiently lift the fish to the surface. It is he next generation of H class rods enabling anglers to create new styles of fishing. While the 11ft length has given the rod outstanding casting distance, the well-balanced rod will allow anglers lightly control their hard lures with ease. The tip is flexible for anglers to smoothly control the diving pencils while the powerful butt section will shut PL1() out the thrashing of the fish. These combined attributes will be of great advantage to anglers in sticky situations where the large target species are reluctant to bite and MH equire continued concentration from the angler. It is an ideal model for the hardcore anglers who want to allure the fish with surface and sub-surface lures. We were after a high powered model especially designed for anglers to lightly and


a.515mm ı

b.730mm | Length: 3215mm Closed Length: 1650mm

14

These five items do not represent all of the rods. Depending on the length, etc., the feeling of the angler sed will change. Please use this as a quide.







Blue Current Wizy Whizzy tech for Free Style Light Game

LIGHT GAME CATEGORY

BlueCurrent Wizy / Light Game Model / 5 Lineup

"More fun and more freestyle with Wizy!"

The 5 models of the BlueCurrent Wizy series were developed to bring more fun and freedom to your light game. The naming "Wizy" comes from the word "Whizzy," which means "to have extraordinary talent." The multi-piece model released this year is not only highly portable, but also comparable to the two piece models.

The series lineup consists of 5 models in total: 3 models (610, 710 and 810) in the versatile series, and 2 models (72 and 72B) in the highly responsive series, all of which are 4-piece (4-piece) models with excellent portability. The three models in the Versatile series are highly versatile multi-piece models that have mild user feel where anglers can utilize simple jigs to hard bodied lures.

We have thoroughly refined the basic performance necessary for "casting, control, and fighting".

The two multi piece models in the highly responsive series adopt a highly repulsive blank design and have been designed to emphasize sharper lure action. They specialize in attracting fish through sharp actions of jerk baits, minnows, metal jigs, and the winding technique. The bait casting model is also recommended for those who want to enjoy both shore casting and boat casting with the same tackle while traveling.

Only the "BlueCurrent" can exceed the "BlueCurrent".

The BlueCurrent series has undergone a model change, with settings that allow anglers to enjoy "bending and catching". From light targets to the unexpected monstrous fish, it is a rod designed to free anglers from any restrictions towards style, species or even methods. With each successive development, the BlueCurrent series have evolved into an "angler-first rod."

The multi piece model of the BlueCurrent Wizy series is a flagship light game model that embodies portability and functionality at a high level, and is the first of the new "BlueCurrent" series that aims to surpass the previous "BlueCurrent" and reach even higher heights.

BLUECURRENT WIZY SERIES LINEUP

BlueCurrent Wizy 610/4pcs BlueCurrent Wizy 710/4pcs BlueCurrent Wizy 810/4pcs BlueCurrent Wizy 72/4pcs BlueCurrent Wizy 72B/4pcs



or more details of category YB Official Web site 1701 - Fallen Castoners I

ANTINETO AND ANTIN AND ANTIN AND ANTINATION

CONTRACTOR OF STATES

BlueCurrent Wizy 610/4pcs

PRICE :

LURE: 1~10g LINE: PE 0.3~0.6

- Length: 2074mm Closed Length: 544mm Weight: 67g •Suitable reel size: D•S: 1000~2000 Spinning Model / 4pcs (Spigot Ferrule) Guide : SiC-S titanium frame K guide(Fuji) Reel Seat: VSS16 (Fuji) Down lock nut
 - •Target : Horse Mackerel Rockfish Migratory fish
 - ●Lure: Jighead · Small Sized Plug

a.265mm | b.325mm |

A specialized multi piece light game model for anglers to enjoy the jig-heads and micro lure game at a high level.

We have refined the basic performance that allows you to easily handle jigs and micro plugs without compromising the smooth bending curve and its sensitivity. With this new weapon, anglers are not limited to horse mackerel and rockfish in the harbour area, but can also venture out into the open rivers, rocky beaches and the vast surf to target any swimming species that fall under the "light game" category, thanks to its outstanding ability to adapt and support the angler in any given field, species or method.

BlueCurrent Wizy 710/4pcs

PRICE :

LURE: 1.5~20g LINE: PE 0.4~0.8

ROD DETAIL

Length: 2397mm Closed Length: 638mm Weight: 82g • Suitable reel size: D•S: 2000~2500 Spinning Model / 4pcs (Spigot Ferrule) Guide : SiC-S titanium frame K guide(Fuji) Reel Seat: VSS16 (Fuji) Down lock nut

- ●Target: Horse Mackerel Rockfish Migratory fish Bream
- ●Lure: Jighead · Small Sized Plug · Small Sized Rig



A highly versatile pack rod with outstanding balance of controlability, sensitivity and castability.

It features a highly balanced blank design that focuses on the harmony of flexibility and repulsive force. In long distance casting games using sinkers and Carolina rigs, you will be able to feel for slight changes in the current and sense the smallest of nibbles through the blank, and swiftly hook your target. It has excellent lure maneuverability and is versatile enough to handle top/bottom bream fishing and even light rock fish games. This is a rod that allows you to enjoy a variety of situations and targets.

BlueCurrent Wizy 810/4pcs

PRICE :

LURE: 3~25g LINE: PE 0.4~1

Length: 2692mm Closed Length: 705mm Weight: 95g Spinning Model / 4pcs (Spigot Ferrule) Guide: SiC-S titanium frame K guide(Fuji) Reel Seat: VSS16 (Fuji) Down lock nut

●Suitable reel size:D・S: 2000~2500 •Target : Horse Mackerel • Rockfish • Seabass • Bream • Squid

●Lure : Jighead • Plug • Rig • Metal Jig • Egi



A long range model with combined characteristics of power, castability, finesse and high sensitivity.

This is a model to tackle long-distance areas with its delicate and high-powered characteristics. It will help anglers in all situations that require long distance casting, from ports to surf, rivers, and lakes. In particular, it ensures sufficient casting distance even in ultra far casting games using sinkers and carolina rigs. In addition, this model is suitable for targets utilizing small bodied lures in the suburban areas. The unique finesse pattern where seabass feed on small sandworms or firefly squid would be ideal with this rod.



F	or more detail	S





Blue Cunnent

BlueCurrent Wizy 72/4pcs

PRICE :

LURE: 2~21g LINE: PE 0.4~0.8

ROD DETAIL

Length: 2185mm Closed Length: 576mm Weight: 73g ●Suitable reel size: D•S: 2000~2500 Spinning Model / 4pcs (Spigot Ferrule) Guide: SiC-S titanium frame K guide(Fuji) Reel Seat: VSS16 (Fuji) Down lock nut

•Target : Seabass • Bream • Rockfish • Flatfish • Migratory fish ●Lure:Plug·Metal Jig·Jighead·Rig



A highly responsive model to animate your lures through rod work.

An aggressive multi-piece model that is built with an outstandingly sharp cast feel and light operational performance. This is an action-oriented fishing rod that targets a variety of species ranging from seabass, bream to even flat fish from the boat or land based fishing. This is a lightweight, highly repulsive, highly responsive multipiece model that can cover everything from plugging games targeting migratory species, to micro jigs, jig head rigs and winding games techniques for various other species.

BlueCurrent Wizy 72B/4pcs

PRICE :

LURE: 2~21g LINE: PE 0.4~1

Overhead reel Model / 4pcs (Spigot Ferrule) Guide: SiC-S titanium frame K guide(Fuji) Reel Seat: PMTS17 (Fuji) Down lock nut

Length: 2185mm Closed Length: 576mm Weight: 87g • Suitable reel size: D • S: Overhead Reel For Ultra Fine Line •Target: Seabass • Bream • Rockfish • Flatfish • Migratory fish ●Lure: Plug · Metal Jig · Jighead · Rig

BlueCurrent Wizy ROD BAG DETAIL

BlueCurrent Wizy comes with a special nylon rod bag. Available in four sizes depending on the length of the rod, it is useful for both carrying and storing. Rods can be stored in separate sections and has two pockets for storing small items needed for your fishing trips. A resin protection plate is built into the rod storage surface, and when the bag is rolled up, it provides protection similar to that of a semi-hard case. This is an original bag that can be folded in half or rolled up.



%Please note that specifications of rod bag might be changed without notice.

BlueCurrent Wizy **2WAY STYLE BAG**



By rolling up the bag, the handle will be stored on the inside and can be placed in suitcases or backpacks for your travels.



A technical pack rod which allows anglers to enjoy the direct connection with the fish and outstanding casting accuracy.

The highly-responsive blank that capitalizes the benefits of bait tackle, supports the angler with high casting accuracy and long-distance casting while reducing backlash through the efficient blank recovery when casting.

It covers all situations and a wide range of methods, from tight casting around canals, small rivers, and harbour structures where casting accuracy is essential, in addition to estuaries and lakes that require long casting. Anglers will be able to enjoy this multi piece bait model from both boats and land-based fishing with a "direct" connection with your target.

BlueCurrent Wizy BENDING CURVES

The illustration shows the comparison of different models in the BlueCurrent Wizy multi piece series with a static load of 250g. The versatile models 610, 710, and 810 are characterized by flexible bendy blanks, 72S and 72B are focused on the high responsiveness for lure operability equipped with a sharp blank design throughout the rod.



20







Wizy610

The stiffness in the tip section has been reduced or easier control of jigs and micro plugs. It features seamless fighting performance typical of BlueCurrent series, allowing you to enjoy the flexibility of the blank once it is loaded with the

Wizy710

e have equipped the rod with sufficient stiffness rom the tip to the belly section so that anglers an utilize light Carolina rigs, top water/bo umping for bream and light rock fish games.

 Wizy810
 This model has been designed with stiffness for anglers to perform long casts targeting light to middle class species. The tip section has been built with flexibility to reduce miss-bites and anglers can utilize floating rigs and light sinking ncile

Wizy72S&72B

hese models are built up with the same blank and an be characterized by their easy handling and utstanding operability of lures for use off boats or nd-based fishing. It is designed to have a stronge verall stiffness compared to the Wizy710.



Light Game Model /13 Lineup Blue Current

3Que Current

For the BlueCurrent III, we aimed to expanded the release point for easier casting. created a seamless bending curve to prevent any hook-offs and improve the response time as if the rod was part of the anglers body. The lineup comprises of 9 spinning and 4 bait-casting models. User-friendly being the biggest attribute of the series, the rods are a work of art. We hope you can experience the spirit of Yamaga Blanks first handedly.



YB Official Web site

Lure: Max 10g (Jighead 0.3-7g | Rig 1-10g) Line: NO.1-0.5 (NYAFC 1-50 YAMAGA

This is a special model that combines sensitiviness and sharpness for targets that require a variety of strategies. BlueCurrent **II**





Bream, seabass and rock-fish being its main target species, the flexible tip and resilient Spinning Model / 2pcs (Put over Ferrule) DRICE Guide: SiC-S stainless frame K guide(Fuji) blank is best suited for hard lure games. Although you can use free rigs, jig-heads and LURE : Max 15q Reel seat: VSS16 (Fuii) Down lock nut soft plastic lures, it is ideal for anglers to utilize hard bodied lures for your top-water (Plug 2~15g/Float 3.3~15g/Rig 1~15g) •Suitable reel size : D: LT2000~2500 / S: 2000~2500 popping games targeting bream and seabass feeding on micro-baits. The flexible tip, LINE: PE 0.3~0.8 Target : Black sea bream · Seabass · Rockfish · Flatfish resilient belly and powerful butt section will support anglers until the very end of the Lure: Rig · Metal Jig · Plug fiaht. Length: 2350mm Closed length: 1200mm Weight: 790 A long length model with a sharpness on casting and this is one for delivering lightweight jig head further. Spinning Model / 2pcs (Put over Ferrule) Even if you cast small iig head a long distance, you will not lose your sense to feel PRICE Guide: SiC-S stainless frame K guide(Euii) movement of jig head with this 711. Also, 711 which is categorized in long length model LURE : Max 11g Reel seat: VSS16 (Fuji) Down lock nut though, transmits information of underwater world and vital information constantly even (JH 0.5~7g/Rig 2~11g) Suitable reel size: D: LT1000~2500C / S: 1000~2500 in rapid water or deep area. Flexible and sensitive tip section will let target bite your jig LINE : PE 0.2~0.6 head without strangeness and powerful butt section will lead you assured landing. Target : Horse Mackerel · Rock fish · Migratory fish •Lure : Jig head • Small Sized Rig • Small Sized Plug a.300mm | b.365mm | Length: 2425mm Closed length: 1245mm Weight: 81g This 82 have been funed as sharper to get more distance than previous model. Although Spinning Model / 2pcs (Put over Ferrule) PRICE Guide: SiC-S stainless frame K guide(Fuji) butt section has been enhanced, whole blanks bend smoothly and recover powerfully. LURE : Max 20q Reel seat: VSS16 (Fuii) Down lock nut On the other hand, sensitiveness and flexibility of tip section have been sharpened to (JH 2~20g/Float 3.3~20g/Jig 2~20g transmits information that angler needs. You can handle not only plugs around 7~9cm •Suitable reel size: D: LT2000~2500C / S: 2000~2500 Rig 2~20g/Plug 2~15g) Target : Bream · Seabass · Rock fish · Horse Mackerel to aim seabass or black sea bream but also of course use jig head up to 20g with mming action to aim rockfish. LINE: PE 0.3~0.8 ●Lure: Metal Jig · Rig · Plug · Jighead a.325mm | b.390mm | Length: 2495mm Closed length: 1280mm Weight: 83g This is a short range finesse model for Overhead reels that can handle lightweight jig heads. This is 2 pcs overhead model to aim selective and spooky target at close range. Even if Overhead reel Model / 2pcs (Put over Ferrule PRICE Guide: SiC-S stainless frame K guide (Fuii) you have to use jig head under 1g, you can feel the weight of it when you cast and +SiC-S titanium frame RV Guide (Fuji) LURE : Max 4.5g (JH 0.5~4.5g) nanipulate and also you can get enough distance to reach targets comfortably, As Reel seat: PMTS17 (Fuii) Down lock nut taking advantage of overhead tackle, you can keep tension of line while letting jig head LINE: PE 0.3~0.5 Suitable reel size: Overhead Reel For Ultra Fine Line







BlueCurrentⅢ BlueCurrent II This is a long distance model that allows you to operate float rig, Carolina rig, and metal jig over a long distance gently. BlueCurrentⅢ



fall into the range where the target must be there.



This is a technical Overhead reel model that enable you to manipulate jig head and plug with reeling method comfortably. BlueCurrentⅢ



This is the standard model of overhead series that let you cast and manipulate jig head and plug as exactly as you wished. Tip section which have been loaded flexibility and sensitivity will transmits vital information clearly and belly section that have moderate stiffness make light wind action comfortably. Especially when you fish with plug, the potential of 69 overhead model will be pulled out. You will notice that you can give the action to plug as exactly as you have planned.



This is the one that to explore the possibility of bottom water game with the gentle reeling performance of the overhead reel. BlueCurrent **II**



This super sensitive bait-caster model is ideal for use with free-rigs and Texas-rigs in the vast Overhead reel Model / 2pcs (Put over Ferrule PRICE surf, estuaries, break-waters and pebble-beach situations to go after the bream, flat-heads and Guide: SiC-S stainless frame K guide(Fuii) LURE : Max 15g Reel seat: PMTS17 (Fuji) Down lock nut other bottom fish. The flexible tip will allow for a smooth bite and successful hook up while the (Plug 2~15g/Float 3.3~15g/Rig 2~15g) • Suitable reel size : Overhead Reel For Ultra Fine Line sensitivity will help transmit the texture of the seabed through the blank. The power of recovery Target : Black sea bream · Seabass · Rockfish · Flatfish in the belly section will help anglers get out of snags and allow for thorough sweep of the LINE: PE 0.4~0.8 •Lure : Rig · Metal Jig · Plug bottom area. Anglers will be able to enjoy this rod in their local fields in any given situation.



A long-length Overhead reel model with an outstanding cast feel that can be delivered lure with an overwhelming range.



Although this is over 8ft long, you can handle like it is 7.6ft long thanks to sharpness and PRICE : lightness of blanks themselves. Tip section which have flexibility to manipulate lure gently link to butt section which is strong enough to stop the powerful run of large target. This deserved to be called all mighty overhead rod to cover various situations and target such as surface game for seabass or black sea bream, rock fish game and mackerel of





NY · FC 3~5b

Target : Horse Mackerel · Rock fish · trout Lure : Jighead · Small Sized Plug · Small Sized Metal Jig

LURE : Max 7g (JH 0.8~7a/Plua 1.6~5a/Ria 1~7a) LINE : PE 0.3~0.6 NY · FC 3~6lb

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuji) +SiC-S titanium frame RV Guide (Fuii)

Reel seat: PMTS17 (Fuji) Down lock nut • Suitable reel size : Overhead Reel For Ultra Fine Line Target : Horse Mackerel · Rock fish · Migratory fish •Lure : Jighead · Small Sized Plug · Small Sized Metal Jig

PRICE

LURE : Max 20g (JH 2~20g/Float 3.3~20g/Jig 2~20g Ria 2~20a/Plua 2~15a) LINE: PE 0.4~0.8 NY · FC 4~10lb

Overhead reel Model / 2pcs (Put over Ferrule) Guide: SiC-S stainless frame K guide (Fuii) +SiC-S titanium frame RV Guide (Fuji) Reel seat: PMTS17 (Fuji) Down lock nut Suitable reel size: Overhead Reel For Ultra Fine Line Target : Rock fish · Seabass · Bream · Horse Mackerel ●Lure: Jighead · Rig · Plug · Metal Jig

BlueCurrent TZ/NANO Light Game Model / 8 Lineur

BlueCurrent TZ/NANO series are flag ship models which are filled with our knowledge and techniques of designing blanks of light game.Carbon prepreg which NANOALLOY® technology have been applied is chosen and TORZITE ring guides which are light and less friction are loaded. Once you fish with this series, you notice the lightness and sensitiveness, casting feel that you never get unwanted wobble and massive butt power hidden in butt section that will be increased when it is bent.







This is a special plugging model with aggressiveness and sensitiveness that let you strike even a slight contact.



This plugging model was developed to enable anglers to sense the subtle changes in water pressure and currents with outstanding balance to breathe life into your lures through rod action. The tip section is designed to be stiff to give the lure variant action while the whole blank will bend in to reduce hook offs. When simply retrieving minnows and sinking pencils, the super sensitive tip section will immediately transmit the smallest of bites enabling anglers to swiftly hookup with the belly section of the blank.

PRICE LURE: Plug 1.5g~6g JH 0.5g~5g LINE : PE 0.1~0.4

Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuii Reel seat: VSS16 (Fuji) Down lock nut Suitable reel size · D· IT1000~2000 / S· 1000~C2000 •Target : Horse Mackerel • Rock fish • Migratory fish Lure: Small Sized Plug · Jighead



a.270mm | b.335mm | Length : 2100mm Closed length : 1075mm Weight : 64g

This plugging model emphasizes retrieving method with high sensitivity and natural lure appeal.



The blank is designed to have contradicting characteristics of sharpness and flexibility in order to successfully hookup the subtle "sucking" and "nibbling" bites. The rod will smoothly respond to your hooking followed by the fight, Anglers will be able to pick up those minute bites when the targets are feeding on micro baits by slowing drifting your lures in the current.

LURE: Plug 1.5g~6g JH 0.3g~5g LINE : PE 0.1~0.4

PRICE

Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut Suitable reel size: D: LT1000~2000 / S: 1000~C2000 •Target : Horse Mackerel • Rock fish • Migratory fish •Lure : Small Sized Plug • Jighead

a.275mm | b.340mm | Length: 2220mm Closed length: 1135mm Weight: 67g



120

Accurate lure operation and high castability. A model for skillful use of lightweight jig heads and microplugs.

BlueCurrent 62TZ Nano have gotten sharpness within blanks themselves and once fish is on, its bend nice and smoothly from tip to butt section. Thanks to NANOALLOY® technology from TORAY, you can keep fish under control at your own will and you cast lure with minimum motion so you do not have to worry about rough condition if you choose it. We have sharpened this 62TZ Nano up to manipulate both jig head and plug gently with high sensitivity.

PR	ICE :
LU	RE∶JH ~3g
LI	NE: NY · FC 1~3lb

Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2000 / S: 1000~C2000 Target - Horse Mackerel - Rock fish •Lure : Jighead • Small Sized Plug

a.205mm | b.275mm | Length: 1880mm Closed length: 965mm Weight: 53g



A basic model with cast performance and operability that uses a lightweight jig head to cover various situations. This is specialized model for jig head game which is employed high sensitivity, PRICE

smoothness, and flexibility on blanks. Although it is nice and flexible, the sharpness and LURE: JH ~3g / Plug ~3.5g speed of blanks are progressed while reducing unwanted wobble of tip section. Taking LINE: PF ~0.4 full of advantage of NANOALLOY® technology, it has been achieved seamless bend curve and incredible power of recovery that let you enjoy not only big mackerel or NY · FC 1~3lb

Spinning Model / 2pcs (Put over Ferrule Guide: TORZITE Titanium frame K Guide (Euii) Reel seat: VSS16 (Fuji) Down lock nut Suitable reel size: D: LT1000~2000 / S: 1000~C2000 Target : Horse Mackerel · Rock fish Lure : Jighead · Small Sized Plug



rockfish but also even a small target.

a.265mm | b.330mm | Length: 2020mm Closed length: 1035mm Weight: 61g

A highly versatile model with enhanced sensitivity and operability when reeling in sharp usability and flexibility.





100


71TZ Nano is most regular action in BlueCurrent Jig head special series. Although this is PRICE specialized model for iig head game, you can approach to target with slow retrieving of LURE : JH 0.3g~5g / Rig ~7g small plug or light rig. The sensitivity while you are retrieving is high enough to sense Plug 1.6g~4.5g slightly changes of current and tiny vital information. Fish will take your lure without strangeness and blanks will bend smoother like seamless while on fighting. LINE: PE ~0.4 NY · FC 1~4lb


Spinning Model / 2pcs (Put over Ferrule) Guide: TORZITE Titanium frame K Guide (Fuji) Reel seat: VSS16 (Fuji) Down lock nut •Suitable reel size: D: LT1000~2000 / S: 1000~C2000 Target : Horse Mackerel · Rock fish · Migratory fish Lure : Jighead · Light rig · Plug · Light"Wind"














BlueCurrent III & TZ/NANO BENDING CURVE

Blue Current Light Game Series has models for various targets with light rigs. We compared all Blue Current III and Blue Current TZ/NANO models in terms of bending curves, matching on game(target/lure) and power. Please use this as a reference to understand characteristics of each model. *Static load comparison does not express all the characteristics of the rod. The rod's instantaneous force of recovery and feeling of use are not expressed. Please refer to this as a comparison of the power and condition of the rod.

BlueCurrent III



•BlueCurrent 78 and 78/B which specialize in bottom strategy, with the main focus being black •The majority of the lineup are JH specials which are designed for use with jighead rigs, while sea bream games, making it a series that allows you to enjoy a wider range of inshore games. The the others are more versatile and can be utilized to target varying species depending on your BlueCurrent III is a series that anglers who go beyond the framework of light games should use, as area utilizing various rigs and lures. it has the basic power to support detailed styles and freestyle with no choice of target. •The 610Plug and 73Plug are both designed with TZ/NANO and have a totally different

•For anglers who want to heighten the sensitivity, the bait casting model is ideal as the winding concept to other models. They are specifically designed for use with hard bodied lures to and sinking of your rig will directly transmit to your hands. Furthermore, it is also suited for the target Japanese Horse Mackarel and Japanese rock fish, and the usage of jighead rigs can be considered as an alternative secondary option. bait-finesse game targeting trout in streams.





BlueCurrent TZ/NANO

BlueCurrent RECOMMENDED TARGET & GAME STYLE

© = Highly recommended	O=Recom	nmended															
BlueCurrent series All models	Blue	eCwrre	ert N	lizy				-	B	Strive fo	Dr a New	رسور Era	τ- ∏	Γ			
Target & Game	610 71	10 810	72S	72B	53	510	63	69	74	76	711	78	82	53B	69B	78B	82B
Jig head~1g Horse Mackerel • Rock fish	\bigcirc				\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc		\bigcirc			\bigcirc	\bigcirc		
This model is compatible with	n the finesse li	ght game sty	le that use	es a very s	small jig I	nead of ~	1g and se	nses the	sensitive	bites wit	th horse r	mackerel	as the m	ain part.			
Jig head~3g Horse Mackerel • Rock fish To aim Horse mackerel, or Ro			arget of lig	aht game				\bigcirc	\bigcirc		\bigcirc			\bigcirc	\bigcirc		
							, sy.									\frown	
Jig head 3g~5g ^{Variety of fish To get distance in the headwi}	nd to aim Hor	se mackerel	or Rock fis	sh and to	fish with	(wind" %	e method	O for light	O rock fish	game, *	Twitch the	e rod tip up	o to flick th	ig head	\bigcirc	\bigcirc	
Small sized plug~5cm Horse Mackerel • Rock fish	\bigcirc		\bigcirc		\bigcirc	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc		\bigcirc	\bigcirc		
610 Quickness and 73 Seamle	ess which are	for plugging	game hav	e high ma	anipulabil	ity and ac	djustabilit	y to give	the actio	n to your	lure as y	ou wishe	d and pla	ned,	_	-	-
Plug 5~9cm Variety of fish Models which have both perfo	ormance of re	sponse and	power to a	im small i	migratory	/ fish sucł	n as Smal	l trevally	With quice	k action	and to air	© m seabas	© as with to	p water p	olugs,	\bigcirc	\bigcirc
Top water plug Variety of fish	C		\bigcirc	\bigcirc						\bigcirc	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc
This model uses a top water p	olug of about 8	5~9 cm and	allows you	to perfor	m quick a	actions, si	mall conti	inuous a	ctions, et	с,	\smile	\smile	\smile			\smile	\smile
Bottom game Bream • Flathead • Rockfish This model uses soft plastic Iu					hottom	It om ph		poitivity	during tra	aing and	root oot	\bigcirc				\bigcirc	\bigcirc
Caro / Float rig Horse Mackerel Rock fish • others		\bigcirc	\bigcirc	\bigcirc					\bigcirc	-	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc
Models can be reached to the	e spot where r	iever get wit	h just jig h	ead only, `	You can o	deliver the	e rigs furt	her than	you expe	cted with	nout losin	g sensiti	vity and r	nanipulal	bility.		
Rig 5g~ _{Rock} fish Models which can handle jig he	ead. Texas rig. I	Free rig. or lig	Int "wind"	© * to aim t	rock fish.	Fauipped	high man	ipulability	and pow), *Twitch	the rod tip u	© to flick the	
Metal jig 5g~ Variety of fish		0	\bigcirc	\bigcirc			J			\bigcirc	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc
Models which are recommend	ded for super	light shore ji	gging, Tho	ose have a	power, v	rersatility	and capa	icity to de	eal with t	he target	that muc	h bigger	than you	expected	d.		_
Versatile ~7g Variety of fish	\bigcirc								\bigcirc		\bigcirc	\bigcirc			\bigcirc	\bigcirc	
Models for anglers who wish to ai	m variety of fish	such as Hors	e mackerel,	Rock fish,	Small trev	ally, Barrac	uda, Black	sea brea	m, or Smal	l seabass	with light t	ackles. Yo	u should r	ot worry a	bout the b	ig one une	expected.
Versatile 7~21g Variety of fish		\bigcirc	\bigcirc	\bigcirc								\bigcirc	\bigcirc			\bigcirc	\bigcirc
Models which have high versa	itility to aim Bl	ack sea brea	m, Seabas	s, Hair tail	l, Squid fr	om shore	line and a	also lake	trout gan	ne with m	iinnows a	nd spoor	ns. It depe	ends on y	our ideas	and inspi	iration.
Trout	\bigcirc				\bigcirc	\bigcirc								\bigcirc			
Modele to be able to keep twi	the factor of the second s	and contract last	t atop oo v				atad wab	tellere events		laisa da fia		and the second s		(1) :			

Models to be able to keep twitching seamlessly and let it stop as you wished to without unwanted wobbles on tip. If you love to fish with overhead reel, III53/B is recommended.

●→BlueCurrent Wizy ●→BlueCurrent Members		Wizy 72/B	93TN 85TN 86AR
●→BlueCurrent Ⅲ			73AR Wizy 810
→BlueCurrent TZ/NANO This is characteristics comparison of BlueCurrent series. We have put an importance on sensitiveness and toughness as a favor of natural bending curve. Stiffness which is on this table have been caused by feeling when you actually fish and speed of pulling fish up to surface. On the other hand, we have considered that power on this table have been caused by the biggest size of fish according to limit of strength of line. We have considered that variation of target for light G7TN	Wizy 610 510PLG 71TN 73PLG	Wizy 72 176ST 83TN 70Trippers 174	III82/B III82 III78/B III78 III78
game category and even 53 have enough power to keep large horse mackerel under control.	60Jr		*Comparison chart shows strength and stiffness visually
46/B BETA 41 BETA			But it is based on reference value from the concept of design so the feeling of stiffness and strength of these rod is depend on personal equation. And also please note tha the stiffness doesn't mean the breaking strength.

BlueCurrent series have versatility to aim many kinds of target such as Horse mackerel, Rock fish, Black sea bream or Seabass and even more. Please refer to the chart table below when you wish to aim target and try new method with BlueCurrent series.

DideCu	rrent serie	85.									_
	-	B(7	veC Z/N			_			MEN	ИВЕ	R
62 JHSP	67 JHSP	71 JHSP	83 FLEX	85 All Range	93 All Range	610 PLUG	73 PLUG	41 BETA	46В вета	100 bata	7 A Rai
\bigcirc	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc	\bigcirc	\bigcirc		
\bigcirc	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	(
	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	0
\bigcirc	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc	\bigcirc	\bigcirc	\bigcirc	(
		\bigcirc	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc	\bigcirc	0
			\bigcirc	\bigcirc	\bigcirc					\bigcirc	0
				\bigcirc	\bigcirc					\bigcirc	
			\bigcirc	\bigcirc	\bigcirc					\bigcirc	0
			\bigcirc	\bigcirc	\bigcirc					\bigcirc	0
			\bigcirc	\bigcirc	\bigcirc					\bigcirc	
		\bigcirc	\bigcirc	\bigcirc	\bigcirc			\bigcirc	\bigcirc	\bigcirc	0
				\bigcirc	\bigcirc					\bigcirc	
								\bigcirc	\bigcirc		
								_			


Advantage given by bending



le release point, reducing the risk of miscasting

Reduction of hook-offs

The flexibility of the tip will allow even the weariest of horse mackerel to cessfully inhale the soft-plastic, creasing the probability of hooking up the fish. Once the fish is hooked, the entire blank bends seamlessly so you can enjoy the fight while the flexibility of the blank reduces hook-offs.







Sensitivity to collect vital information By keeping the angle between the lir and tip at about 90 degrees during tension fall of jig head rigs, the tip section will slightly bend and allow the blank to transmit the slightest of changes in the current or fish in pursuit through to your hand


For the unexpected monster. With the resilient blank settings, the powerful recovery force of the blank will help anglers successfully and unexpected monstrous fish by tightening the drag and actually stopping the fish. Anglers will be able to take initiative of the fight


from the get go by controlling the

direction of the fish and "enjoy

bending and catching".


























Calista 72L/TF

The Calista series, which was released in 2023, has high basic performance to meet the demands of the modern eging scene with each model having a clear concept. In 2025, the "72L/TF" will be added as an additional model to the Calista series.

The concept for the added model is to "induce the bite". The 72L/TF is by no means a light egi model nor a model that seeks to reduce the rod weight. The TF adopted in the naming stands for "Tactical Finesse" and is a model that takes into account the "tactical use of size 3 eqi" to catch large squid. With the increasing pressure from anglers, the eging scene has become more and more difficult and anglers are resorting to use smaller size 3 egi to target the large size spring squids. It is a technical and reasonable strategy, but when changing the size from 3.5 to 3, many anglers will feel uncomfortable when maneuvering the egi.


There will also be technical situations where anglers will need to tightly control their egi through seaweed and other structures, feel for the different flow of the current at different depths and lively animate their egi to approach visible squids. The sensitivity required for these technical situations is in another level. In addition to the operability of the size 3 egi, the ultra sensitive blank will transmit the slightest of changes in the flow of current and bottom texture through the blank to your hands. Although it is classified as a L Class power, it will easily bend in once loaded while the highly repulsive blank characteristics of the Calista series creates a sharp feel to it. Thanks to this repulsion and resilience of the blank, this versatile rod can be utilized all season round as it can also handle size 3.5 egi. If 82ML/AR is one of the mainstream rods of the Calista series, 72L/TF is Yamaga Blanks answer to the ever changing and diversifying eging scene.




a.320mm | b.395mm | Length: 2515mm Closed length: 1285mm Weight: 98g


The radar chart visualizes characteristics that are difficult to quantify, but these five items do not represent everything about the rod. Depending on the length of else, the way the angler feels about using it will change Please use this as a guide only.

86N





These are comparison images of Mebius series which are loaded 500g weight on tip. Mebius series have been loaded more flexibility than calista series to get more versatility and usability. We have focused on cast feeling of Mebius series. Wide range of release point and power of recovery will provide you excellent feeling and distance of cast. Comfortability of casting and toughness as eging rod are directly linked to versatility for aiming at various target. Enough versatility that to be used for horse mackerel, rockfish. black sea bream, seabass or light jigging game is hidden in those blanks.



BattleWhip IM/OR/TR Ika Metal / OR / TR "BattleWhip" series to be adjusted boat eging scene which being developed day by day. We take advantage of skill, knowledges and experiences of designing fishing rod to shape the lineup of TipRun series, Ikametal series BattleWhip / Boat Eging and also Omoria, which are adjusted to segmentalized game.

(TIP RUN·IKA METAL·OMO RIG) / 9 Lineup



or more details of category YB Official Web site





120 E

Also powerful enough butt and belly section to cast sinker up to 150 safety and SINKER WEIGHT comfortably. Thanks to moderate stiffness of tip section vital information of squid will be transmitted very clearly. You can search as wide as you have wished and you can sense what is going on inside of water very clearly. You will definitely enjoy this squid game as you are having jigging game with it. (Tubeler Tip model)

: Cast Max #40(150g) LINE : Max PE 1

Guide: SiC-S stainless frame K guide (Fuii) Reel seat: VSS16 (Fuji) / Down lock Suitable reel size : D: LT2500~5000C / S: C3000~C5000 Target : Squid Lure: Omorig





Battle Whip in creater one by one angler sense slightly changes which is transmitted through blanks.


All of these models have given own specialized character one by one to make



TIP PUN FRING 1943 D 品格 a.295mm | b.360mm BattleWhip **TR**








•This is a comparison of 4 models of BattleWhip IM models with the angle of the rod almost horizontal with a static load of 150g. Due to the flexibility and bending of the tip section of the IM69S&B model, the slightest touches from squid will transmit to large movements of the tip for anglers to visually recognize the bite. The 511S&B is a model specialized to aggressively hookup the squid with its highly responsive operability. By reducing the bending of the blank, anglers can directly feel for the bites while improving the operability of the eq. It is a model that will expedite the reaction speed of anglers making it way more fun to fish with.

BattleWhip TR



•TR63/N have high sensitivity and ability of manipulation. You will feel moderate stiffness on blanks. Even you are fishing on tough situations, it will tell you vital information visually and transmit you slightly touch of squid sensuously


•The longest carbon solid section is loaded and it will tell you vital information even you are fishing on wavy condition. And also, mildest model in this series.

 Although TR69/D is for deep area and rapid current, you can handle it comfortably. Of course, you can use it with heavy weight of egi to get faster speed of fall as you have imagined.

a.460mm b.525mm Length: 2190mm Closed length: 1125mm Weight: 99g

•This is a comparison of the two models of BattleWhip OR with the angle of the rod almost horizontal with astatic load of 150g. The OB60B/C is designed for use with 190~225g usage vertically but can also easily cast and control 150g with the powerful butt section. Although the stiffness of the tip has been reduced for anglers to visually recognize the bites, the highly sensitive tubular blank transmits the slightest changes under the surface directly to your hands. The OR72/C is designed with a bendy tip section for anglers to easily recognize the slightest touches from the squid even when the rod is loaded with the weight of the sinker or jig. Anglers will easily be able to cast and control the 150g rigs in the depth thanks to the sharp belly to butt section of the rod.

Precaution for carbon solid tip model



•As we have mentioned, TB&IM series have been loaded carbon solid tip. The material of carbon solid tip is extremely delicate and fragile. So please careful with shock of impact and handle gentry when you fish and shored them with care. Although you can fish in properly use with them, it might be cause of breakage of carbon solid tip if you retrieve your lure too much or wind up knot into top guide.

2025 NEW MODEL Lupus for Area 61STT Type:SPECIAL TASK / TROPHY

The appeal of area trout lies in its unique style, method and field, where you can face the fish as equals and enjoy them purely. In addition, the evolution of tackle such as rods, lures, and lines offer endless new ways to enjoy the game on fishing ponds. We will continue to take on challenges and pursue "More fun".

for Area Trout Lupus for fishing ponds 6 Lineup

Lupus for Area Trout Game Lupus / for fishing ponds / 6 Lineup

This is Lupus area trout series to capture pond trout game from all directions. In order to respond to the diverse situations of each managed fishing spot and adapt to ever-changing conditions, "61STT" was added in 2025, further increasing the completeness of the series. Three RETRIEVE TYPE models are good at winding fishing, two MOTION TYPE models are good at active action fishing, and one SPECIAL TASK TYPE model pursues a different way of aiming and enjoying than the traditional fishing method. With a total of 6 models, we have created a lineup that will allow you to enjoy the area trout game even more deeply.



A final weapon for anglers to capture the trophy size inactive It is a special concept model that focuses on site fishing for large trout lurki fishing ponds and to manually induce bites from these spooked fish. Anglers be able to control minnows with heavy drag and maximize the potential of the lures with the stop and go technique, By attempting various approaches an trace courses, anglers will easily be able to make that spooked fish bite your lur technical rod work of this powerful, yet light rod.

TRUBUR RIANNE JARAN PACTORY _ PAPEr



Ideal for all types of retrieval with shallow running minne Lupus for Area



It is the most versatile model of the series, able to cast various types and weig with a regular taper blank. The sensitive tip section will capture the subtle bite and moderately stiff belly section will not only help a swift hookup but also rec bites. We can confidently recommend this rod for those anglers who want to us all types of approaches and different trout ponds as well as beginner trout fish



This is the finesse model for use with ultra thin line and upus for Area



This is the finesse model of the 61RM for down-sizing your main lures. The rod possess and flexible tip to belly section, capable of hooking up the subtlest bites of ultra light li slow retrieval. The flexible blank will absorb the load and prevent the ultra thin line from and stretching of the super fine hooks. Although it is a finesse model, the butt section power for the unexpected big trout. It is most ideal for small~middle size ponds for c

hing for numbers and those anglers who prefer a softer rod as their main rod.



This is the sharpest model to swiftly hook up high drag lur



The tip section has been designed with plenty of flexibility for a more loose act lure during retrieval and will allow anglers to successfully hook up the slightes In contrast, the belly section is stiffer to effectively hookup those cranking baits to have more drag and are more difficult to transmit the hooking towards the 6.6ft length will also allow anglers easier line mending if required and poss most powerful butt section in the retrieval type rods.

a.225mm | b.290mm | Length: 1990mm Closed length: 1025m

This is a highly responsive model ideal to maneuver your botton Lupus for Area



Since the blank has been engineered to be stiffer with a bouncy tip section, ar be able to rhythmically utilize the "lift and fall" technique with metal vibrat stiffness will also allow for a swift hookup while the angler is maneuvering Furthermore, this will also help the initial action of the lure when utilizing the go" method. This model is not only great for deeper ranges, but also neuvering top water lures.



This is a model to actively hookup through twitching and simpl




This model has been designed with stiffness required to actively twitch t nate the lure in the water. Anglers can continuously twitch the rod to dra bring life into the lure. The sensitivity and stiffness of the blank will also hel successfully set hook in the hard mouth of the various species of trout. Further "stop and go" technique with buoyant minnows will allow for a vertical approa is highly productive for rainbow trout,







cpry.		
STT	-	Lent Ba-124
ive trout the	ough static and dynamic	action of your lure.
rking in the	PRICE :	Spinning Model / 2pcs (Put over Ferrule)
s wi ll l ightly	LURE : 3~12g	Guide: SiC-S Stainless frame K Guide (Fuji) Reel seat: DPS16 (Fuji) -Up lock
ese types of nd different	LINE: 4~10b	•Suitable reel size : D:LT2500C~3000C / S:C2500~C3000
ure thought	PE 0.4~1	Recommended Target: Trophy sized trout
	PE 0.4~1	Recommended Lure : Long lip minnow · Heavy sinking minnow
))	
th : 957mm	Weight : 71g	
	1	
		vith bottom type cranking baits.
ight of lures	PRICE :	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji)
e of the fish educe miss	LURE: 0.6~6g	Reel seat: DPS16 (Fuji) -Up lock
use 1 rod for	LINE: 1.5~4b	 Suitable reel size : D:LT1000~2000 / S:1000~C2000
shermen.	PE 0.15~0.5	Recommended Lure : Spoon - Crank-baits
	````	
v	Veight : 54g	
d suner lin	ht lures (micro spoons	and small crank-baits).
s a sensitive	PRICE :	Spinning Model / 2pcs (Put over Ferrule)
s a sensitive t lures with a		Guide: SiC-S Stainless frame K Guide (Fuji)
rom bust offs	LURE : ~ <b>4g</b>	Reel seat: DPS16 (Fuji) -Up lock
n has amble	LINE : ~3b	•Suitable reel size: D:LT1000~2000 / S:1000~C2000
close range	PE~0.4	Recommended Lure : Micro spoon · Micro crank-baits
		9
		_
We	eight : 55g	
	•	at have been cast out long distances.
ction of the	PRICE :	Spinning Model / 2pcs (Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji)
est of bites. its that tend	LURE: 0.8~6g	Reel seat: DPS16 (Fuji) -Up lock
he fish, The	LINE: 1.5~5b	• Suitable reel size : D:LT1000~2500C / S:1000~C2500
ssesses the	PE 0.15~0.5	Recommended Lure : Crank-baits
		Spoon (Large size available)
7	1	
nm Weight:5	70	
weight:5	, <del>А</del>	
om type lure:	s and metal vibrations typ	pe lures with the bottom bouncing technique.
anglers will	PRICE :	Spinning Model / 2pcs (Put over Ferrule)
ations. This	LURE : 1~6a	Guide: SiC-S Stainless frame K Guide (Fuji) Roal soat: DRS16 (Fuji) - Up lock
ng the lure.	5	Reel seat: DPS16 (Fuji) -Up lock
e "stop and	LINE: 2~6lb	<ul> <li>Suitable reel size: D:LT1000~2500C / S:1000~C2500</li> <li>Recommended Lure: Vibration - Lures for bottom</li> </ul>
o ideal for	PE 0.15~0.6	
7	~ ~ ~	
	\ \	
nm Weight:6	1g	
ple retrieval	. A model for those angle	ers chasing large mountain and brown trout.
the rod to	PRICE :	Spinning Model / 2pcs (Put over Ferrule)
Iramatica <b>ll</b> y		Guide: SiC-S Stainless frame K Guide (Fuji)
elp anglers	LURE : 1~10g	Reel seat: DPS16 (Fuji) -Up lock
ermore, the	LINE: 2.5~8lb	<ul> <li>Suitable reel size: D:LT1000~2500C / S:1000~C2500</li> <li>Recommended Lure: Minnows</li> </ul>
oach which	PE 0.2~0.6	
	-	



a.350mm b.445mm Length: 2610mm Closed length: 1340mm Weight: 140g

# **Recommended Lures** bv 6 models





This multi purpose rod is capable of handling various types of lures with this single rod. It i most ideal for simple retrieval of 1 ~ 4g spoons and crank baits, but also able to handle micro spoons and crank baits with fairly strong drag. This is the most standard Area fishing model produced by Yamaga Blanks and will also allow for vertical appeal of the minnows b jerking the rod or the "stop and go" method fo your bottom type lures.





(above 3g) and crank-baits lures which have more drag compared to other lures. The flexible tip section will give freedom to the variant crank-baits and will maximize the potential of their action. The sharp belly section will help reduce the heavy drag even with bigger lipped deep cranking baits. With its great castability this model will be of great advantage in large areas which require long distance casting






The rod is designed for anglers to actively twitch the rod to animate the minnows. The stiffer action of the rod is ideal for using minnows that do long side to side darting action or highly buoyant minnows which naturally rise after animating the lure by twitching. Anglers will be able to successfully transmit the action they wish through the responsive blank whether it be short shaking or large maneuvering twitching of the lures,



62MB





BOAT CASTING CATEGORY

# 83/2 FLX-Mode

83/6 **FLX**-Mode 81/8 FLX-Mode


74/3 **RGD**-Mode 76/4 **RGD**-Mode 79/5 **RGD**-Mode



81/10 **TRQ**-Mode



VR Official Web site





# 162

The Rigid series has expanded lure options for anglers to take advantage of the few opportunities available. This is a series that helps you capture all kinds of targets and further enjoy the fishing by not making the casting game monotonous. The highly force of recovery and stiff blank is equipped with a super sharp casting feel and will enable anglers to lightly handle their lures. The firm belly section will allow use with a wide range of lures, including top water

plugs such as poppers, and the highly sensitive blank is suitable for underwater lures such as minnows, swim-baits, and metal jigs, transmitting the vital information subsurface which is not visible to the naked eye.









#### 2025NEW



This rod is a high-powered model for use with PE10 to go against large yellowfin tuna and bluefin tuna, It combines accurate casting performance and outstanding operability of pencils and small mouthed poppers, which is hard to imagine from powerful blank. The torque-filled butt power will gently bend in for anglers to be able to consistently apply pressure towards the monstrous tuna in the deep while reducing the load on the angler.



# **BlueSniper Boat Casting BENDING CURVES**



*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

83/6 FLX & 81/8 FLX BENDING CURVES Load 10kg/40° 83/6FLX&81/8FLX Static load compariso *This is a comparison diagram of 83/6FLX and 81/8FLX with a static load of 10kg applied with the reel set and the line passed through it at a 40-degrees angle. Although they seem similar when comparing the bends, the actual usability is very different 81/8 FLX BlueSniper 83/6 FLX BlueSniper 81/8 FLX • 83/6 FLX

#### •83/6FLX

bends deeper as more load is applied to the blank, demonstrating high followability and tenacity. At the same time, the bending point moves closer to the hand, making it possible to reliably apply pressure to the fish while reducing physical strain,

#### •81/8FLX

While the entire rod bends over for the 81/8FLX, we have beefed it up for anglers to be able to target large species in the difficult shallow areas. In order to maximize the power of the PE8 power class, the butt section has a solid core where the bending stops at the butt guide, clearly differentiating from the 83/6FLX.

a.495mm I b.795mm Length: 2485mm Closed length: 1775mm Weight: 394g A highly powerful torque-filled model equipped with overwhelming lifting power and strong tenacity For supersize tuna.

LURE: 40~150g LINE: Max PE 10 DRAG : Max 17kg/45°

Spinning Model / 2pcs (Grip Joint) Guide: Super Ocaen guide (Fuji) Reel seat: DPS20 (Euii) Down lock nut

•Suitable reel size: D · S: SW18000~20000 Target : Tuna Species over 100 kg Lure : Topwater Plug

83/6 FLX 6/4 RGD • 81/8 FLX 79/5 RGD • 83/2 FLX

When comparing the bending curve of the "83/2FI X' and the "74/3RGD" of the PE2~3 line class light casting models, the stronger "74/3RGD" seems to look more flexible, however this is due to the different concepts of each model.

#### 83/2FLX


This model specializes in long-distance casting and controlling the diving pencils naturally. The blank design allows the rod to bend smoothly from the tip to the belly section and continuing on to bend even deeper towards the butt section. Although the butt power is comparable to that of the PE3 line class, you will notice that the light controllability of the rod is of the PE2 line class.

#### •74/3RGD

Although it has a large bending curve similar to the "83/2FLX", the short length of the rod has given it a highly responsive and sharp qualities. The bending point is set closer towards the anglers allowing for easier control of lures

#### ●76/4RGD ·79/5RGD

Thanks to the compact handling of the rod, this model is highly versatile and is outstanding with its lure operability. Although both models are designed with increased stiffness, the butt section of the 76/4BGD tenaciously bends in once the weight of the fish is loaded during the fight, reducing the physical strain on the angler. Even smaller anglers with less physical strength will comfortable be able to utilize this rod.



•The rod will demonstrate maximum butt power at 40° and 60° angle of the rod. By maintaining this angle, you will be able to apply maximum pressure on your target, allowing for a smooth, efficient fight and easily lifting the fish even when the fish is directly beneath the boat. This rod will provide anglers the "power position" ideal for short fights targeting those large Kingfish and GT that like to head straight to the

rocks to bust you off.


• At 70 degree angle, by high sticking the rod, the underlying power will be brought out with its outstanding restoring power and high breakage strength at the butt section. The acute angle of the rod is the position that makes the most of the torque-filled characteristics of this model, consistently applying pressure on your target while reducing the physical strain on the angler. This will give anglers great advantage when fighting large Tuna for long durations.

# SeaWalk Cast Jigging

Cast Jigging Model / 2 Lineup

Seawalk Cast Jigging 'Swim & Skip is the one of the light jigging series "Seawalk" for inshore boat games. It is a series that pursues performance to efficiently explore a wide range by casting metal jigs, plugs, jig heads, etc., and two models which is different power classes, 71ML and 73M are lined up. It is a series aiming at multiple targets by capturing a wide range and all layers of waters by letting lure "swim" (just winding) and the letting lure "skip" (lift and fall, wind, etc.) on the bottom of the sea. The main concept is to enjoy a fishing from the boat simply and easily.





#### This is the one that masters various kind of lures with high response operability to capture the wide range and deep waters.




#### 773M has more moderate stiffness than 71ML, and this is a model that is to capture the wide range and deep area while using metal jigs up to 80g. It is easy to cast a heavy weight lure arther than you expected with light force even under hand, and it is good at lure with emphasis n action using not only metal jigs but also heavy weight minnows, sinking pencils and jerk baits, It is also recommended for aiming migratory fish when its feeding on the surface, rockfish aiming by wind method with heavy weight jig head + worm or lift and fall method in rocky reefs. This is the almighty model that covers a variety of styles with just 73M itself.

PRICE CAST WEIGHT : Max 60g / Under hand Cast Max 80g LINE : Max PE 2

Guide: SiC-S Stainless frame K guide (Fuii) Reel Seat: DPS17 • BACK STOP Double Nut (Fuji) / Up lock nut •Target: Small sized Blue-runner (Bonito, Spanish mackerel, Dolphinfish) Various rock fish, Red sea bream, Flatfish, Seabas Lure: Jig · Blade Jig · Vibration plug · Jighead+Soft plastic

Spinning Model / 2pcs (Center cut/Put over ferrule





# SeaWalk Light Jigging

Light Jigging Model / 6 Lineup

You can aim Grunt, Horse mackerel, Blue runner, Rockfish, Sea bream or Hairtail systematically with these line up of Seawalk series. Blanks of light Jigging series have been employed flexibility on tip, high operational performance on belly section and huge power on butt section to keep large fish under control especially when you use Tungsten-lig. As we have explained already, you do not have to worry if bigger fish than you have expected is on thanks to their huge butt power



#### This model has the sensitivity and power to aim horse mackerel, large red sea bream and blue fish while enjoying the best of SLJ. This is the ultra-light class of light-jigging series to aim Grunt, Horse mackerel or else on Spinning Model / 2pcs (Grip Joint PRICE **Light Jigging**

shallow water with light weight jigs (around 20g), Combination of super fine PE line and Tungsten-jig make super light jigging possible to aim school of Grunt with falling action or Horse mackerel on the very bottom of the sea. And you will be able to cast jigs up to 25g or let jig up to 40g swim naturally in the 40m depth of water without any stress so you can aim variety of target depend on depth of water systematically,





This is the standard model for light-jigging with Tungsten-jig on inshore. If you wish to cast jig up to 35g compactly or if you wish to cast Tungsten jig or Tai rubber jig to search target widely around 30-60m depth of the sea, belly and butt section which have been loaded moderate stiffness and strength make it possible. Thanks to performance of well-balanced tip and belly section, you can manipulate jig up to 80g on 80m depth of the vater and you can keep jig swimming naturally without too much kickback.



#### Captured deep area and strong currents with this one. it can handle everything from swimming method to high pitch action.



This is heaviest model of spinning model in this series. It will suit to deep area such as 50m-100m depth or field that current running rapidly. You can cast jig up to 50g, At the situation of vertical and horizontal fishing, you can handle jig up to 120g without any stress. You will notice that strength of butt section of 64ML once bigger fish than you expected is on. Taking advantage of cast ability and falling speed as spinning model, this 64ML will be the huge advantage if you fish on the sea very deep or current running rapidly.

		6		
Grip	a.400mm j	b.525mm	Length : 1935mm	Closed

#### This is a the high versatility overhead reel model that can play not only SLJ but also Tai-rubber game and Hairtail jigging.



This 66L have employed high versatility to fish with Tungsten-lig on 20m-50m de sea. It will good to be used for Tairubber game thanks to its flexible tip section section which have moderate stiffness with high sensitivity to let you notice vital in or slightly changes of current. If you wish to aim Hair tail or Sea bass on bay area a to let jig move too much, this 66L will make it easier than other models for sure.



a.405mm b.530mm Length: 1985mm Closed length: 1525mm Weight: 131g

#### High-response blanks with sensitiveness and toughness make this model suitable for various situations.



前外岛

66ML have characteristic to cover wide range of depth of the sea (30m-80m) its well-balanced sensitiveness and powerfulness. Even you fish with Tungste will never lose response speed of jerk taking advantage of high sensit manipulate ability thanks to characteristics of overhead model. It is also good to for Tairubber game in deep area(80m-100m ) or current running rapidly.



#### This is the one that can be used in waters where many chances to get contact from bluerunners, and is also ideal for deep waters.



This 65M is the most powerful model of light-jigging series which is good to be high population of blue runner. Compared to other models of light-jigging serie been loaded a little stiffer blank than other and you can enjoy manipulating jig with this 65M at your will. You can handle 80g-150g of Tungsten-jig comfortab If you are going to fish in 100m depth of water or rapid area with fine line, we rec vou to take this 65M.









Tiaaing 64L

LURE: Jig 15~40g Cast Max 25q LINE : PE 0.4~0.8

Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: VSS16 (Fuji) Up lock nut Suitable reel size: D: LT2000~2500 / S: 2000~C3000 Target Bluerupper Rockfish Grunt Horse mackerel Lure : Metal jig (Up to 80g is available if you just reeling)

Length: 2015mm Closed length: 1570mm Weight: 102g

#### A basic model that can handle a variety of methods such as SLJ to Tai-rubber and cover waters from shallow to deep. Spinning Model / 2pcs (Grip Joint) PRICE Guide: SIC-S Stainless frame K Guide (Fuji) Reel Seat: VSS16 (Fuii) Up lock nut

LURE : Jig 30~80g Cast Max 35g LINE: PE 0.6~1

• Suitable reel size : D: LT2500~4000C / S: C3000~4000 Target : Bluerupper · Rockfish · Grunt · Horse mackerel •Lure : Metal jig (Up to 120g is available if you just reeling)

PRICE LURE : **Jia 60~120a** Cast Max 50g LINE: PE 0.6~1.2

Spinning Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: VSS16 (Fuji) Up lock nut •Suitable reel size : D: LT2500~4000C / S: C3000~4000 Target : Blue runner · Rockfish · Hairtail · Brean Lure: Metal jig (High pitch jerking is available)

d length: 1475mm Weight: 115g

epth of the	PRICE :
and belly	
nformation	LURE : Jig 40~80g
and try not	LINE : PE 0.6~1

Overhead reel Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuii) Reel Seat: PULS17 (Fuji) Down lock nut •Suitable reel size: D: 100~200 / S: 100~300 Target : Bluerunner · Rockfish · Hairtail · Bream · Seabass ●Lure : Metal jig • Tairubber

) thanks to en-jig, you itivity and to be used	PRICE : LURE : <b>Jig 40~120g</b> LINE : <b>PE 0.8~1.2</b>	Overhead reel Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: PULS17 (Fuji) Down lock nut •Suitable reel size: D: 100~200 / S: 100~300 •Target: Blue runner •Rockfish • Hairtail • Bream • Seabass
		Lure : Metal jig • Tairubber

e fished in	PRICE :	Overhead reel Model / 2pcs (Grip Joint) Guide: SiC-S Stainless frame K Guide (Fuji)
es, it have manua <b>ll</b> y	LURE : <b>Jiq 60~150q</b>	Reel Seat: PULS17 (Fuji) Down lock nut
bly with it. commend	LINE : PE 0.8~1.5	<ul> <li>Suitable reel size: D: 100~200 / S: 100~300</li> <li>Target: Blue runner · Rockfish · Hairtail · Bream</li> <li>Lure: Metal jig</li> </ul>
		(Up to 250g is available if you fish with slow pitch jerking)
1	1 1 1	


# SeaWalk Tairubber

Tairubber Model / 4 Lineur

SeaWalk Tairubber series, we have differentiated the categories for the 4 rods depending on style and conditions rather than rod power to set them apart from one another Fauinned with not only the lightness of a light game rod, but also the sensitivity and strength, these blanks will be the extension to your arm enabling anglers to go head to head with monstrous snapper exceeding 80cm in length. We hope you can experience our exquisite blanks that will shine a new light into your snapper game.



YB Official Web site



#### Supersensitive model that focuses on sensitivity and lightness and can hook up even the smallest bite.

Tairubbei

This is the sensitive Tairubber model packed with our expertise and knowledge from producing light game rods. It has the most flexible tip section of the series and its outstanding sensitivity will allow anglers to successfully hook up the slightest of bites. The sensitive tip will transmit the vital information of the current and the slightest nibbles from the fish through the sensitive blank and uccessfully lead to a hookup. This model will become your biggest asset in situations where the fish are reluctant to take a proper bite and the flow of the current is super weak.

PRICE LURE: 30~100g (Tairubber) LINE: PE 0.4~0.8

Overhead reel Model / 2pcs (Center cut • Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) Reel Seat: PMTS17 (Fuji) Down lock nut •Suitable reel size: D:100~200 / S:100~200 Target : Red Sea Bream



#### High response tai rubber model realizing aggressive game development with high power of recovery in blanks.



Load 100g

hookup aggressive bites.

SeaWalk Tairubber 70AT Type : AUTOMATIC

The picture illustrates the bending curve of the SeaWalk Tairubbe

series with a static load of 100g. Although each model has its distinct

characteristics, all models are built to easily hook up the fish, allowing

for usage of these rods throughout the world. The 70AT is the most

standard model of the series allowing for use in various depths and

wide range of tairubber weights. The stiffer 60F is ideal for use with jigs

in addition to the use of Tairubber rigs for anglers to aggressively

SeaWalk Tairubber 611D Type : DEEP

SeaWalk Tairubber 60F Type : FAST


SeaWalk Tairubber 72S Type : SENSITIVE

More specifically, the rod is built up of a carbon solid tip to feel for the minute changes in currents and bites and the highly responsive belly section allows anglers to swiftly and aggressively hookup the fish. Although it is short in length with a stiffer blank, the smooth blank taper will reduce the instability when reeling in your rig, enabling anglers to maintain their concentration. We highly recommend this model for those anglers who like to use both airubber rigs and snapper jigs depending on the fishing conditions.

PRICE LURE: 60~120g (Tairubber) /~100g (Jig) LINE : PE 0.6~1

Overhead reel Model / 2ncs (Center cut • Put over Ferrule) Guide: SiC-S Stainless frame K Guide (Fuji) eel Seat: PMTS17 (Fuii) Down lock nut Suitable reel size: D:100~200 / S:100~300 Target : Red Sea Bream Lure : Tairubber · Metal iig






#### *These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently


SWTR 60F


SWTR 70A1

### SeaWalk Cast Jigging BENDING CURVES



### SeaWalk Light Jigging BENDING CURVES







lin Rod	Spi	nning Mo	odel	Overh	nead reel	Model
Jig	67UL	64L	64ML	B66L	B66ML	B65M
$\sim$ 20g	0					
$\sim$ 40g	O	0		0	0	
$\sim$ 60g	O	O	0	0	0	Ο
$\sim$ 80g	0	Ø	0	0	0	0
$\sim$ 100g		0	O	0	0	O
$\sim$ 120g			O		0	O
$\sim$ 150g			0		0	0
$\sim$ 200g						0

Hairtail Jigging Jig we	ight Correspondence Table
-------------------------	---------------------------

Rod	Spi	nning Mo	odel	Overh	nead reel	Model
Jig	67UL	64L	64ML	B66L	B66ML	B65M
$\sim$ 80g				0		
$\sim$ 100g		$\Delta$		0	0	0
$\sim$ 150g			$\bigtriangleup$	0	0	0
$\sim$ 200g					0	0

For Hairtail jigging, only gentle actions can use jig weights that exceed the rod spec.



b.590mmj Length:1890mm Weight:187g a.435mm j




a.465mm I




TRAVEX is designed to be transferred your power to metal jig directory thanks to high power of recovery hidden in new blanks. Also, it will be bent from little farther than previous models, you can give a various kind of action to your metal jig as such as one pitch jerk, high pitch jerk or combination easier than before. These models are not only ideal for your fishing trips overseas but also great for your local waters. The sharp, yet flexible blank is best suited for anglers who prefer a speedy and quick action of your jigs.














# **Galahad Series** BENDING CURVES

# Galahad Spinning & Overhead reel model




•The image of 1kg load shows you the bend curve when you jerk jig. And other images are weight as drug max and weight in between of them. Rods are held on the angle that you are supposed to keep it when you are fighting with fish.






### Galahad ER for Electric reel models



# Galahad TRAVEX



*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

models of the Gallahad series. The Gallahad series is designed to have high strength when bent so that it can withstand the high load of high-speed

# YAMAGA Blanks FACTORY LIMITED MODELS The Pursuit of Enjoyment

LINEUP

BlueCurrent 86AR ELITE

FLAWLESS EDITION "ELITE"

advanced edition "Beta"  $\beta$ BlueCurrent 41 BETA BlueCurrent 46/B BETA , BlueCurrent 100 BETA

ORIGINAL CONCEPT EDITION "PILLAR"

LIMITED COLOR & DESIGN EDITION "VIVID"  $\Lambda_{ij}$ Comming Soon

OVERSEAS' ORIGINAL EDITION "GLOBAL" N FWP 78M GLOBAL

> BlueCurrent 72TZ/NANO GLOBAL BlueCurrent 77TZ/NANO GLOBAL . Galahad Slow 621 Galahad Slow 622 Galahad Slow 623 Galahad Slow 584

# YAMAGA Blanks FACTORY LIMITED MODEL NEW DAWN 2025 🏶 🕼 🕐 y 🌐







'41 BETA" and "46/B BETA" from Yamaga Blanks' representative "BlueCurrent" series.

The 4ft class short rod is a rare length even in our long history of Yamaga Blanks, though it is packed with extremely high basic performance as a fishing rod. After 3 years since the initial development, we have finally created two models that are unique, playful, and satisfying. Although there are many advantages brought on by the 4ft length, there are at times when you feel inconvenienced by this shortness as well. Still, when fishing with these two models, the direct control and sensitivity, the thrill of hooking and landing a fish are simply pure fun will take you back to those days you first started fishing. While enjoying both the pros and cons of the "41 BETA" and "46/B BETA". anglers can grow and improve their skills. We hope you will enjoy the absolute satisfaction through this rod.

### YAMAGA Blanks FACTORY LIMITED MODEL 5 CATEGORIES

#### **FLAWLESS EDITION "ELITE"**

This is a model with honed performance and can be considered the elite model of our Yamaga Blanks brand. It may not suit everyone's needs but compared to the standard models, it is not only a high guality model but a model for those hardcore anglers seeking a little something different.

#### **ADVANCED EDITION "BETA"**

With Yamaga Blanks state of the art blank manufacturing technology, this category is revolutionary and a challenge to the world and towards ourselves. Although it is called "BETA" this does not mean it is incomplete, but rather catering for the ever bias needs of the market in a category of its own.

#### **ORIGINAL CONCEPT EDITION "PILLAR"**

Although the models are distinctive, we have sought after the user-friendly characteristics often seen in Yamaga Blanks rods. The "PILLAR" refers to the series strong foundations in YB. We are scheduled to release the following two models in addition to the standard models

#### **OVERSEAS' ORIGINAL EDITION "GLOBAL"**

The Global Series is not sold in Japan, overseas only. The lineup consists of models developed to much to overseas needs. We plan to continue releasing models for various countries, fields, and targets.

#### LIMITED COLOR & DESIGN EDITION "VIVID"

Get ready to jump on the limited color and design editions of our high quality paint-job. These will be one-off productions and will be surprise releases from our usual lineups.



### 2025 NEW MODEL BlueCurrent 41.46/B BETA

At Yamaga Blanks, we not only pursue basic performance in product development, but also always value the enjoyment of fishing itself. The newly released Blue Current series, ``41 BETA" and ``46/B BETA," are the result of viewing the "enjoyment" from a different perspective. Packed with plenty of basic performance and playfulness, this rod is capable of targeting a variety of fish species that can be targeted with a light line, including trout in mountain streams, as well as horse mackerel and bream in saltwater. The excellent maneuverability and direct usability that only an ultra-short length rod can offer has the potential to revolutionize traditional fishing. Not only you can enjoy the process of pinpoint short casting and delicate lure control, but also fully enjoy the fighting and direct feeling of being connected with the fish. How you enjoy this rod is completely up to you. We hope you can first handedly experience the world of fishing that can only be felt with "41 BETA" and "46/B BETA".



### An ultra-short spinning model designed to have a fun and direct feel, an extension of your arms and hands



Spinning Model / 2pcs(Put over Ferrule) Guide: SiC-S Titanium frame K Guide (Fuii Reel seat: NHSS13 (Fuji) Up lock nut •Suitable reel size : D: ~LT2000 / S: ~2000 •Target : Common targets • Lure : Common lures up to 5g • Field : Common fields




#### 2025NEW BlueCurren Bait Model / 2pcs (Put over Ferrule) PRICE : 6/BLURE: 0.5~5g Reel seat: FBCS13 (Fuji) Down lock nut LINE: PE ~0.8 BETA Available from Feb 2025 a 145m



long distance search model in the BlueCurrent series




















a.275mm | b.340mm | Length: 2145mm Closed length: 560mm Weight: 72g

a.125mm | b.180mm | Length: 1242mm Closed length: 640mm Weight (Proto): 52g | Grip



e of the action	PRICE :	Overhead reel Model / 1pc Guide: SiC-S Titanium frame K + RV Guide(Fuji)
, from a	LURE : Around 300 Class	Reel seat: PLS18 (Fuji) Down lock nut
action	Comfort Jig Weight 200~350g	<ul> <li>Suitable reel size: D:15 / S:1500~3000</li> <li>Recommended water depth and jig weight guide</li> </ul>
	LINE: Pe 2 Class	Quick action : 100~250 g/Depth : 70~120m Fall action : 300~350g /Depth : 100~250m Best weight : Around 300g / Depth : 100~150m
		Best weight. Around Soog / Depth . 100150m

n as deep nsion and ne jig with action to best in the waters,	PRICE : LURE : Around 400 Class Comfort Jig Weight 300~500g LINE : Pe 3 Class	Overhead Guide: Si Reel seat • Suitable • Recomm Quick a Fall acti
		Bast we

# 2025 YAMAGA Blanks ORIGINAL ITEMS

GFARS

### - 2025 NEW PRODUCTS -





The YB Zoom Shaft 150 is a lightweight, compact, and rigid telescopic landing shaft made of carbon from Yamaga Blanks. With a total length of 1500mm and a closed length is 450mm, it is compact and easy to handle, making it ideal for trout fishing in fishing ponds and black porgy and sea bass fishing in low-footstep. The crisp shaft body will not bend under water pressure, allowing for smooth landings. The simple structure allows for easy disassembly by removing the top and end cap parts, making maintenance after fishing easy. (This product is manufactured in our own factory in Japan.)

SPEC ●elescopic type / 4pcs ●Weight: 147g Deployment length: 1500mm Closed size: 450mm


It can be deployed quickly, so



Price:

Detachable

### YB DUAL GAME POUCH



●Size (mm) : Length 180 · Width 90 · Thickness 25 (Front) / 40 (Main) ●Material : PVC (Inside : Nylon)



### **REGULAR PRODUCTS**

**YB** Protection Roll Bag

# Price:


YB Protection Roll Bag is Yamaga Blanks' original packing gear that allows you to transport multiple rods safely and smartly without damaging them. You can carry the rods compactly and safely when you go on an expedition by ferry, fishing on the shore or offshore. Intended for use on rocky shores, it is made of neoprene fabric with excellent durability and water resistance, so it can be used as a rug while taking a break or as a tool holder.



●Packing quantity: 1~5 ●Storage dimensions: 1150~1800mm ●Size: 1840×540mm ●Weight: approx. 710g ●Material: Neoprene, Velcro, D ring










attaching the YB shoulder belt (sold separately) to the two D-rings.

#### YB Shoulder Belt Price:



YB Zoom Shaft Price:



It is a telescopic type landing shaft that originated YAMAGA Blanks. Although it is compact in size, moderate stiffness and strength, and can be used widely from light games to sea bass.



#### YB Landing Handle Price:



It is a carbon handle ideal as for the landing net of seabass wading games. Also, if you set a gaff, you can use it as a hand gaff in situations such as rocky shore and boats. The main shaft part, grip, joint part metal fittings, all design, processing and assembly are done in our own factory in Kumamoto, JAPAN.

#### SPEC

Body: Made of carbon Surface: Rubber processing •Screw standard: W 1/2 •Length: 275mm •Weight: 144q

#### YB Landing Handle Stay Price:

The YB Landing Handle Stay can be attached to the YB Landing Handle (sold separately) to improve portability during wading.(This product does not come with a net handle)By using stainless steel "SUS316L", which has excellent rust and corrosion resistance and is also used in the aerospace field, it has a shape that supports smooth landing even in hard use.



#### •Material: Stainless(SUS316L) •Size: W20mm×H44mm×D165mm •Weight: 58g *Although it can be equipped on other companies' products, there are some products that do not fit.

*Not compatible with draw-out type shafts.

### YB TipCover Size S/M Price:

This is Neoprene Tip-Cover.Neoprene tip cover for protecting and fixing delicate rod tips,

•Length: S-360mm / M-450mm •Material: Neoprene & Piece of Velcro



S size for BlueCurrent, and using LiteGame-Rods.



M sizefor BlueSinper,Galahad, and using Offshore-Rods.

●Telescopic type / 8pcs ●Weight: 310g ●Deployment length: 2900mm ●Closed size: 455mm

Horse mackerel, Rockfish, Black sea bream Sea bass, BlueRunner (up to 5 kg), Squid, Blackfin sea bass,etc...



portabi**l**ity is impr





### Rod Belt Series Price:

The standard rod belt is available in 3 sizes, and the PG rod belt, which has anti-slip rubber sewn on to improve frictional resistance, is available in 2 sizes. The PG rod belt has an amazing frictional resistance and can remove fixation on ferule that cannot be removed with bare

Color: Black 
 Material: Neoprene & Piece of Velcro

Rod Belt S 1set:2pcs Price: L 1set:2pcs Price: LL 1set:1pcs Price: LL 1set:2pcs Price:

#### PG Rod Belt

hands.

L 1set:2pcs Price: LL 1set:2pcs Price:



### 2025 YAMAGA Blanks ORIGINAL ITEM APPAREL&GOODS

### WEAR

#### (2025) NEW YB FIT IN T-shirt Price:

This cotton T-shirt is made of 5.6 oz fabric that is comfortable to wear even in extreme heat, yet retains its shape. YAMAGA-Blanks fits perfectly into the blanks in your daily life (FI I TYOUR BLANKS) We have designed a character on the back print that reflects this idea

•Size: M/L/XL •Color:Balck / White Material: Cotton 100% (5.6oz)

Arm Cover

Under Tights

Navy

Navy

Smell function

which is insects hate ** Sweat absorption

Quick drying

Cool touch

performance

Stretch material

UV Cut

Made in Japan

*Insect repellent means that the

body is physically protected by

fabric that is impregnated with an odor that insects dislike, and is not

a product intended to repel flies,

fleas, and other similar creatures.

**\$** 

潫

UV V

PAN.

Black

Black

● Size: M / L / XL ● Color: White / Navy

Materials: Polvester 100%(4.7oz)



(425) YB BUG BARRIER INNER Price:



protection, so you can wear it comfortably even on extremely hot days. The "arm cover" can easily be put on or taken off, and the upper section has a silicone anti-silp layer sewn into it to prevent it from silding down when casting. The "Under tights" can be used comfarmedly as an inner aver under your shorts, both for unshore and offshore fishing. The YB BUG BARRIER INNNER series is not only useful for fishing, but also for all outdoor activities during seasons where insects are common.

Stat: M/L/LL 
 Color Back / Navy 
 Phone la: Powester 77% 
 Polyarethace 23%

*Due to characteristics of fabrics, the color may easily fade, so please hand wash the first and second washes, or wash separately from other clothing. Even if the color fades, there is no problem with performance. *Due to the characteristics of the fiber and dye, black fabric may appear slightly brown, but this will not affect performance

#### 2025 NEW Color YB Silky touch long sleeve T-shirt Price:

The material of this long sleeve T shirts equipped UV proof, quick absorption and drying to keep you comfortable. I is recommended for humid days as well as chilly days. White will be added as a new color in 2025. The color reflects the sunlight, making it more comfortable even on a sunny and hot days.







ensuring a comfortable and sweat-free experience. Size: One-size-fits-all Color: Olive/Navy Materials: 100% Nylon (Not completely waterproof)



Renew a design of classic YB flat visor cap. Featuring a voluminous YB logo and an embroidered YBRC logo on the side. The cap comes with an original sticker that you can enjoy placing on your cap, tackle box, or any other preferred spot. Flat Visor Cap

•Size: One-size-fits-all •Color: Black/Navy •Materials: Acrylic 80%, Wool 20%



# YB Embroidery Emblem Price:

The design of the Yamaga Blanks original Embroidery Emblem has been redesigned. Easy to iron on life jackets and bags. Materials: Polvester 100%
 Embroidery: rayon 100% Square type Dimensions: 90mm × 44mm

Circle type Dimensions: Diameter 70mm



**①YB** Orange M size & S size

> ②Ice Blue M pige & S size CAurora Turquois S size Only

④Aqua Sunrise S size Only **⑤Gun Black** 

M size & S size **6**Snow White M size & S size

⑦Scratched Silve M size & S size

Scratched Gold M size & S size

*Please note that the design of them may change without notice in advance

### YB Automatic inflation life jacket



*Product photos may differ from the actual color tone.



### YB Flat Visor Mesh Cap Price:

Mesh caps are highly breathable and do not get stuffy, so they are recommended on hot days. An original sticker is also included.

●Size: One-size-fits-all ●Color: Black/Beige

Materials: Main Body: 100% Cotton

Mesh Part (Black): 100% Polyester Mesh Part (Beige): 100% Nylon



### **YB** Cutting Sticker

M: 6 Color Sticker body size: 300mm × 117mm Price: S:8 Color Sticker body size: 173mm×67mm Price:







#### Neck over type

#### Price:

 Size: One-size-fits-all Materials: Polvester



### YAMAGA Blanks 2025 Lineup / Detailed data list

#### Ballistick / Seabass & More

Item	Price	JAN CODE	e c	e e I	Lt [mm]	CI-Lt [mm]	Wt [g]	Lure	Line	Guide	Reel Seat		Drag Max	Joint	Carbon (%)		Butt [ [mm]	Position [mm]
New 90ML-M		4571584102481	2	S	2748	1405	132	5 ~ 35g	PE 0.6 $\sim 1.5$	SiC-S Titanium frame K + RV	VSS16	U	-	Spigot	99.8	1.9	11.8	485
New 710ML-MH		4571584102504	2	S	2394	1225	118	2 ~ 40g	PE 0.6 $\sim$ 1.5	SiC-S Titanium frame K + RV	VSS16	U	-	Spigot	99.8	1.8	11.5	435
New 95MH		4571584102498	2	S	2876	1470	147	8 ~ 50g	PE 1 ~ 2	SiC-S Titanium frame K + RV	VSS16	U	-	Spigot	99.8	2.3	13.5	485
New 76M-XH / B		4571584102528	2	В	2296	1845	226	$20 \sim 180$ g	$\rm PE\sim 5$	SiC-S Titanium frame K + RV	TCS18	D	-	1&H	80.4	2.6	13.2	575
New 106M-MH		4571584102689	2	S	3210	1640	190	$7\sim 50$ g	PE 0.8 ~ 2	SiC-S Titanium frame K + RV	DPS18	U	-	Spigot	99.8	2.1	16.1	575
New 1010MH		4571584102511	2	S	3305	1690	218	$10\sim 60 { m g}$	PE 1 ~ 2	SiC-S Titanium frame K + RV	DPS18	U	-	Spigot	99.8	2.2	16.5	585

#### EARLY / All Casting Category

New 510ML for Boat	4571584102474	2	S	1776	915	91	5 ~ 21g	PE 0.6 ~ 1.2	SiC-S Stainless frame K	VSS16	U	-	Put over	94.3	1.7	6.8	404
68M for Boat	4571584100319	2	S	2055	1060	104	7 ~ 32g	PE 0.8 ~ 1.5	SiC-S Stainless frame K	VSS16	U	-	Put over	94.4	1.9	8.4	420
610MH/B for Boat	4571584100326	2	В	2100	1080	125	$10\sim 50 { m g}$	PE 1.2 ~ 2.5	SiC-S Stainless frame K	ACS17	D	-	Put over	94.3	2.1	9.2	470
99ML for Surf	4571584100241	2	S	2980	1525	155	7 ~ 35g	PE 0.8 ~ 1.5	SiC-S Stainless frame K	VSS16	U	-	Put over	95.1	1.8	12.7	540
103M for Surf	4571584100210	2	S	3150	1610	174	8 ~ 42g	PE 0.8 ~ 1.5	SiC-S Stainless frame K	DPS18	U	-	Put over	94.2	1.7	14.1	555
109MMH for Surf	4571584100227	2	S	3295	1690	195	$8\sim 50$ g	PE 1 ~ 2	SiC-S Stainless frame K	DPS18	U	-	Put over	95.6	2.1	16.3	565
105MH for Surf	4571584100234	2	S	3180	1630	192	$10\sim 50 { m g}$	PE 1 ~ 2	SiC-S Stainless frame K	DPS18	U	-	Put over	95.9	1.8	14.8	570
105MMH/B for Surf	4571584100258	2	В	3175	1625	189	$15\sim 50 { m g}$	PE 1.5 ~ 2.5	SiC-S Stainless frame K	ACS17	D	-	Put over	94.3	1.9	15.3	585
86MH for Rock	4571584100265	2	S	2590	1325	123	$7\sim40$ g	PE 1 ~ 2	SiC-S Stainless frame K	VSS16	U	-	Put over	91.2	1.9	11.7	500
104H for Rock	4571584100272	2	S	3160	1615	205	$15\sim 60 { m g}$	PE 1~3	SiC-S Stainless frame K	DPS18	U	-	Put over	94.0	2.2	14.4	555
93MH/B for Rock	4571584100289	2	В	2815	1445	149	$10\sim 50 { m g}$	PE 1.2 ~ 2.5 / FC 12 ~ 20lb	SiC-S Stainless frame K	ACS17	D	-	Put over	93.5	2.0	13.0	535
93M for Seabass	4571584100296	2	S	2819	1445	147	7 ~ 35g	PE 0.8 ~ 1.5	SiC-S Stainless frame K	VSS16	U	-	Put over	94.9	2.0	12.7	525
97MMH for Seabass	4571584100302	2	S	2925	1500	156	8 ~ 42g	PE 1 ~ 2	SiC-S Stainless frame K	VSS16	U	-	Put over	94.9	1.8	12.9	525
84ML for Mobile	4571584100333	4	S	2540	667	126	5 ~ 24g	PE 0.6 ~ 1.2	SiC-S Stainless frame K	VSS16	U	-	PO&ST	94.2	1.7	10.8	485
96MMH for Mobile	4571584100357	4	S	2915	768	180	$10\sim 60 { m g}$	PE 1 ~ 2	SiC-S Stainless frame K	VSS16	U	-	PO&ST	98.7	2.0	14.4	530
76MMH for Mobile	4571584100340	3	S	2305	807	145	8 ~ 55g	PE 1 ~ 2	SiC-S Stainless frame K	VSS16	U	-	PO&ST	97.2	2.0	11.9	505

#### BlueSniper / Shore Casting & Jigging Category

103ML-M	4571584101606	2	S	3135	1600	269	Plug 20 $\sim$ 50g / JigMax 80g	Max PE 3	SiC-S/ST/K	DPS18	U	4.5kg	Spigot	99.6	2.3	14.8	660
100M-MH	4571584101613	2	S	3065	1570	309	Plug 30 $\sim$ 80g / JigMax 120g	Max PE 4	SiC-S/ST/K+OC	DPS20	U	6kg	Spigot	99.8	2.9	16.9	740
96H	4571584101644	2	S	2920	1505	309	JigMax 150g / Plug 60 $\sim$ 120g	Max PE 6	OC	DPS20	U	8kg	Spigot	99.8	3.2	16.2	740
PL109MH	4571584101620	2	S	3285	1680	321	Plug 30 $\sim$ 80g / Jig Comfort $\sim$ 80g	Max PE 4	SiC-S/ST/K+OC	DPS20	U	6kg	Spigot	99.8	2.9	17.9	760
PL106H	4571584101637	2	S	3215	1650	334	Plug 50 $\sim$ 120g / Jig Comfort $\sim$ 100g	Max PE 6	OC	DPS20	U	8kg	Put over	99.6	2.8	17.5	760

#### YAMAGA BLANKS / Versatile Model

88 CHAIN 4571584101224 2 S 2650 1355 138 8~40g	PE 0.8 ~ 2 SiC-S Titanium frame K + RV DPS17 U - Spigot 99.8 2.0 11.6 540
------------------------------------------------	---------------------------------------------------------------------------

#### BlueCurrent Wizy / Light Game Category

New 610 / 4pcs	4571584102757	4	S	2074	544	67	$1\sim 10 { m g}$	PE 0.3 ~ 0.6	SiC-S Titanium frame K	VSS16	D	-	Spigot	99.8	1.6	7.6	345
New 710 / 4pcs	4571584102764	4	S	2397	638	82	$1.5\sim 20 { m g}$	PE 0.4 ~ 0.8	SiC-S Titanium frame K	VSS16	D	-	Spigot	99.8	1.6	8.9	390
New 810 / 4pcs	4571584102771	4	S	2692	705	95	3 ~ 25g	PE 0.4 ~ 1	SiC-S Titanium frame K	VSS16	D	-	Spigot	99.8	1.7	10.4	405
New 72 / 4pcs	4571584102788	4	S	2185	576	73	2 ~ 21 g	PE 0.4 ~ 0.8	SiC-S Titanium frame K	VSS16	D	-	Spigot	99.8	1.6	8.4	365
New 72B / 4pcs	4571584102795	4	В	2185	576	87	2~21g	PE 0.4~1	SiC-S Titanium frame K	PMTS17	D	-	Spigot	99.8	1.6	8.2	425

#### BlueCurrent III / Light Game Category

BlueCurrent	III / Ligh	ht Game Category						(%A part of suitable lure weight for is omittee	d. Please refer to products page	for more details.)								
53		4571584100005	2	S	1610	835	53	Max 4.5g ※	PE 0.06~0.3 / NY · FC 1~3lb	SiC-S Stainless frame K	VSS16	D	-	Put over	91.3	1.3	6.9	240
510		4571584100012	2	S	1775	915	56	Max 4.5g ※	PE 0.06~0.3 / NY · FC 1~3lb	SiC-S Stainless frame K	VSS16	D	-	Put over	91.5	1.3	7.2	295
63		4571584100029	2	S	1910	985	59	Max 5g ※	PE 0.06~0.3 / NY · FC 1~3lb	SiC-S Stainless frame K	VSS16	D	-	Put over	91.6	1.3	7.7	300
69		4571584100036	2	S	2070	1065	66	Max 7g ※	PE 0.08~0.4 / NY · FC 1~4lb	SiC-S Stainless frame K	VSS16	D	-	Put over	91.6	1.3	8.2	350
74		4571584100043	2	S	2235	1145	71	Max 10g ※	PE 0.1~0.5 / NY · FC 1~5lb	SiC-S Stainless frame K	VSS16	D	-	Put over	92.1	1.3	9.5	360
76 Stream		4571584100050	2	S	2290	1175	81	Max 12g ※	PE 0.3 ~ 0.8	SiC-S Stainless frame K	VSS16	D	-	Put over	96.4	1.5	9.7	360
78		4571584101675	2	S	2350	1200	79	Max 15g ※	PE 0.3 ~ 0.8	SiC-S Stainless frame K	VSS16	D	-	Put over	92.4	1.6	10.0	370
711		4571584100067	2	S	2425	1245	81	Max 11g ※	PE 0.2 ~ 0.6	SiC-S Stainless frame K	VSS16	D	-	Put over	91.6	1.4	9.9	380
82		4571584100074	2	S	2495	1280	83	Max 20g ※	PE 0.3 ~ 0.8	SiC-S Stainless frame K	VSS16	D	-	Put over	90.5	1.4	11.2	405
53B		4571584100081	2	В	1610	835	67	Max 4.5g ※	PE 0.3~0.5 / NY · FC 3~5lb	SiC-S Stainless frame K + RV	PMTS17	D	-	Put over	91.3	1.3	6.5	320
69B		4571584100098	2	В	2070	1065	77	Max 7g ※	PE 0.3~0.6 / NY · FC 3~6lb	SiC-S Stainless frame K + RV	PMTS17	D	-	Put over	91.6	1.3	8.0	380
78B		4571584101682	2	В	2350	1200	92	Max 15g ※	PE 0.4 ~ 0.8	SiC-S Stainless frame K	PMTS17	D	-	Put over	92.4	1.6	9.6	430
82B		4571584100104	2	В	2495	128	93	Max 20g ※	PE 0.4~0.8 / NY · FC 4~10lb	SiC-S Stainless frame K	PMTS17	D	-	Put over	90.5	1.4	10.8	445

#### BlueCurrent TZ/NANO / Light Game Category

610 Plug Quickness	4571584100111	2	S	2100	1075	64	Plug 1.5 $\sim$ 6g / JH 0.5 $\sim$ 5g	PE 0.1 $\sim$ 0.4	TZ Titanium frame K	VSS16	D	-	Put over	99.8	1.3	8.0	355
73 Plug Seamless	4571584100128	2	S	2220	1135	67	Plug 1.5 $\sim$ 6g / JH 0.3 $\sim$ 5g	PE $0.1 \sim 0.4$	TZ Titanium frame K	VSS16	D	-	Put over	99.8	1.3	8.9	360
62 JH Special	4571584100135	2	S	1880	965	53	JH $\sim$ 3g	$\rm NY \cdot FC \ 1 \sim 3lb$	TZ Titanium frame K	VSS16	D	-	Put over	99.8	1.4	6.9	290
67 JH Special	4571584100142	2	S	2020	1035	61	JH $\sim$ 5g / Plug $\sim$ 3.5g	PE ~0.4 / NY · FC 1~3lb	TZ Titanium frame K	VSS16	D	-	Put over	99.8	1.3	7.9	340
71 JH Special	4571584100159	2	S	2175	1115	63	JH 0.3~5g / Rig ~7g / Plug 1.6~4.5g	PE ~0.4 / NY · FC 1~4lb	TZ Titanium frame K	VSS16	D	-	Put over	99.7	1.4	8.7	343
83 Flex	4571584100180	2	S	2520	1290	73	JH 0.8~5g / Rig 1.8~10.5g / Plug 1.5~8g	PE 0.2 $\sim$ 0.6	TZ Titanium frame K	VSS16	D	-	Put over	99.8	1.4	10.4	407
85 All Range	4571584100197	2	S	2570	1315	84	3 ~ 21g	PE 0.4 $\sim$ 1	TZ Titanium frame K	VSS16	D	-	Put over	99.7	1.6	11.2	395
93 All Range	4571584100203	2	S	2825	1440	90	3 ~ 21g	PE 0.4 $\sim$ 1	TZ Titanium frame K	VSS16	D	-	Put over	99.7	1.6	12.7	420

### Calista / Eging Category

New 72L / TF	4571584102535	2	S	2204	1125	79	EGI 2.5 ~ 3.5 号	PE 0.4 ~ 0.8	TZ Titanium frame K	VSS16	U	-	Spigot	99.8	1.8	9.3	385
90LML / S	4571584101217	2	S	2744	1404	96	EGI 2.5 ~ 3.5 号	PE 0.4 ~ 0.8	TZ Titanium frame K + RV	VSS16	U	-	Spigot	99.6	1.7	11.3	410
76ML / TJ	4571584101170	2	S	2293	1175	87	EGI 2.5 ~ 3.5 号	PE 0.4~1	TZ Titanium frame K + RV	VSS16	U	-	Spigot	99.6	1.7	10.6	385
82ML / AR	4571584101194	2	S	2496	1282	92	EGI 2.5 ~ 3.5 号	PE 0.4~1	TZ Titanium frame K + RV	VSS16	U	-	Spigot	99.6	1.7	10.6	400
86M / PF	4571584101200	2	S	2573	1320	99	EGI 2.5 ~ 4.0 号	PE 0.4 $\sim$ 1	TZ Titanium frame K + RV	VSS16	U	-	Spigot	99.6	1.8	11.7	410
79MMH / AG	4571584101187	2	S	2380	1226	99	EGI 3.0 ~ 4.5 号	PE 0.6 ~ 1	TZ Titanium frame K + RV	VSS16	U	-	Spigot	99.6	1.9	11.2	410

#### Mebius / Eging Category

710L	4571584100548	2	S	2390	1225	84	EGI 1.8~3.5号(~21g)	PE 0.3 ~ 0.6	SiC-S Stainless frame K	VSS16	D	-	Put over	96.4	1.5	9.3	385
88L	4571584100555	2	S	2645	1350	93	EGI 2.5 ~ 3.5 号 ( ~ 21g)	PE 0.4 ~ 0.8	SiC-S Stainless frame K	VSS16	D	-	Put over	96.5	1.5	10.3	405
85ML	4571584100562	2	S	2555	1305	93	EGI 2.5 ~ 3.5 号 ( ~ 24g)	PE 0.5 ~ 0.8	SiC-S Stainless frame K	VSS16	D	-	Put over	96.5	1.6	10.9	415
79M	4571584100579	2	S	2365	1210	89	EGI 2.5 ~ 4.0 号 ( ~ 28g)	PE 0.5~1	SiC-S Stainless frame K	VSS16	D	-	Put over	96.5	1.7	10.4	470
86M	4571584100586	2	S	2595	1325	98	EGI 2.5 ~ 4.0 号 ( ~ 30g)	PE 0.5~1	SiC-S Stainless frame K	VSS16	D	-	Put over	96.6	1.7	11.7	420
83MH	4571584100593	2	S	2515	1285	98	EGI 3.0 ~ 4.5 号 ( ~ 35g)	PE 0.6 ~ 1.2	SiC-S Stainless frame K	VSS16	D	-	Put over	96.6	1.8	12.0	415

	/ Boat Egin	y calegoly		-				(%A part of suitable lure we	ight for is omitted. Please refer t	o products page for more details.)							
Item	Price	JAN CODE	S e c	R e e	Lt [mm]	CI-Lt [mm]	Wt [g]	Lure	Line	Guide	Reel Seat	Lock nut	Drag Max	Joint	Carbon 7 (%) [		Butt I
ew IM 511S		4571584102559		-	1806	928	80	EGI Max #40 (150g)	PE 0.4 ~ 0.8	SiC-S Stainless frame K + LDB	VSS16	D	-	Put over	-		7.1
lew IM 511B		4571584102566	2	В	1804	928	97	EGI Max #50 (185g)	PE 0.4 ~ 0.8	SiC-S Stainless frame K + LDB	PMTS17	D	-	Put over	95.1 (	0.8	6.9
M 69S		4571584100630	2	S	2070	1060	86	EGI Max #25 (90g)	PE 0.4 ~ 0.8	SiC-S Stainless frame K + LDB	VSS16	D	-	Put over	89.1 (	0.8	8.0
M 69B		4571584100647	2	B	2070	1060	100	EGI Max #30 (110g)	PE 0.4 ~ 0.8	SiC-S Stainless frame K + LDB	PMTS17	D	-	Put over	89.1	0.8	7.8
ew OR 60B/C		4571584102658	2	В	1836	947	104	Cast Max #40 / Vert Max #60 ※	PE 0.4 ~ 0.8	SiC-S Stainless frame K	PMTS17	D	-	Put over	86.4	1.7	7.6
R 72/C		4571584100654	2	S	2190	1125	99	Cast Max #40(150g)	MAX PE 1	SiC-S Stainless frame K	VSS16	D	-	Put over	85.6	1.7 9	9.6
R 63/N		4571584100609	2	S	1920	975	75	EGI 30 $\sim$ 60g / Depth 20 $\sim$ 50m	PE 0.4 ~ 0.8	SiC-S Stainless frame K + LDB	VSS16	D	-	Put over	95.2 (	0.8	8.5
R 73/S		4571584100616	2	S	2225	1145	83	EGI 20 $\sim$ 40g / Depth $\sim$ 30m	PE 0.4 ~ 0.8	SiC-S Stainless frame K + LDB	VSS16	D	-	Put over	95.1 (	0.8	9.6
R 69/D		4571584100623	2	S	2075	1060	80	EGI 50 $\sim$ 80g / Depth 40 $\sim$ 90m	PE 0.6 ~ 1	SiC-S Stainless frame K + LDB	VSS16	D	-	Put over	95.3 (	0.8	9.5
Lupus for Ar	ea iro			-													
lew 61STT		4571584102573		-	1864	957	71	3 ~ 12g	$4\sim 10$ lb / PE 0.4 $\sim 1$	SiC-S Stainless frame K	DPS16	U	-	Put over	99.8	_	8.0
1RM		4571584101781		_	1865	955	54	$0.6\sim 6g$	1.5 ~ 4/b / PE 0.15 ~ 0.5	SiC-S Stainless frame K	DPS16	U	-	Put over			7.8
11RF		4571584101767		-	1820	930	55	~ 4g	~ 3lb / PE ~ 0 4	SiC-S Stainless frame K	DPS16	U	-	Put over			7.3
6RS		4571584101804		_	1990	1025	57	0.8 ~ 6g	1.5 ~ 5lb / PE 0.15 ~ 0.5	SiC-S Stainless frame K	DPS16	U	-	Put over			8.2
2MB		4571584101798	2	-	1895	970	61	1 ~ 6g	2 ~ 6lb / PE 0.15 ~ 0.6	SiC-S Stainless frame K	DPS16	U	-				8.0
OMTR		4571584101774	2	S	1830	940	55	$1\sim 10 { m g}$	2.5~8lb / PE 0.2~0.6	SiC-S Stainless frame K	DPS16	U	-	Put over	89.1	1.6	8.3
Lupus for Na	ntive Tr	<b>rout</b> / Trout Gam	ne Ca	tego	ory						(*Origina	Wood	l arain sh	ieet)			
1		4571584100661	2	S	1575	850	78	1 ~ 7g	2 ~ 6lb Class	TZ Titanium frame K	Wood%	D	-	Spigot	99.8	1.4	5.7
- 1		4571584100678		-	1855	960	85	2~10g	3 ~ 8lb Class	TZ Titanium frame K	Wood %	D	-	Spigot		_	6.6
1		4571584100685		-	2170	1110	96	3 ~ 12g	4 ~ 10lb Class	TZ Titanium frame K	Wood%	D	-	Spigot			7.9
7		4571584100692		-	2315	1175	126	4 ~ 25g	6 ~ 20lb Class	TZ Titanium frame K	Wood %	U	-	Spigot			8.8
1		4571584100708		-	2470	1270	129	5~28g	8 ~ 20lb Class	TZ Titanium frame K	Wood%	U	-	Spigot	99.6	_	9.4
36M		4571584100715		-	2610	1340	140	8 ~ 30g	10 ~ 24lb Class	TZ Titanium frame K	Wood %	U	-	Spigot			10.7
Dive Online and								-							LL		
BlueSniper	Boat / E	Boat Casting Categ	. ·														
ew 83/2 FLX-Mode		4571584102580		S	2524	1830	249	$14\sim 50 { m g}$	Max PE 2	SiC-S Stainless frame K	DPS18	D	3kg	1&H	86.9		1.8
ew 74/3 RGD-Mode		4571584102597		-	2258	1711	217	30 ~ 60g	PE 2 ~ 3	SiC-S Stainless frame K	DPS18	D	5kg	1&H			1.2
New 76/4 RGD-Mode		4571584102603	2	-	2310	1671	301	40 ~ 90g	Max PE 4	SiC-S Stainless frame K + Ocean	DPS20	D	7kg	1&H	93.8		12.8
ew 79/5 RGD-Mode		4571584102610		-	2375	1706	328	$45\sim 110$ g	PE 4 ~ 5	SiC Ocean Guide	DPS20	D	10kg	1&H			3.1
New 83/6 FLX-Mode		4571584102627	2	-	2535	1824	375	$45 \sim 140$ g	Max PE 6	SiC-S Stainless frame K + Ocean	DPS20	D	12kg	1&H			4.2
New 81/8 FLX-Mode		4571584102634		-	2485	1775	394	$60 \sim 180$ g	Max PE 8	SiC Ocean Guide	DPS20	D	15kg	1&H		_	14.5
New 81/10 TRQ-Mode		4571584102641	2	S	2485	1775	400	40 ~ 150g	Max PE 10	SiC Ocean Guide	DPS20	D	17kg	1&H	92.8	3.3 1	14.9
SeaWalk Ca	st Jigg	ing / Boat Light	Cast	ing C	Catego	rv		(%A part of suitable lure weight	for is omitted. Please refer to pro	oducts name for more details )							
Cast Jigging SS71ML		4571584101583		_	2170		116	Max 40g / Under Cast Max 60g %	Max PE 1.5	SiC-S Stainless frame K	DPS17	U	-	Put over	87.9	16	8.9
Cast Jigging SS73M		4571584101590		_			118	Max 60g / Under Cast Max 80g %	Max PE 2.0	SiC-S Stainless frame K	DPS17	U	-			_	9.3
												-					
SeaWalk Lig	ht Jigg		ing C	ateg	ory					1							
ight Jigging 67UL.		<b>ing</b> / Light Jiggi															
Light Jigging 670L		4571584100722	2	S	2015	1570	102	Jig 15 $\sim$ 40g / Cast Max 25g	PE 0.4 ~ 0.8	SiC-S Stainless frame K	VSS16	U	-	1&H	85.0	1.3	7.5
		• • •		-	2015 1935	1570 1475	102 114	Jig 15 ~ 40g / Cast Max 25g Jig 30 ~ 80g / Cast Max 35g	PE 0.4 ~ 0.8 PE 0.6 ~ 1	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16	U	-	1&H 1&H		_	
Light Jigging 64L		4571584100722	2	S											80.4	1.5	7.5 8.0 7.9
Light Jigging 64L Light Jigging 64ML		4571584100722 4571584100739	2	S S	1935	1475	114	Jig 30 ~ 80g / Cast Max 35g	PE 0.6 $\sim$ 1	SiC-S Stainless frame K	VSS16	U	-	1&H	80.4 1 80.5 1	1.5 1.6	8.0
Light Jigging 64L Light Jigging 64ML Light Jigging B66L		4571584100722 4571584100739 4571584100746	2 2 2	S S B	1935 1935	1475 1475	114 115	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g	PE 0.6 ~ 1 PE 0.6 ~ 1.2	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16	U U	-	1&H 1&H	80.4 1 80.5 1 80.4 1	1.5 8 1.6 8 1.6 8	8.0 7.9
Light Jigging 64L Light Jigging 64ML Light Jigging B66L Light Jigging B66ML		4571584100722 4571584100739 4571584100746 4571584100753	2 2 2	S S B B	1935 1935 1985	1475 1475 1525	114 115 131	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1	SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17	U U D	-	1&H 1&H 1&H	80.4 1 80.5 1 80.4 1	1.5 2 1.6 2 1.6 2 1.6 2	8.0 7.9 8.2
Light Jigging 64L Light Jigging 64ML Light Jigging B66L Light Jigging B66ML Light Jigging B65M	rubbo	4571584100722 4571584100739 4571584100746 4571584100753 4571584100760 4571584100777	2 2 2 2 2	S S B B	1935 1935 1985 1985	1475 1475 1525 1525	114 115 131 131	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2	SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17	U U D D	-	1&H 1&H 1&H 1&H	80.4       1         80.5       1         80.4       1         80.4       1         81.1       1	1.5 2 1.6 2 1.6 2 1.6 2	8.0 7.9 8.2 8.2
ight Jigging 64L Light Jigging 64ML Light Jigging B66L Light Jigging B66ML Light Jigging B65M SeaWalk Tai	rubbei	4571584100722 4571584100739 4571584100746 4571584100753 4571584100760 4571584100777 7 / Tairubber Categ	2 2 2 2 2 2 0ry	S B B B	1935 1935 1985 1985 1960	1475 1475 1525 1525 1490	114 115 131 131 128	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5	SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17	U U D D	-	1&H 1&H 1&H 1&H 1&H 1&H	80.4       1         80.5       1         80.4       1         81.1       1         80.3       1	1.5 4 1.6 1 1.6 4 1.6 4 1.5 4	8.0 7.9 8.2 8.2 8.0
Light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging 866ML Light Jigging 865M <b>SeaWalk Tai</b> Tairubber 70AT	rubbei	4571584100722 4571584100739 4571584100739 4571584100746 4571584100753 4571584100760 4571584100777 / Tairubber Categ 4571584101101	2 2 2 2 2 2 0 7 7	S B B B B	1935 1935 1985 1985 1960 2143	1475 1475 1525 1525 1490 1624	114 115 131 131 128 134	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5 PE 0.6 ~ 1	SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17	U U D D D	- - - -	1&H 1&H 1&H 1&H 1&H 1&H	80.4       1         80.5       1         80.4       1         81.1       1         80.3       1         87.5       1	1.5 8 1.6 8 1.6 8 1.6 8 1.5 8	8.0 7.9 8.2 8.2 8.0
Light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging 866ML Light Jigging 865M SeaWalk Tai Tairubber 70AT Tairubber 611D	rubbei	4571584100722 4571584100739 4571584100746 4571584100760 4571584100760 4571584100777 / Tairubber Categ 4571584101101 4571584101095	2 2 2 2 2 2 0 7 7 2 2 2	S B B B B B B	1935 1935 1985 1985 1960 2143 2125	1475 1475 1525 1525 1490 1624 1550	114 115 131 131 128 134 134	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g	$\begin{array}{c} \mbox{PE } 0.6 \sim 1 \\ \mbox{PE } 0.6 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.5 \\ \mbox{PE } 0.6 \sim 1 \\ \mbox{PE } 0.8 \sim 1.2 \end{array}$	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18	U U D D D	- - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H	80.4       1         80.5       1         80.4       1         81.1       1         80.3       1         87.5       1         88.1       1	1.5     4       1.6     4       1.6     4       1.6     4       1.5     4       1.5     4       1.5     4	8.0 7.9 8.2 8.2 8.0 6.9 8.0
Light Jigging 64L Light Jigging 64ML Light Jigging 866L Light Jigging 866ML Light Jigging 865M <b>SeaWalk Tai</b> Tairubber 70AT Tairubber 611D Tairubber 72S	rubbei	4571584100722 4571584100739 4571584100739 4571584100746 4571584100753 4571584100757 7 / Tairubber Categ 4571584101011 4571584101095 4571584101118	2 2 2 2 2 2 0 7 2 2 2 2 2 2 2	S B B B B B B B B	1935 1935 1985 1985 1960 2143 2125 2185	1475 1475 1525 1490 1624 1550 1118	114 115 131 131 128 134 134 179 100	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g	$\begin{array}{c} \mbox{PE } 0.6 \sim 1 \\ \mbox{PE } 0.6 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.5 \\ \end{array}$	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17	U U D D D D D D D D	- - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over	80.4       2         80.5       2         80.4       2         81.1       2         80.3       2         87.5       2         88.1       2         92.3       2	1.5     4       1.6     4       1.6     4       1.6     4       1.5     4       1.5     4       1.2     4       1.3     4	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5
Light Jigging 64L Light Jigging 64ML Light Jigging 866L Light Jigging 866ML Light Jigging 865M SeaWalk Tai Tairubber 70AT Tairubber 611D Tairubber 72S	rubbei	4571584100722 4571584100739 4571584100746 4571584100760 4571584100760 4571584100777 / Tairubber Categ 4571584101101 4571584101095	2 2 2 2 2 2 0 7 2 2 2 2 2 2 2	S B B B B B B B B	1935 1935 1985 1985 1960 2143 2125 2185	1475 1475 1525 1525 1490 1624 1550	114 115 131 131 128 134 134	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g	$\begin{array}{c} \mbox{PE } 0.6 \sim 1 \\ \mbox{PE } 0.6 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.5 \\ \mbox{PE } 0.6 \sim 1 \\ \mbox{PE } 0.8 \sim 1.2 \end{array}$	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18	U U D D D D D D D D	- - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H	80.4       2         80.5       2         80.4       2         81.1       2         80.3       2         87.5       2         88.1       2         92.3       2	1.5     4       1.6     4       1.6     4       1.6     4       1.5     4       1.5     4       1.2     4       1.3     4	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5
Light Jigging 64L Light Jigging 64ML Light Jigging 866L Light Jigging 866ML Light Jigging 865M SeaWalk Tai Tairubber 70AT Tairubber 61D Tairubber 72S Tairubber 60F		4571584100722 4571584100729 4571584100739 4571584100746 4571584100753 4571584100760 4571584100777 7 / Tairubber Categg 457158410101 4571584101095 4571584101071	2 2 2 2 2 2 0 7 2 2 2 2 2 2 2	S B B B B B B B B	1935 1935 1985 1985 1960 2143 2125 2185	1475 1475 1525 1490 1624 1550 1118	114 115 131 131 128 134 134 179 100	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g	$\begin{array}{c} \mbox{PE } 0.6 \sim 1 \\ \mbox{PE } 0.6 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.5 \\ \end{array}$	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17	U U D D D D D D D D	- - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over	80.4       2         80.5       2         80.4       2         81.1       2         80.3       2         87.5       2         88.1       2         92.3       2	1.5     4       1.6     4       1.6     4       1.6     4       1.5     4       1.5     4       1.2     4       1.3     4	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5
Light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging 866ML Light Jigging 865M SeaWalk Tai Tairubber 70AT Tairubber 61D Tairubber 72S Tairubber 60F Galahad / Jigg		4571584100722 4571584100729 4571584100739 4571584100746 4571584100753 4571584100760 4571584100777 7 / Tairubber Categg 457158410101 4571584101095 4571584101071	2 2 2 2 2 2 7 7 2 2 2 2 2 2 2 2 2 2	S B B B B C B B C C C C C C C C C C C C	1935 1935 1985 1985 1960 2143 2125 2185 1853	1475 1475 1525 1490 1624 1550 1118	114 115 131 131 128 134 134 179 100	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g	$\begin{array}{c} \mbox{PE } 0.6 \sim 1 \\ \mbox{PE } 0.6 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.2 \\ \mbox{PE } 0.8 \sim 1.5 \\ \end{array}$	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17	U U D D D D D D D D	- - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over	80.4       2         80.5       2         80.4       2         81.1       2         80.3       2         87.5       2         88.1       2         92.3       2	1.5 1 1.6 1 1.6 1 1.6 1 1.5 1 1.5 1 1.5 1 1.3 1 0.8 1	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8
Light Jigging 64L Light Jigging 64ML Light Jigging 866L Light Jigging 866ML Light Jigging 865M SeaWalk Tai Tairubber 70AT Tairubber 611D Tairubber 60F Galahad / Jigg 532S		4571584100722 4571584100729 4571584100739 4571584100746 4571584100753 4571584100777 7 <i>Tairubber Categg</i> 4571584101101 4571584101095 457158410118 4571584101171	2 2 2 2 2 2 0 7 2 2 2 2 2 2 2 1	S B B B B B B B B B C C C C C C C C C C	1935 1935 1985 1985 1960 2143 2125 2185 1853	1475 1475 1525 1490 1624 1550 1118 950	114 115 131 128 134 179 100 100	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.6 ~ 1 PE 0.4 ~ 0.8 PE 0.6 ~ 1	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17	U U D D D D D D D D D	- - - - - - - - - - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over Put over	80.4       :         80.5       :         80.4       :         81.1       :         80.3       :         87.5       :         88.1       :         92.3       :         93.0       (	1.5 4 1.6 1 1.6 4 1.5 4 1.5 4 1.5 4 1.5 4 1.5 4 1.5 4 1.5 4 1.3 1 1.3 1 1.3 1 1.3 1 1.3 4 1.9 9	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3
Light Jigging 64L Light Jigging 64ML Light Jigging 866L Light Jigging 866ML Light Jigging 865M SeaWalk Tai Tairubber 70AT Tairubber 611D Tairubber 60F Galahad / Jigg 632S 633S		4571584100722 4571584100739 4571584100739 4571584100746 4571584100753 4571584100760 4571584100777 7 / Tairubber Categ 4571584101101 45715841011095 4571584101109 4571584101171	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1	S B B B B B B B B B S S S	1935 1935 1985 1985 1960 2143 2125 2185 1853	1475 1475 1525 1490 1624 1550 1118 950	114 115 131 131 128 134 179 100 100 100	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.6 ~ 1 PE 0.6 ~ 1 PE 0.6 ~ 1 Max PE 2	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 PMTS17	U U D D D D D D D D U U	- - - - - - - - - - - - - - - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over Put over	80.4       :         80.5       :         80.4       :         81.1       :         80.3       :         87.5       :         88.1       :         92.3       :         93.0       (         84.9       :	1.5     1       1.6     1       1.6     1       1.6     1       1.7     1       1.7     1       1.8     1       1.9     1       2.0     2	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8
Ight Jigging 64L ight Jigging 64ML ight Jigging 66ML ight Jigging 866M SeaWalk Tai Fairubber 70AT Fairubber 611D Fairubber 60F Galahad / Jigg 5325 5335 5345		4571584100722 4571584100739 4571584100739 4571584100746 4571584100753 4571584100777 7 / Tairubber Categ 457158410101 4571584101095 4571584101118 4571584101071 277 4560395517300 4560395517317	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1	S B B B B B B B B B S S S S S	1935 1935 1985 1985 1960 2143 2125 2185 1853 1915 1915 1915	1475 1475 1525 1525 1490 1624 1550 11118 950	114 115 131 131 128 134 179 100 100 169 178	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 180g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 2 Max PE 3	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 DPS18 DPS18	U U D D D D D D D D D U U U	- - - - - - - - - - - - - - - - - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over Put over	80.4         :           80.5         :           80.4         :           81.1         :           80.3         :           87.5         :           88.1         :           92.3         :           93.0         (           84.9         :           84.5         :	1.5     1       1.6     1       1.6     1       1.6     1       1.7     1       1.7     1       1.8     1       1.9     1       1.9     1       1.9     1       2.0     1       2.2     1	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.3 9.8
light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging 866M Light Jigging 865M <b>SeaWalk Tai</b> Tairubber 70AT Tairubber 611D Tairubber 60F <b>Galahad</b> / <i>Jigg</i> 5325 5335 5345 5855		4571584100722 4571584100739 4571584100739 4571584100746 4571584100753 4571584100753 4571584100777 7 / Tairubber Categ 4571584101101 4571584101095 4571584101071 977 4560395517300 4560395517324	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1	S S B B B B B B B B B B B S S S S S S S	1935 1935 1985 1985 1960 2143 2125 2185 1853 1915 1915 1915	1475 1475 1525 1525 1490 1624 1550 1118 950	114 115 131 131 128 134 179 100 100 100 169 178 196	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 180g Jig Max 220g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 2 Max PE 3 Max PE 4	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 DPS18 DPS18 DPS18	U U D D D D D D D D D D U U U U	- - - - - - - - - - - - - - - - - - -	1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over Put over	80.4         :           80.5         :           80.4         :           80.4         :           81.1         :           80.3         :           87.5         :           88.1         :           92.3         :           93.0         (           84.9         :           84.5         :           73.9         :	1.5 4 1.6 7 1.6 4 1.6 4 1.5 4 1.5 4 1.5 4 1.5 4 1.3 7 1.3 7 1.3 7 1.9 9 2.0 9 2.0 9 2.2 1 1.2 4 1.3 7 1.9 9 2.0 9	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8 10.4 9.8
Light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging B66ML Light Jigging B65M <b>SeaWalk Tai</b> Tairubber 70AT Tairubber 611D Tairubber 60F <b>Galahad</b> / Jigg 632S 633S 634S 585S 526S		4571584100722 4571584100739 4571584100739 4571584100746 4571584100753 4571584100753 4571584100777 7 / Tairubber Categ 4571584101101 4571584101095 4571584101071 7/ 4560395517300 4560395517324 4560395517324	2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1 1	S   B	1935 1935 1985 1985 1960 2143 2125 2185 1853 1915 1915 1915 1915	1475 1475 1525 1525 1490 1624 1550 1118 950	114 115 131 131 128 128 134 179 100 100 100 100 178 196 212	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 220g Jig Max 220g Jig Max 280g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 2 Max PE 3 Max PE 4 Max PE 5	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 DPS18 DPS18 DPS18 DPS18 DPS18	U U D D D D D D D D D D D U U U U U U U		1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over Put over	80.4         :           80.5         :           80.4         :           80.3         :           81.1         :           80.3         :           87.5         :           88.1         :           92.3         :           93.0         (           84.9         :           84.5         :           73.9         :           88.4         :	1.5 4 1.6 7 1.6 4 1.5 4 1.5 4 1.5 4 1.5 4 1.5 4 1.5 4 1.5 4 1.3 7 1.3 7	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8 10.4 9.8 12.0
Jight Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging B66M Light Jigging B65M <b>SeaWalk Tai</b> Tairubber 70AT Tairubber 611D Tairubber 60F <b>Galahad</b> / Jigg 532S 533S 533S 534S 5555 522B		4571584100722 4571584100739 4571584100739 4571584100746 4571584100753 4571584100753 4571584100777 7 / Tairubber Categ 4571584101095 4571584101095 4571584101071 777 4560395517300 4560395517324 4560395517324	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1	S B B B B B B B B B B B S S S S S S S S	1935 1935 1985 1985 1960 2143 2125 2185 1853 1915 1915 1915 1915 1915	1475 1475 1525 1525 1490 1624 1550 1118 950	114 115 131 131 128 134 179 100 100 100 100 100 100 202 212 304	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 220g Jig Max 280g Jig Max 350g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 2 Max PE 3 Max PE 4 Max PE 5 Max PE 6	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18	U U D D D D D D D D D D D U U U U U U U		1&H 1&H 1&H 1&H 1&H 1&H Put over Put over Put over	80.4         2           80.5         2           80.4         2           81.1         2           80.3         2           87.5         3           87.5         3           92.3         2           93.0         0           84.9         2           88.4         2           88.4         2           88.5         2           88.5         2	1.5       4         1.6       1         1.6       4         1.6       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.2       4         1.3       5         2.0       9         2.0       9         2.2       1         2.7       9         3.6       1         1.9       9	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3
Jight Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging B66M Light Jigging B65M SeaWalk Tai Tairubber 70AT Tairubber 611D Tairubber 60F Galahad / Jigg 632S 633S 6334S 5334S 5526S 5522B 5523B		4571584100722 4571584100723 4571584100739 4571584100746 4571584100753 4571584100760 4571584100777 7 / Tairubber Categ 457158410101 4571584101095 4571584101071 777 4560395517300 4560395517324 4560395517348 4560395517348	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1	S   B	1935 1935 1985 1985 1960 2143 2125 2185 1853 1915 1915 1915 1915 1585 1890	1475 1475 1525 1490 1624 1550 1118 950 	114 115 131 131 128 134 179 100 100 100 100 100 100 100 100 100 10	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 220g Jig Max 220g Jig Max 350g Jig Max 150g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 2 Max PE 3 Max PE 5 Max PE 6 Max PE 2	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18	U U D D D D D D D D D D U U U U U U U U		1&H 1&H 1&H 1&H 1&H 1&H Put over Put over Put over	80.4         2           80.5         2           80.4         2           81.1         2           80.3         2           87.5         3           87.5         3           92.3         2           93.0         0           84.9         2           88.4         2           88.4         2           88.5         2           88.5         2	1.5       4         1.6       1.6         1.6       4         1.6       4         1.6       4         1.6       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         2.0       9         2.2       1         2.7       9         3.6       1.9         9       2.1         1.9       9	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8 10.4 9.8 12.0 9.0 10.1
Light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging B66ML Light Jigging B65M SeaWalk Tai Tairubber 70AT Tairubber 611D Tairubber 60F Galahad / Jigg 632S 633S 634S 5526S 622B 623B 624B		4571584100722 4571584100722 4571584100739 4571584100746 4571584100753 4571584100753 4571584100777 7 <i>Tairubber Categg</i> 457158410101 4571584101071 4571584101071 777 4560395517300 4560395517324 4560395517324 4560395517318	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1	S   B   B   B   B   B   B   B   B   S	1935 1935 1985 1985 1960 2143 2125 2185 1853 1915 1915 1915 1915 1915 1945 1945 1945	1475 1475 1525 1525 1490 1624 1550 11118 950	114 115 131 131 128 134 179 100 100 100 100 100 100 100 100 100 10	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 180g Jig Max 220g Jig Max 250g Jig Max 350g Jig Max 150g Jig Max 200g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.6 ~ 1 PE 0.6 ~ 1 Max PE 0.6 ~ 1 Max PE 2 Max PE 3 Max PE 4 Max PE 5 Max PE 2 Max PE 2 Max PE 3	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18 DPS18 PLS18	U U D D D D D D D D D D U U U U U U U U		1&H 1&H 1&H 1&H 1&H 1&H 1&H Put over Put over - - - - - - - - - - - - - - - - - - -	80.4         2           80.5         2           80.4         2           81.1         2           80.3         2           87.5         2           88.1         2           92.3         2           93.0         0           84.9         2           88.4         2           88.5         2           88.4         2           86.5         2           85.7         2	1.5       4         1.6       1         1.6       4         1.6       4         1.6       4         1.6       4         1.6       4         1.15       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.5       4         1.3       5         2.0       9         2.1       1         1.9       9         2.1       1         2.2       1	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8 10.4 9.8 12.0 9.0 10.1
Light Jigging 64L Light Jigging 64ML Light Jigging 64ML Light Jigging 866M Light Jigging 866M SeaWalk Tai Tairubber 70AT Tairubber 611D Tairubber 60F Galahad / Jigg 632S 633S 633S 634S 526S 622B 622B 622B 624B 5268		4571584100722 4571584100722 4571584100739 4571584100746 4571584100753 4571584100753 4571584100777 7 <i>Tairubber Categg</i> 457158410101 4571584101095 4571584101071 777 4560395517300 4560395517317 4560395517348 4560395517348	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	S   B   B   B   B   B   B   B   B   S   S   S   S   S   S   S   S   S   B   B   B   B   B   B   B	1935 1935 1985 1986 1960 2143 2125 2185 1853 1915 1915 1915 1915 1915 1915 1915 19	1475 1475 1525 1525 1490 1624 1550 11118 950	114 115 131 131 128 134 179 100 100 100 100 100 100 100 100 100 10	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 180g Jig Max 220g Jig Max 250g Jig Max 250g Jig Max 250g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.5 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.6 ~ 1 PE 0.6 ~ 1 Max PE 0.6 ~ 1 Max PE 2 Max PE 3 Max PE 4 Max PE 3 Max PE 3 Max PE 3 Max PE 4	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 PMTS17 PMTS17 PS18 DPS18 DPS18 DPS18 DPS18 DPS18 PLS18 PLS18 PLS18	U U D D D D D D D D D D U U U U U U U U		18H 18H 18H 18H 18H 18H 18H 18H 18H 18H	80.4         2           80.5         2           80.4         2           80.4         2           80.4         2           80.4         2           80.4         2           80.3         2           87.5         2           88.1         2           92.3         2           93.0         0           88.4         2           88.4         2           88.4         2           88.5         2           85.7         2           86.5         2           85.3         2           86.5         2           86.5         2	1.5         4           1.6         1           1.6         4           1.6         4           1.6         4           1.6         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.2         4           1.3         5           2.0         9           2.1         1           2.2         1           1.9         9           2.1         1           2.2         1           2.2         1           2.2         1           2.2         1           2.2         1           2.2         1           2.2         1           2.2         1           2.2         1           2.2         1           3.6         1	8.0 7.9 8.2 8.2 8.2 8.0 7.5 6.8 9.3 9.3 9.3 9.3 9.3 9.8 10.4 9.8 12.0 9.0 10.1 10.6 11.7
Light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging B66M Light Jigging B66M SeaWalk Tai Tairubber 70AT Tairubber 611D Tairubber 60F Galahad / Jigg 632S 633S 634S 526S 526S 526S 526S 5268 622B 5268 5268 5268 5268 5268 5268 5268 5268 5268		4571584100722 4571584100729 4571584100739 4571584100746 4571584100753 4571584100753 4571584100777 7 / Tairubber Categ 4571584101101 4571584101095 4571584101071 4550395517300 4560395517307 4560395517374 4560395517287 4560395517287 4560395517287	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	S S B B B B B B B S S S S S S S B B B B	1935 1935 1985 1985 1985 2143 2125 2185 1853 1915 1915 1915 1915 1915 1915 1935 1945 1989 1890 1890 1890	1475 1475 1525 1525 1490 1624 1550 1118 950 - - - - - - - - - - - - - - - - - - -	114 115 131 128 134 179 100 100 100 100 100 100 100 100 100 10	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 220g Jig Max 220g Jig Max 250g Jig Max 250g Jig Max 250g Jig Max 350g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 0.8 ~ 1.2 Max PE 0.6 ~ 1 Max PE 2 Max PE 3 Max PE 4 Max PE 5 Max PE 6 Max PE 3 Max PE 4 Max PE 3	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PULS17 PULS17 PULS18 PMTS17 PMTS17 PMTS17 PMTS17 PMTS17 PMTS18 DPS18 DPS18 DPS18 DPS18 PLS18 PLS18 PLS18	U U D D D D D D D D U U U U U U U U U U		18H 18H 18H 18H 18H 18H 18H 18H 18H 18H	80.4         2           80.5         2           80.4         2           81.1         2           80.3         2           87.5         2           88.4         2           93.0         0           84.9         2           88.4         2           88.4         2           88.4         2           88.5         2           85.3         2           86.5         2           86.5         2           86.5         2           86.5         2	1.5         4           1.6         1           1.6         4           1.6         4           1.6         4           1.1.6         4           1.1.6         4           1.1.5         4           1.1.5         4           1.1.5         4           1.2         4           1.2         4           1.2         4           1.3         5           1.3         5           2.0         9           2.2         1           1.9         9           2.1         1           1.9         1           2.2         1           3.6         1           2.2         4	8.0 7.9 8.2 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8 10.4 9.8 12.0 9.0 10.1 10.6 11.7 8.3
Light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging B66M Light Jigging B65M SeaWalk Tai Tairubber 70AT Tairubber 60F Galahad / Jigg 632S 633S 633S 634S 526S 622B 622B 622B 622B 623B 624B 5268 633B @ 624B 624B		4571584100722 4571584100723 4571584100739 4571584100763 4571584100763 4571584100763 4571584100777 7 <i>Tairubber Categ</i> 457158410101 4571584101095 4571584101071 4550395517300 4560395517304 4560395517324 4560395517287 4560395517287 4560395517287 4560395517287	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	S S B B B B B B B B S S S S S S S S S S	1935 1935 1985 1985 2143 2125 2185 1853 1915 1915 1915 1915 1915 1915 1935 1945 1945 1989 1890 1890 1585 1925	1475 1475 1525 1525 1490 1624 1550 1118 950 	114 115 131 128 134 179 100 100 100 100 100 100 100 100 100 10	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 180g Jig Max 220g Jig Max 250g Jig Max 250g Jig Max 250g Jig Max 350g Jig Max 350g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 0.8 ~ 1.2 Max PE 0.6 ~ 1 Max PE 0.6 ~ 1 Max PE 0.8 ~ 1.2 Max PE 0.6 ~ 1 Max PE 0.8 ~ 1.2 Max PE 0.8 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2 ~ 1.2	SiC-S Stainless frame K SiC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 PMTS17 PMTS17 PMTS17 PMTS18 PPS18 DPS18 DPS18 PLS18 PLS18 PLS18 T-DPS20 TCS18	U U D D D D D D D D U U U U U U U U U U		18H 18H 18H 18H 18H 18H 18H 18H 18H 18H	80.4         2           80.5         2           80.4         2           81.1         2           80.3         2           87.5         2           88.4         2           93.0         0           84.9         2           88.4         2           88.4         2           88.4         2           88.5         2           85.3         2           86.5         2           86.5         2           86.5         2           86.5         2	1.5         4           1.6         4           1.6         4           1.6         4           1.6         4           1.6         4           1.6         4           1.6         4           1.1.6         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.1.5         4           1.2.2         1           1.9         9           2.1         1           1.9         4           2.2.2         1           2.2.3         4	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8 10.4 9.8 12.0 9.0 10.1 10.6 11.7 8.3 9.0
Light Jigging 64L Light Jigging 64ML Light Jigging 64ML Light Jigging 866ML Light Jigging 866ML Light Jigging 865M <b>SeaWalk Tai</b> Tairubber 70AT Tairubber 60F <b>Galahad</b> / Jigg 632S 633S 634S 585S 5268 6238 6248 5268 6338 電 6248 電 5868 電		4571584100722 4571584100723 4571584100739 4571584100746 4571584100753 4571584100753 4571584100777 7 / Tairubber Categ 457158410101 4571584101095 4571584101071 4560395517300 4560395517324 4560395517324 4560395517287 4560395517287 4560395517287 4560395517287 4560395517287 4560395517287	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	S B B B B B B B B B B S S S S S S S S S	1935 1935 1985 1960 2143 2125 2185 1853 1915 1915 1915 1945 1985 1880 1880 1880 1880 1885 1925 1925 1905	1475 1475 1525 1525 1490 1624 1550 1118 950 	114 115 131 128 128 134 179 100 100 100 100 100 100 100 212 304 187 188 191 303 200 199	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 280g Jig Max 280g Jig Max 250g Jig Max 250g Jig Max 350g Jig ~ 150g Jig ~ 250g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 0.8 Max PE 3 Max PE 4 Max PE 5 Max PE 5 Max PE 3 Max PE 4 Max PE 6 ~ PE 3 ~ PE 5	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 PMTS17 PMTS17 PS18 DPS18 DPS18 DPS18 DPS18 DPS18 TS18 PLS18 T-DPS20 TCS18 TCS18	U U D D D D D D U U U U U U U U U U U U		18H 18H 18H 18H 18H 18H 18H 18H 18H 18H	80.4         2           80.5         2           80.4         2           80.4         2           80.4         2           80.3         2           88.1         2           92.3         2           93.0         0           88.4         2           88.4         2           85.7         2           86.5         2           86.5         2           88.5         2           93.1         2	1.5         4           1.6         1           1.6         1           1.6         1           1.7         1           1.8         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.15         1           1.16         1           1.17         1           1.18         1           1.19         1           1.19         1           1.22         1           1.22         1           1.22         1           1.22         1           1.23         1	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8 10.4 9.8 10.4 9.8 12.0 9.0 10.1 10.6 11.7 8.3 9.0 10.5
Light Jigging 64L Light Jigging 64ML Light Jigging 66ML Light Jigging 866ML Light Jigging 865M SeaWalk Tai Tairubber 70AT Tairubber 61D Tairubber 72S Tairubber 60F		4571584100722 4571584100723 4571584100739 4571584100746 4571584100753 4571584100753 4571584100760 4571584100777 7 / Tairubber Categ 4571584101101 4571584101095 4571584101071 4560395517300 4560395517301 4560395517324 4560395517324 4560395517257 4560395517257 4560395517259 4560395517259 4560395517259	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	S B B B B B B B B B S S S S S S S S S S	1935 1935 1985 1960 2143 2125 2185 1853 1915 1915 1915 1945 1985 1880 1880 1880 1880 1885 1925 1925 1905	1475 1475 1525 1525 1490 1624 1550 1118 950 - - - - - - - - - - - - - - - - - - -	114 115 131 128 134 179 100 100 100 100 100 100 100 10	Jig 30 ~ 80g / Cast Max 35g Jig 60 ~ 120g / Cast Max 50g Jig 40 ~ 80g Jig 40 ~ 120g Jig 60 ~ 150g 60 ~ 150g 100 ~ 250g 30 ~ 100g 60 ~ 120g / Jig ~ 100g Jig Max 140g Jig Max 140g Jig Max 220g Jig Max 280g Jig Max 250g Jig Max 250g Jig Max 250g Jig Max 250g Jig Max 350g Jig ~ 150g Jig ~ 250g Jig ~ 350g	PE 0.6 ~ 1 PE 0.6 ~ 1.2 PE 0.6 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.8 ~ 1.2 PE 0.4 ~ 0.8 PE 0.6 ~ 1 Max PE 0.8 PE 0.6 ~ 1 Max PE 3 Max PE 3 Max PE 4 Max PE 5 Max PE 5 Max PE 3 Max PE 6 ~ PE 3 ~ PE 5 ~ PE 6	SIC-S Stainless frame K SIC-S Stainless frame K	VSS16 VSS16 PULS17 PULS17 PULS17 PLS18 PMTS17 PMTS17 PMTS17 PMTS17 PMTS17 PMTS18 DPS18 DPS18 DPS18 DPS18 DPS18 TS18 TCS18 TCS18 TCS18	U U D D D D D D U U U U U U U U U U U U		18H 18H 18H 18H 18H 18H 18H 18H 18H 18H	80.4         2           80.5         2           80.4         2           80.3         2           80.3         2           88.1         2           93.0         0           88.4         2           88.5         2           88.5         2           93.0         0           88.4         2           88.5         2           93.0         1           93.0         1	1.5         4           1.6         3           1.6         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.5         4           1.9         9           2.0         9           2.1         1           2.2         1           1.9         9           2.1         1           1.9         9           2.1         1           1.2         1           1.2         1           1.2         1           2.2.3         9           3.2         1           2.5         4	8.0 7.9 8.2 8.2 8.0 6.9 8.0 7.5 6.8 9.3 9.8 10.4 9.8 10.4 9.8 12.0 9.0 10.1 10.6

Reel/S=Spinning B=Overhead reel Guide/TZ=TORZITE ring SiC-S=SiC-S ring K=K guide LDB=SiC Stainless frame LDB guide RV=SiC Titanium frame RV guide Lock nut/U=Up lock D=Down lock DragMax/Drag max value assuming a rod angle of 45° Joint/Spigot=Spigot Ferrule Put over=Put over Ferrule 1&H=Grip Joint PO&ST=Put over Ferrule & Straight Ferrule

Tip(mm)/Diameter of just below top guide Butt(mm)&Position(mm)/Position(mm) stand for the length from end of grip to point that is measured for Butt(mm)

%"SiC-S ring" is up dated model of SiC guide. Some of YB products are currently on switching from SiC guide to SiC-S ring guide. Depend on products, there SiC models and SiC-S ring models are existed in the market. Please understand that we do not accept exchange to rod with other types of guide ring. **Regarding the reel seat the product photo in this catalog, if there is a change of color by the manufacturer, the color may be changed without notice. Please kindly understand this matter.

# Members Limited Models / Members Limited

advanced edition "BETA"  ${\cal B}$ 

Item	Price	JAN CODE	S e c	R e e	Lt [mm]	CI-Lt [mm]	Wt [g]	Lure	Line	Guide	Reel Seat		Drag Max	Joint	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]
New BLC 41		4571584101538	2	S	1242	640	52(P)	$0.3 \sim 5g$	$\rm PE \sim 0.6$	SiC-S Titanium frame K	NHSS13	U	-	Put over	99.8	1.4	4.6	192
New BLC 46/B		4571584101545	2	В	1394	715	62(P)	$0.5\sim5g$	$\rm PE\sim 0.8$	SiC-S Stainless frame K + RV	FBCS13	D	-	Put over	99.8	1.4	4.9	266
BLC 100		4571584101712	2	S	3055	1555	101	$4\sim 30 { m g}$	${\rm PE}~0.5 \sim 1.0$	TZ Titanium frame K	VSS16	D	-	Put over	99.8	1.7	14.0	420

### FLAWLESS EDITION "ELITE" Chite

		-																
Item	Price	JAN CODE	S e c	Ree e	Lt [mm]	CI-Lt [mm]	Wt [g]	Lure	Line	Guide	Reel Seat	Lock nut	Drag Max	Joint	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]
BLC 86AR		4571584101651	2	S	2580	1320	92	3 ~ 21g	PE 0.4 ~ 1.0	TZ Titanium frame K	NHSS13	U	-	Put over	99.8	1.6	11.2	
BLC 73AR		4571584100814	2	S	2225	1135	73	$0.5 \sim 12$ g	PE 0.2 ~ 0.6	TZ Titanium frame K	VSS16	D	-	Spigot	99.8	1.5	9.2	350

# ORIGINAL CONCEPT EDITION "PILLAR"

Item	Price	JAN CODE	S e c	R e I	Lt [mm]	CI-Lt [mm]	Wt [g]	Lure	Line	Guide	Reel Seat	Lock nut	Drag Max	Joint	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]
BLC 60 Junior		4571584100838	2	S	1830	940	62	$\sim$ 7g	PE 0.3 $\sim$ 0.8	Alconite ring · Stainless frame K	PS16	D	-	Put over	92.5	1.3	7.8	325
BLC 70 Trippers		4571584100821	4	S	2145	560	72	$\sim$ 12g	PE 0.3 ~ 0.8	TZ Titanium frame K	VSS16	D	-	Spigot	99.8	1.4	8.3	360
EARLY 109MMH LTD		4571584100852	2	S	3295	1690	190	$8\sim 50g$	PE 1 ~ 2	SiC-S Stainless frame K + RV	VSS17	U	-	Put over	95.6	2.1	2.1	620
EARLY 105MH LTD		4571584100869	2	S	3180	1630	192	$10\sim 50 { m g}$	PE 1 ~ 2	SiC-S Stainless frame K + RV	VSS17	U	-	Put over	95.9	1.8	1.8	620

#### OVERSEAS' ORIGINAL EDITION "GLOBAL" (

Item	Price	JAN CODE	S e c	Ree e	Lt [mm]	CI-Lt [mm]	Wt [g]	Lure	Line	Guide	Reel Seat	Lock nut	Drag Max	Joint	Carbon (%)	Tip [mm]	Butt [mm]	Position [mm]
New FWP 78M		4571584102266	2	S	2360	1210	109	$7\sim 28$ g	PE 0.6 $\sim 1.5$	SiC-S Stainless frame K	VSS17	U	-	Put over	92.2	1.8	10.7	425
New FWP 78MH		4571584102665	2	S	2360	1210	111	$10\sim 38$ g	PE 0.8 $\sim$ 2.0	SiC-S Stainless frame K	VSS17	U	-	Put over	92.0	1.8	11.7	430
FWP 90H		4571584100876	2	S	2670	1415	208	$20 \sim 100 { m g}$	MAX PE 3	SiC-S Stainless frame K	DPS18	D	-	Put over	95.6	2.5	12.1	615
BLC 74TZ		4571584101736	2	S	2240	1150	74	$2\sim 18$ g	PE 0.4 $\sim$ 1.0	TZ Titanium frame K	VSS16	D	-	Put over	99.8	1.6	9.9	360
BLC 78TZ		4571584101743	2	S	2345	1205	80	$5\sim 25 { m g}$	PE 0.4 $\sim$ 1.0	TZ Titanium frame K	VSS16	D	-	Put over	99.7	1.7	10.4	370
BLC 72TZ/NANO		4571584102436	2	S	2185	1125	70	Jig $1.5 \sim 15$ g	PE 0.3 ~ 0.8	TZ Titanium frame K	VSS16	D	-	Put over	99.3	1.5	9.8	350
BLC 77TZ/NANO		4571584102443	2	S	2310	1190	74	Plug 2 $\sim$ 9g / Rig 1.5 $\sim$ 13g	PE 0.3 ~ 0.8	TZ Titanium frame K	VSS16	D	-	Put over	99.3	1.6	10.4	370
Galahad Slow 621		4571584102399	1	В	1900	-	133	Comfort Jig Weight 80 $\sim$ 200g	PE 1 Class	SiC-S Titanium frame K + RV	PLS18	D	-	-	88.2	2.4	7.8	600
Galahad Slow 622		4571584102405	1	В	1900	-	137	Comfort Jig Weight 100 $\sim$ 250g	PE 1.5 Class	SiC-S Titanium frame K + RV	PLS18	D	-	-	88.5	2.4	8.1	600
Galahad Slow 623		4571584102412	1	В	1900	-	141	Comfort Jig Weight 200 $\sim$ 350g	PE 2 Class	SiC-S Titanium frame K + RV	PLS18	D	-	-	88.3	2.5	8.1	600
Galahad Slow 584		4571584102429	1	В	1727	-	144	Comfort Jig Weight 300 $\sim$ 500g	PE 3 Class	SiC-S Titanium frame K + RV	PLS18	D	-	-	89.2	2.6	8.3	600

Reel/S=Spinning B=Overhead reel Guide/TZ=TORZITE ring SIC-S=SIC-S ring K=K guide LDB=SIC Stainless frame LDB guide RV=SIC Titanium frame RV guide Lock nut/U=Up lock D=Down lock DragMax/Drag max value assuming a rod angle of 45°

Joint/Spigot=Spigot Ferrule Put over=Put over Ferrule 1&H=Grip Joint PO&ST=Put over Ferrule & Straight Ferrule

Tip(mm)/Diameter of just below top guide Butt(mm)&Position(mm)/Position(mm) stand for the length from end of grip to point that is measured for Butt(mm)

***SiC-S ring" is up dated model of SiC guide. Some of YB products are currently on switching from SiC guide to SiC-S ring guide.

Depend on products, there SiC models and SiC-S ring models are existed in the market, Please understand that we do not accept exchange to rod with other types of guide ring. **Regarding the reel seat the product photo in this catalog, if there is a change of color by the manufacturer, the color may be changed without notice. Please kindly understand this matter.

# About YAMAGA Blanks


















YAMAGA TSURIGU Co. LTD YAMAGA Blanks 1047 Iwajiri Nagomi-cho Tamana-gu KUMAMOTO-PREF 865-0114 JAPAN E-Mail : info@yamaga-blanks.com





### Precautions for use and repair

### Precautions for use

• Do not cast with a tangled line or line trouble In the reel. This may cause the rod to break. Furthermore, if you miss or forget to put the line through a guide, this may result in damage or breakage of your rod.

If you continue to reel in your rig (lure, popper, rig etc) after it has reached the top guide, this will cause the rod to break.

• If you force the Joint section of the rod when joining together, this will cause cracking or splitting of the joints.

If you use the rod while the joint section is still loose, this may cause breakage.

If the Joint section is stuck together, use a rubber sheet for added grip while twisting away from each other.

Beware of power cables, overhead power lines, or phone lines. The material (carbon) will easily pass through electricity causing serious injury or death.

If you hear or see lightning approaching while in use, pack the rod away or stay away from the rod. Lightning may strike causing serious injury or death.

#### About the contents on this catalog

•Specifications might be changed without previous notice. •Some of images on this catalog are proto type so it might be different from actual products.

•Images on this catalog might be different from actual products depending on the condition of printing.

### **Maintenance and storage**

- Wash the rod with running water to rid of any filth and salt. Then wipe off any excess water.
- If you store your rod without wiping off excess water, this may cause blisters on the blank. Storage in well ventilated areas with no high temperature.
- Please do not leave the rod in your vehicle for long durations in summer. This will cause blisters and warping of the blank.

### **Contents in this catalog**

- Include accurate specifications of rods, written in accordance with the regulations set by the Japanese National Fishing Rod Fair Trade Conference.
- Specifications listed on this catalog may be altered without notice.
- The colors presented in the pictures may differ from the actual color. Furthermore, some products are prototype rods in the developmental stage and may differ when it reaches the final product.

### **Repair and support**

- Please take products which is required repairing to sales outlet. At that moment, please send a whole rod (not only the section of the breakage)
- Please be aware that any rod that was personally modified will not be covered by warranty (even if it is under warranty) Any repair that we have judged as changed/tampered with the specification or made to order is unacceptable.