

YAMAGA
Blanks
2026
PRODUCTS

YAMAGA Blanks FACTORY BRAND
"SIMPLE THINGS DONE WELL"



Seawalk *BattleWhip* *TRIM OR* **BlueSniper** *Galahad* **BLUESNIPER** *Ballistic*

EARLY ALL CASTING YAMAGA BLANKS  *BlueCurrent Wizy* *BlueCurrent TZ/NANO* *BlueCurrent III* *Calista*

Mebius *Lupus* for Area Trout *Lupus* YAMAGA Blanks MEMBERS **NEW DAWN** 



2026

YAMAGA Blanks 2026 PRODUCTS CATALOG

ENGLISH EDITION





BEYOND THE FRAME

"BORN TO CROSS EVERY BOUNDARY"



"Think outside the box"

We continue to explore new possibilities with free and flexible thinking. Development may be easier if working from a pre-determined mold. And if one simply copies a shape, one can create a likeness, but one cannot actually create anything new. We stay away from the "easy path" and continue to extend the limits of our imaginations to create fishing rods that no one has ever seen before. This is symbolized by the words "think outside the box" engraved on every model of Yamaga Blanks' signature light game series "Blue Current".

Slip out of the boredom days

In the dawn of Aji fishing- a time when the genre of aji rods hadn't yet been established – this rod was born as a "versatile light game rod" that could be used for both horse mackerel and rockfish. This was a time before social media, when the only way to gain knowledge was by being there. The Blue Current was born from an idea not bound by conventional thinking, without expectations of what it "had" to be. More than ten years later, this same spirit is still to be found at Yamaga Blanks as the series evolves and new excellent models are constantly being produced.

What we consider to be "Yamaga Blanks-ness" is "unadorned," "genuine," and "strong-core." It is not just about flashiness, but also about pursuing the essential value that is required of a fishing rod. We continue to hone the true value of our fishing rods, unswayed by the times nor trends.

While there are many fishing rods on the market, we have built our own unique characteristics by thoroughly refining the essential qualities of "lightness", "great castability" and "strength" in our fishing rods. Even when our rods are specialized for a particular species or method of fishing, we design them to be versatile and enjoyable in a variety of ways thanks to their high basic performance. As a result, we create rods that can be used for a long time, even after the trends and fads have passed. It is our mission and our true desire at Yamaga Blanks to create rods that you can continue to pick up, unchanged, even 10 or 20 years from now.

The development of new rods is always based on this "uniqueness", while incorporating current needs and new ideas.

In the process of searching for something "more interesting and unique", it is not uncommon for rod specifications to change 180 degrees during its initial developmental stages. This is only made possible because we have our own factory and a system where design, development, and manufacturing can work closely together. Never satisfied with the status quo, we continue to refine our products in pursuit of something better. This accumulation of efforts has resulted in the creation of rods that combine the seemingly contradictory characteristics of "bending to catch" and a "powerful bend".

In 2026, Yamaga Blanks will be introducing new, unconventional products. The SeaWalk Game Blender is a new challenge that brings more than just 2-in-1 fun. The SeaWalk Vertical Contact was developed through the knowledge cultivated in light game rods. The long-awaited Lupus Native series will be renewed. Members-only models include models that utilize cutting-edge technology, models specialized for specific situations, and additional models tailored to the needs of anglers.

We will continue to evolve as manufacturing professionals who delve into the essence of fishing, in pursuit of rods that are "unique to Yamaga Blanks".



2026 NEW SERIES

SeaWalk Vertical Contact

Bachikon Ajing is a fascinating game that allows you to directly access areas that cannot be reached from land-based fishing to target large horse mackerel in the depths. Anglers are required to find the productive depth where the fish are on the bite, and aggressively set the hook on them. This "aggressive element" of the technical style of fishing is the biggest reason why people are so addicted to this game.

The fact that even the slightest difference in technique can make a big difference in your catch is one of the reasons why anglers' curiosity is stimulated and get so hooked in this game.

The new series "SeaWalk Vertical Contact" to be released in 2026 is a specialized series of rods which have been thoroughly refined to provide the exquisite basic performance required for Bachikon Ajing.



SeaWalk Vertical Contact



VERTICAL CONTACT MODEL

For more details of category
YB Official Web site

66S

PRICE:

LURE: Max 60g

LINE: PE 0.3~0.6

● Length: 1975mm (Closed length: 1010mm) ● Weight: 68g ● Suitable reel size: D: LT2000~3000C / S: 2000~C3000
● Guide: SiC-S stainless frame K guide + LDB guide (Fujii) ● Target: Horse mackerel - Grunt
● Reel seat: VSS16 (Fujii) / Down lock ● Lure: Vertical Contact



[Grip] a.405mm [b.470mm]

"Search widely and hook sharply."

Instant blank feedback delivers solid upper-jaw hook-ups with zero-tension and curve-fall.

This is a revolutionary new spinning Bachikon rod that maximizes the benefits of spinning tackle: "quick fall" and "ease of use". You can cast to search a vast area, successfully sense the subtle bites during curve-fall and zero-tension approaches and swiftly initiate hooking to capture the hard upper jaw. Furthermore, the reeling sensitivity has been refined to convey every change in conditions under the water during the retrieval to your hands. This rod will allow you to enjoy the Bachikon game as if you were simply utilizing the single vertical jig-head rig.

66B

PRICE:

LURE: Max 60g

LINE: PE 0.3~0.6

● Length: 1975mm (Closed length: 1010mm) ● Weight: 90g ● Suitable reel size: D-S: ~200
● Guide: SiC-S stainless frame K guide + LDB guide (Fujii) ● Target: Horse mackerel - Grunt
● Reel seat: PMTS17 (Fujii) / Down lock ● Lure: Vertical Contact



[Grip] a.405mm [b.525mm]

The versatile rod which is the series' core model.

It pins the productive depth and won't miss the bite—ready for any situation.

Its high sensitivity allows anglers to clearly detect bites even from the smallest horse mackerel, and it offers the flexibility to aggressively hook up or let the fish take the bait depending on how active the fish are. It is also ideal for shallow waters with the use of lighter rigs. Its light operability makes it suitable for a variety of actions and methods, such as shaking to induce bites and zero-tension techniques. When combined with a reel with a depth counter, it is a rod that can be used in a wide range of situations.

70S

PRICE:

LURE: Max 95g

LINE: PE 0.3~0.8

● Length: 2126mm (Closed length: 1085mm) ● Weight: 73g ● Suitable reel size: D: LT2000~4000 / S: 2000~4000
● Guide: SiC-S stainless frame K guide + LDB guide (Fujii) ● Target: Horse mackerel - Grunt
● Reel seat: VSS16 (Fujii) / Down lock ● Lure: Vertical Contact



[Grip] a.405mm [b.470mm]

This technical model delivers uncompromising sensitivity and fast response—even with heavy rigs. It broadens your options when fishing deep.

This rod offers consistent sensitivity and control even at depths of 100 meters. Even in deep areas or areas with strong currents, it will accurately detect subtle bites and lead to ideal hook-ups. With the perfect combination of "deep-sea" and "spinning reel", anglers will be able to efficiently search the depths. The 7ft length allows for a variety of approaches, including long strokes to lure the fish and casting out to edge of where the light can reach. This is a technical spinning model that shows its true potential once the angler masters its traits.

70B

PRICE:

LURE: Max 95g

LINE: PE 0.3~0.8



● Length: 2126mm (Closed length: 1085mm) ● Weight: 94g ● Suitable reel size: D-S: ~200
● Guide: SiC-S stainless frame K guide + LDB guide (Fujii) ● Target: Horse mackerel - Grunt
● Reel seat: PMTS17 (Fujii) / Down lock ● Lure: Vertical Contact



[Grip] a.405mm [b.525mm]

Anglers can dial in the productive depth and replicate the bite pattern. With efficient deep-water feedback, this rod becomes your go-to weapon.

The highly sensitive blank will directly transmit the information from the depths allowing anglers to clearly grasp the landscape of the bottom and slight changes in the tides. It accurately detects subtle bites, leading to precise hook-ups. Anglers will be able to achieve precise range control in areas where frequent depth adjustments are required. It will allow anglers to minimize time loss due to snags and you won't miss that instant opportunity. It is also suitable for use with 200 class electric reels when you are fishing in deep waters.

Vertical Contact BENDING CURVES

Load 250g

*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

- SeaWalk Vertical Contact 66S
- SeaWalk Vertical Contact 66B
- SeaWalk Vertical Contact 70S
- SeaWalk Vertical Contact 70B

● This is a static load comparison conducted with the rod held at an angle that simulates actual fishing conditions. The base series 66S/B, is characterized by a versatile blank that bends flexibly. In contrast, the 70S/B, which can cover depths of up to 100m, has sufficient butt power to operate heavyweight sinkers in the depths. Although the picture does not fully represent the rods characteristics, you will be able to see that the rod flexibly bends in once the rod is loaded with the weight of the fish.

Carbon solid tip is loaded to SeaWalk Vertical Contact series.



Thread color of tip is orange to increase visibility.

As we have mentioned, SeaWalk Vertical Contact series, have been loaded carbon solid tip. The material of carbon solid tip is extremely delicate and fragile. So please careful with shock of impact and handle gently when you fish and shore them with care. Although you can fish in properly use with them, it might be cause of breakage of carbon solid tip if you retrieve your Jure too much or wind up knot into top guide.



2026 NEW SERIES
SeaWalk
GAME
BLENDER


"Let' s start something new!"

The first obstacle when you want to start a new genre of fishing is probably the need for specialized tackle. However, it is difficult to purchase expensive tackle for a type of fishing that you may not even continue pursuing, let alone those seasonal species that you only go after only a few times a year. The new "SeaWalk GAME BLENDER" to be released in 2026, was born to lower those barriers. The modern fishing scene is becoming increasingly segmented, and tackle and methods are evolving every day. Of course, there is a need for specialized rods that are tailored to specific species and styles of fishing in different areas. This is an essential element in pursuing fishing as a sport and as a hobby, and ultimately lure fishing.


This time however, Yamaga Blanks has focused on a rod equipped with the "performance that will allow anglers to enjoy fishing in a wider variety of ways." In other words, the freedom to try out different styles and fish species simply by changing the reel. Not only does this open up new possibilities, but we hope it also awakens the childhood memories you had when you first started fishing. That is the new standard that Yamaga Blanks sought for the Game Blender, and it is what we are trying to achieve.

The SeaWalk GAME BLENDER will be available in three models, starting with the GAME BLENDER 510L/510ML, which allows anglers to enjoy both the swordfish (hair-tail) game and light slow jigging with one rod. Each model blends different genres and methods of fishing, allowing anglers to enjoy multiple types of fishing with a single rod.

Yamaga Blanks has combined the know-how it has cultivated through the design of hundreds of blanks to create a new series that transcends boundaries and blends different styles of fishing to expand the "possibilities of fishing" . This is the "SeaWalk GAME BLENDER."



SeaWalk GAME BLENDER



MULTI GAME MODEL

510L

PRICE :
LURE : *cw 60~150g (Sabeling) / cw 80~250g (Light Slow)
LINE : PE 0.6~1.2 (Sabeling) / PE 0.6~2 (Light Slow)

- Length: 1800mm (Closed length: 1310mm)
- Weight: 123g
- Suitable reel size: D-S: 200~300 (Sabeling)
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: PULS17 (Fuji) / Down lock
- Target: Hairtail·Rockfish·Bluerunner
- Lure: Metal jig



Excellent jig control thanks to excellent operability and capable of targeting a wide range of inshore fish, such as swordfish, rockfish and blue-runner.


A highly versatile model built to execute a wide range of jig actions with ease, smoothly transitioning from high-pitch to the pause-and-sink that naturally keeps the metal jig horizontal. Taking advantage of the tubular blank, it delivers crisp, precise input and outstanding operability, while high sensitivity clearly transmits even subtle, teasing bites on the fall. A multi-game rod that lets anglers enjoy true jig control with less fatigue, enabling confident, thorough coverage of a wide range of inshore targets.

*CW (Comfort Weight): Indicates the load range that can be used most comfortably. This is not the maximum limit, and slight variations above or below this range are acceptable.

510ML

PRICE :
LURE : *cw 80~180g (Sabeling) / cw 120~300g (Light Slow)
LINE : PE 0.6~1.2 (Sabeling) / PE 0.8~2.5 (Light Slow)

- Length: 1800mm (Closed length: 1310mm)
- Weight: 127g
- Suitable reel size: D-S: 200~300 (Sabeling)
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: PULS17 (Fuji) / Down lock
- Target: Hairtail·Rockfish·Bluerunner
- Lure: Metal jig



Slender yet muscular. Features a high-power tubular blank. A reinforced model for swordfish and slow-jigging that can easily handle heavy weight jigs.

This slender, lightweight yet powerful blank excels at interpreting tide changes and underwater anomalies. It can be used in a wide range of areas, from shallow waters to complex two-layer tides and fast currents, and even deep waters (up to 150m). Engineered with the signature sensitivity and recovery unique to a tubular blank, this rod detects the subtlest cues during the fall, delivers precise hook-ups with instantaneous response, and confidently bends under pressure to effortlessly lift the target. A masterful fusion of power and finesse, designed for anglers who demand uncompromising performance.

*CW (Comfort Weight): Indicates the load range that can be used most comfortably. This is not the maximum limit, and slight variations above or below this range are acceptable.

75M

Live-baiting x Electric jigg
PRICE :
LURE : Max 400g (Jig 200~400g / Sinker: 150~375g)
LINE : EJ PE 2.5~4 / Live-baiting PE 3~4

- Length: 2267mm (Closed length: 1575mm)
- Weight: 237g(P)
- Suitable reel size: D: ~400 / S: ~2000 (EJ / Live-baiting)
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: DPS18 (Fuji) / Down lock
- Target: Bluerunner·Rockfish
- Lure: Metal jig·Live-bait drop rig (otoshikomi)



You can switch freely between live-baiting (otoshikomi) and electric-reel jigg as conditions change. One high-performance rod that excels at both, delivering true versatility and confidence.

This special composite model allows you to freely switch between two games, live-baiting (otoshikomi fishing) and electric jigg, depending on the season and the situation. Its highly flexible blank supports the entire process from allowing the bait to attach itself to the Sabiki until the decisive strike of your target. Its exceptional characteristics carry over to electric jigg as well, accommodating a wide range of retrieval speeds and effortlessly enabling a variety of jiggling techniques. The long length of 7 feet 5 inches allows for flexible jig control, including changing the stroke width of the jerk action, which is not possible with a regular jigg rod.

SeaWalk GAME BLENDER

Load 1kg




- SeaWalk GAME BLENDER 75M
- SeaWalk GAME BLENDER 510L
- SeaWalk GAME BLENDER 510ML

The 510L/ML and 75M of the SeaWalk GAME BLENDER series have different characteristics. We have prepared a comparison of models with similar purposes.

SeaWalk GAME BLENDER 75M & Galahad ER

Load 3kg



The SeaWalk GAME BLENDER 75M is characterized by its flexibility, which allows for better attachment of the bait on the "sabiki" followed by the predatory species biting into the bait. When using electric jigg, it is most productive for anglers to utilize the butt and belly section for quicker jerking responses.

SeaWalk GAME BLENDER & Light Jigging

Load 500g




- SeaWalk Light Jigging B65M / Bait Model
- SeaWalk Light Jigging B66ML / Bait Model
- SeaWalk GAME BLENDER 510ML
- SeaWalk GAME BLENDER 510L

In order to increase the operability of jigs, the two GAME BLENDER models feature blanks with increased stiffness and repulsion from the belly to the tip sections.

SeaWalk Light Jigging

Load 500g



- SeaWalk Light Jigging / Spinning Model
- SeaWalk Light Jigging B66L / Bait Model
- SeaWalk Light Jigging B66ML / Bait Model
- SeaWalk Light Jigging B65M / Bait Model

What they all share is powerful, resilient butt strength, giving every model the power to target fish over 5 kg. The power classes indicate differences in action, tuned to match field conditions such as water depth and the jigs being used.

SeaWalk Light Jigging



LIGHT JIGGING MODEL

67UL

PRICE :
LURE : Jig 15~40g / Cast Max 25g
LINE : PE 0.4~0.8

- Length: 2015mm (Closed length: 1570mm)
- Weight: 102g
- Suitable reel size: D: LT2000~2500 / S: 2000~C3000
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: VSS16 (Fuji) / Up lock nut
- Target: Bluerunner·Rockfish·Grunt·Horse mackerel
- Lure: Metal jig (Up to 80g is available if you just reeling)



You can aim Grunt, Horse mackerel, Blue runner, Rockfish, Sea bream or Hairtail systematically with these line up of Seawalk series. Blanks of light Jigging series have been employed flexibility on tip, high operational performance on belly section and huge power on butt section to keep large fish under control especially when you use Tungsten-Jig. As we have explained already, you do not have to worry if bigger fish than you have expected is on thanks to their huge butt power.



For more details of category
VB Official Web site

Sensitive and powerful, this model targets aji, big red sea bream, and pelagics in SLJ.

This is the ultra-light class of light-jigging series to aim Grunt, Horse mackerel or else on shallow water with light weight jigs (around 20g). Combination of super fine PE line and Tungsten-jig make super light jigging possible to aim school of Grunt with falling action or Horse mackerel on the very bottom of the sea. And you will be able to cast jigs up to 25g or let jig up to 40g swim naturally in the 40m depth of water without any stress so you can aim variety of target depend on depth of water systematically.

64L

PRICE :
LURE : Jig 30~80g / Cast Max 35g
LINE : PE 0.6~1

- Length: 1935mm (Closed length: 1475mm)
- Weight: 114g
- Suitable reel size: D: LT2500~4000C / S: C3000~4000
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: VSS16 (Fuji) / Up lock nut
- Target: Bluerunner·Rockfish·Grunt·Horse mackerel
- Lure: Metal jig (Up to 120g is available if you just reeling)



A basic model that can handle a variety of methods such as SLJ to Tai-rubber and cover waters from shallow to deep.

This is the standard model for light-jigging with Tungsten-jig on inshore. If you wish to cast jig up to 35g compactly or if you wish to cast Tungsten-jig or Tai rubber jig to search target widely around 30~60m depth of the sea, belly and butt section which have been loaded moderate stiffness and strength make it possible. Thanks to performance of well-balanced tip and belly section, you can manipulate jig up to 80g on 80m depth of the water and you can keep jig swimming naturally without too much kickback.

64ML

PRICE :
LURE : Jig 60~120g / Cast Max 50g
LINE : PE 0.6~1.2

- Length: 1935mm (Closed length: 1475mm)
- Weight: 115g
- Suitable reel size: D: LT2500~4000C / S: C3000~4000
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: VSS16 (Fuji) / Up lock nut
- Target: Blue runner·Rockfish·Hairtail·Bream
- Lure: Metal jig (High pitch jerking is available)



Captures deep areas and strong currents with ease, handling everything from swimming methods to high-pitch actions.

This is heaviest model of spinning model in this series. It will suit to deep area such as 50m-100m depth or field that current running rapidly. You can cast jig up to 50g. At the situation of vertical and horizontal fishing, you can handle jig up to 120g without any stress. You will notice that strength of butt section of 64ML once bigger fish than you expected is on. Taking advantage of cast ability and falling speed as spinning model, this 64ML will be the huge advantage if you fish on the sea very deep or current running rapidly.

B66L

PRICE :
LURE : Jig 40~80g
LINE : PE 0.6~1

- Length: 1985mm (Closed length: 1525mm)
- Weight: 131g
- Suitable reel size: D: 100~200 / S: 100~300
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: PULS17 (Fuji) / Down lock nut
- Target: Bluerunner·Rockfish·Hairtail·Bream·Seabass
- Lure: Metal jig·Tairubber



This highly versatile overhead-reel model can handle SLJ, Tai-rubber, and even hairtail jigging.

This 66L have employed high versatility to fish with Tungsten-jig on 20m-50m depth of the sea. It will good to be used for Tairubber game thanks to its flexible tip section and belly section which have moderate stiffness with high sensitivity to let you notice vital information or slightly changes of current. If you wish to aim Hair tail or Sea bass on bay area and try not to let jig move too much, this 66L will make it easier than other models for sure.

B66ML

PRICE :
LURE : Jig 40~120g
LINE : PE 0.8~1.2

- Length: 1985mm (Closed length: 1525mm)
- Weight: 131g
- Suitable reel size: D: 100~200 / S: 100~300
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: PULS17 (Fuji) / Down lock nut
- Target: Blue runner·Rockfish·Hairtail·Bream·Seabass
- Lure: Metal jig·Tairubber



High-response blanks with sensitiveness and toughness make this model suitable for various situations.

66ML have characteristic to cover wide range of depth of the sea (30m-80m) thanks to its well-balanced sensitiveness and powerfulness. Even you fish with Tungsten-jig, you will never lose response speed of jerk taking advantage of high sensitivity and manipulate ability thanks to characteristics of overhead model. It is also good to be used for Tairubber game in deep area (80m-100m) or current running rapidly.

B65M

PRICE :
LURE : Jig 60~150g
LINE : PE 0.8~1.5

- Length: 1960mm (Closed length: 1490mm)
- Weight: 128g
- Suitable reel size: D: 100~200 / S: 100~300
- Guide: SiC-S Stainless frame K Guide (Fuji)
- Reel Seat: PULS17 (Fuji) / Down lock nut
- Target: Blue runner·Rockfish·Hairtail·Bream
- Lure: Metal jig (Up to 250g is available if you fish with slow pitch jerking)



This model excels in waters with frequent bluerunner contact and is also ideal for deep-water fishing.

This 65M is the most powerful model of light-jigging series which is good to be fished in high population of blue runner. Compared to other models of light-jigging series, it have been loaded a little stiffer blank than other and you can enjoy manipulating jig manually with this 65M at your will. You can handle 80g-150g of Tungsten-jig comfortably with it. If you are going to fish in 100m depth of water or rapid area with fine line, we recommend you to take this 65M.

SeaWalk TAI RUBBER



TAIRUBBER MODEL

70AT

PRICE :
LURE : 60~150g (Tairubber)
LINE : PE 0.6~1

● Length: 2143mm (Closed length: 1624mm)	● Weight: 134g	● Suitable reel size: D: 100~200 / S: 100~300
● Guide: SiC-S Stainless frame K Guide (Fuji)		● Target: Red Sea Bream
● Reel Seat: PULS17 (Fuji) Down lock nut		● Lure: Tairubber



611D

PRICE :
LURE : 100~250g (Tairubber)
LINE : PE 0.8~1.2



72S

PRICE :
LURE : 30~100g (Tairubber)
LINE : PE 0.4~0.8





60F

PRICE :
LURE : 60~120g (Tairubber) / ~100g (Jig)
LINE : PE 0.6~1



SeaWalk Tairubber BENDING CURVES



These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

SeaWalk Tairubber series, we have differentiated the categories for the 4 rods depending on style and conditions rather than rod power to set them apart from one another. Equipped with not only the lightness of a light game rod, but also the sensitivity and strength, these blanks will be the extension to your arm enabling anglers to go head to head with monstrous snapper exceeding 80cm in length. We hope you can experience our exquisite blanks that will shine a new light into your snapper game.



For more details of category
YB Official Web site

SeaWalk CAST JIGGING



CAST JIGGING MODEL

71ML

PRICE :
CAST WEIGHT : Max 40g / Under Cast Max 60g

- Suitable reel size: D: 4000~6000 (SW4000~SW6000)
S: 4000~C5000 (SW4000~SW6000)
- Weight: 116g
- Target: Small sized Blue-runner (Bonito · Spanish mackerel · Dolphinfish) · Various rock fish · Red sea bream · Flatfish · Seabass
- Reel Seat: DPS17 · BACK STOP Double Nut (Fuji) / Up lock nut
- Lure: Metal Jig · Blade Jig · Vibration plug · Jighead+Soft plastic



73M

PRICE :
CAST WEIGHT : Max 60g / Under Cast Max 80g

- Suitable reel size: D: 4000~6000 (SW4000~SW6000)
S: 4000~C5000 (SW4000~SW6000)
- Weight: 118g
- Target: Small sized Blue-runner (Bonito · Spanish mackerel · Dolphinfish) · Various rock fish · Red sea bream · Flatfish · Seabass
- Reel Seat: DPS17 · BACK STOP Double Nut (Fuji) / Up lock nut
- Lure: Metal Jig · Blade Jig · Vibration plug · Jighead+Soft plastic



This model is the core of cast jigging, with a sensitive tip and belly for long-cast performance and stable retrieves.

With its flexible tip and belly section, it is a model that has improved the basic performance of cast jigging that suppresses blurring and flapping of jig even during high speed reeling, realizing stable reeling comfort and smooth hooking. It is easy to cast over and under hand, and even though it is ML power class, the butt section keeps unexpectedly big fish under control. From shallow area to depths around 20m, while capturing multiple fish species with blade jigs, metal vibrations, and Inchiku, in sandy areas, 71ML work effectively to aim Flounder or Flathead with jig heads + worms by taking advantage of the high sensitivity.


This is a model that masters various lures with high-response operability to capture a wide range and deep waters.

73M has a more moderate stiffness than 71ML, and is designed to capture a wide range and deeper areas while using metal jigs up to 80g. It allows you to cast heavy lures farther than expected with light effort, even underhand, and is well suited not only to metal jigs but also to heavy minnows, sinking pencils, and jerkbaits that emphasize lure action. It is also recommended for targeting migratory fish feeding near the surface, rockfish using the wind method with a heavy jighead + worm, or the lift-and-fall method over rocky reefs. This is an almighty model that covers a variety of styles with just the 73M.

SeaWalk Cast Jigging BENDING CURVES


Load 100g / 500g / 1kg

- SeaWalk Cast Jigging SS 71ML
- SeaWalk Cast Jigging SS 73M




Load 500g

- SeaWalk Cast Jigging SS 71ML
- SeaWalk Cast Jigging SS 73M
- SeaWalk Light Jigging 64ML
- SeaWalk Tairubber 60F



For more details of category
YB Official Web site



NEW MODEL
BattleWhip TR
for Boat Eging

510/N

NO LOOK TIPRUN MODEL



510N
PRICE :
EGI : 14~50g LINE : PE 0.4~0.8
DEPTH : 10~40m

Length : 1801mm (Closed length : 925mm) Weight : 69g
Guide : SiC-S stainless frame K guide + LDB guide (Fuji)
Reel seat : VSS16 (Fuji) / Down lock

Suitable reel size : D: LT2000~3000C / S: 2000~C3000
Target : Squid
Lure : Egi



63N
PRICE :
EGI : 30~60g LINE : PE 0.4~0.8
DEPTH : 20~50m

Length : 1920mm (Closed length : 975mm) Weight : 75g
Guide : SiC-S stainless frame K guide + LDB guide (Fuji)
Reel seat : VSS16 (Fuji) / Down lock

Suitable reel size : D: LT2500C~3000C / S: 2500~C3000
Target : Squid
Lure : Egi



73S
PRICE :
EGI : 20~40g LINE : PE 0.4~0.8
DEPTH : ~30m

Length : 2225mm (Closed length : 1145mm) Weight : 83g
Guide : SiC-S stainless frame K guide + LDB guide (Fuji)
Reel seat : VSS16 (Fuji) / Down lock

Suitable reel size : D: LT2500C~3000C / S: 2500~C3000
Target : Squid
Lure : Egi



69D
PRICE :
EGI : 50~80g LINE : PE 0.6~1
DEPTH : 40~90m

Length : 2075mm (Closed length : 1060mm) Weight : 80g
Guide : SiC-S stainless frame K guide + LDB guide (Fuji)
Reel seat : VSS16 (Fuji) / Down lock

Suitable reel size : D: LT2000~4000C / S: 2000~4000
Target : Squid
Lure : Egi




BattleWhip TR
for Boat Eging



BattleWhip TR Series BENDING CURVES

*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

Load 30g



Load 250g




●The TR73/S is the longest model in the series, with a longer solid tip. This makes it less susceptible to waves when detecting bites, and allows for longer strokes to lure the fish.

●TR69/D is a power model designed for deep water and strong currents, yet it never feels heavy in hand. It excels not only in deep water but also in situations that call for heavier-than-standard egi and fast-fall, high-speed approaches.

●TR63/N excels in sensitivity and response, with a design focused on precise egi control. The firm blank suppresses unwanted tip noise, maintaining clear sensitivity even when the boat is rocking in short, choppy conditions.

●TR510/N features a redesigned blank with an extended carbon solid tip. This improves the handling of lightweight egi and significantly enhances the feel and smoothness of the jerking action.



Precaution for carbon solid tip model


Carbon solid tip is loaded to TR series and IM series. Tubular tip is loaded to OR model



Thread color of tip is orange to increase visibility.

As we have mentioned, TR&IM series have been loaded carbon solid tip. The material of carbon solid tip is extremely delicate and fragile. So please careful with shock of impact and handle gently when you fish and shore them with care. Although you can fish in properly use with them, it might be cause of breakage of carbon solid tip if you retrieve your lure too much or wind up knot into top guide.

BattleWhip IKAMETAL



For more details of category
YB Official Web site

IKAMETAL MODEL

511S

PRICE :

EGI: Max #40 (150g)
LINE: PE 0.4~0.8

Length: 1806mm (Closed length: 928mm) Weight: 80g
Guide: SiC-S stainless frame K guide + LDB guide(Fuji)
Reel seat: VSS16 (Fuji) / Down lock

511B

PRICE :

EGI: Max #50 (185g)
LINE: PE 0.4~0.8

Length: 1806mm (Closed length: 928mm) Weight: 97g
Guide: SiC-S stainless frame K guide + LDB guide(Fuji)
Reel seat: PMTS17 (Fuji) / Down lock

69S

PRICE :

EGI: Max #25 (90g)
LINE: PE 0.4~0.8

Length: 2070mm (Closed length: 1060mm) Weight: 86g
Guide: SiC-S stainless frame K guide + LDB guide(Fuji)
Reel seat: VSS16 (Fuji) / Down lock

69B

PRICE :

EGI: Max #30 (110g)
LINE: PE 0.4~0.8

Length: 2070mm (Closed length: 1060mm) Weight: 100g
Guide: SiC-S stainless frame K guide + LDB guide(Fuji)
Reel seat: PMTS17 (Fuji) / Down lock

The "BattleWhip IM" series is designed to adapt to ever-changing conditions and turn even slow periods into part of the fun. Combining high sensitivity, light weight, and slim yet powerful high-response blanks, the four-model lineup—IM511S/B for sharp lifts and a variety of jigging actions, and IM69S/B for highly versatile suite control—brings out the depth and enjoyment of the ikametal game.

REEL BALANCE POSITION

130g 150g 170g 200g

Reel Balance Indicator

This mark shows the balance point when a reel is equipped. It does not represent a recommended reel weight, so please use it only as a reference for overall tackle balance.

A super lightweight, short-length spinning model for anglers to search the strike zone and trigger bites with a variety of actions.

It is an aggressive model specialized in sensitivity and power. The super sensitive blank will assist anglers by instantaneously transmitting the slightest of touches from the squid for you to swiftly set the hook. Although it is a slender and lightweight rod, it has the operability to handle up to 150g and the power to easily lift multiple hookups of large size squid. (Model equipped with carbon solid tip)

A highly balanced bait-casting model equipped with crisp sensitivity and power to conquer tough situations.

This model will allow anglers to efficiently find the range where the squid are most productive in the deep or fast flowing currents. The butt power hidden in the slender blank does not lose its controllability and high sensitivity even when anglers have to utilize heavy squid-jigs up to 190g. This is a No look IM model for those who want to keep their concentration or for those who want to standout from other anglers around you. (Model equipped with carbon solid tip)

It combines light weight, high sensitivity, a wide range of action performance, and strong butt power in a slim blank.


Thanks to sensitivity and visibility of blanks are increased for achieving the excellent results. The lightness of it let you handle this stick as your extended arm, flexibility and power of recovery provide you comfortability and toughness of butt section enable you to lift unexpected monster up to surface without anxious and burden of physical. This IM69/S will cover various situation, method and size of target with fun for sure. (Carbon Solid Tip model)

In addition to providing fine control when reeling with an overhead reel, it clearly transmits water conditions as the lure falls.

Carbon solid tip lets you know vital information visibly and transmits a lot of information to your finger through blanks. Although it has flexibility and sensitivity, once you have sensed a touch of squid you can strike aggressively without any delay thanks to moderate stiffness and power of recovery which also help anglers to lift huge squid up from the bottom of the sea. Taking advantage of IM69/B overhead model, we hope that you hunt squid as many as you have wished. (Carbon Solid Tip model)

BattleWhip IM BENDING CURVES

Load 150g



This is a comparison of 4 models of BattleWhip IM models with the angle of the rod almost horizontal with a static load of 150g. Due to the flexibility and bending of the tip section of the IM69S&B model, the slightest touches from squid will transmit to large movements of the tip for anglers to visually recognize the bite. The 511&B is a model specialized to aggressively hookup the squid with its highly responsive operability. By reducing the bending of the blank, anglers can directly feel for the bites while improving the operability of the egi. It is a model that will expedite the reaction speed of anglers making it way more fun to fish with.



BattleWhip OMORIG



For more details of category
YB Official Web site

OMORIG MODEL

72C

PRICE :

SINKER WEIGHT: Cast Max #40 (150g) ※Under hand cast only.
LINE: Max PE 1


Length: 2190mm (Closed length: 1125mm) Weight: 99g
Guide: SiC-S stainless frame K guide (Fuji)
Reel seat: VSS16 (Fuji) / Down lock

60B/C

PRICE :

SINKER WEIGHT: Cast Max #40 (150g) ※Under hand cast only.
Vertical Max #60 (225g)
LINE: PE 0.4~0.8

Length: 1836mm (Closed length: 947mm) Weight: 104g
Guide: SiC-S stainless frame K guide (Fuji)
Reel seat: PMTS17 (Fuji) / Down lock



For more details of category
YB Official Web site

REEL BALANCE POSITION

200g 210g 245g 270g

Reel Balance Indicator

This mark shows the balance point when a reel is equipped. It does not represent a recommended reel weight, so please use it only as a reference for overall tackle balance.

Specially designed for the Omo-rig method to expand the range of ikametal tactics, and ideal for handling a wide variety of waters.

This OR72/C has been designed to manipulate sinker weight 90g ~ 150g comfortably. Also powerful enough butt and belly section to cast sinker up to 150 safety and comfortably. Thanks to moderate stiffness of tip section vital information of squid will be transmitted very clearly. You can search as wide as you have wished and you can sense what is going on inside of water very clearly. You will definitely enjoy this squid game as you are having jigging game with it. (Tubeler Tip model)


A tubular-tip model that maximizes the advantages of bait-casting tackle specialized for the Omorig game to open up new frontiers.

Why bait tackle? Simply, there are many advantages. Just to mention a few, anglers can easily cast heavy rigs, capture the range easily with the counter on the reel, easily determine a bite and the powerful winding ability of bait casting reels. The 60B/C is a model dedicated to Bait Omorig to make the most of its advantages in the squidding game. In situations where Omorig out fishes any other technique, we are confident that this rod will produce you results. (Tubular tip model)

BattleWhip OR BENDING CURVES

Load 150g

- BattleWhip OR 60B/C
- BattleWhip OR 72/C



This is a comparison of the two models of BattleWhip OR with the angle of the rod almost horizontal with astatic load of 150g. The OR60B/C is designed for use with 190~225g usage vertically but can also easily cast and control 150g with the powerful butt section. Although the stiffness of the tip has been reduced for anglers to visually recognize the bites, the highly sensitive tubular blank transmits the slightest changes under the surface directly to your hands. The OR72/C is designed with a bendy tip section for anglers to easily recognize the slightest touches from the squid even when the rod is loaded with the weight of the sinker or jig. Anglers will easily be able to cast and control the 150g rigs in the depth thanks to the sharp belly to butt section of the rod.



BlueSniper BOAT CASTING



BOAT CASTING MODEL

83/2
FLX-Mode

PRICE:
LURE: 14~50g LINE: Max PE 2
DRAG: Max 3kg/45°

Length: 2524mm (Closed length: 1830mm) Weight: 249g Suitable reel size: D-S: SW4000~5000
Guide: SiC-S Stainless frame K Guide (Fuji) Target: Bonito (~3kg) · Spanish Mackerel (~5kg)
Reel Seat: DPS18 (Fuji) / Down lock nut Lure: Sinking Pencil · Diving Pencil



74/3
RGD-Mode

PRICE:
LURE: 30~60g LINE: PE 2~3
DRAG: Max 5kg/45°

Length: 2258mm (Closed length: 1711mm) Weight: 217g Suitable reel size: D-S: SW5000~6000
Guide: SiC-S Stainless frame K Guide (Fuji) Target: Blue Runner (~10kg) · Snapper · Grouper
Reel Seat: DPS18 (Fuji) / Down lock nut Lure: Topwater Plug · Minnow · Jighead



76/4
RGD-Mode

PRICE:
LURE: 40~90g LINE: Max PE 4
DRAG: Max 7kg/45°

Length: 2310mm (Closed length: 1671mm) Weight: 301g Suitable reel size: D-S: SW8000
Guide: SiC-S Stainless frame K Guide + Super Oceen guide (Fuji) Target: Blue Runner (10kg~) · Trevally · Grouper
Reel Seat: DPS20 (Fuji) / Down lock nut Lure: Topwater Plug · Minnow · Jighead



79/5
RGD-Mode

PRICE:
LURE: 45~110g LINE: PE 4~5
DRAG: Max 10kg/45°

Length: 2375mm (Closed length: 1706mm) Weight: 328g Suitable reel size: D-S: SW8000~10000
Guide: Super Oceen guide (Fuji) Target: Blue Runner (~10kg~) · Yellowfin Tuna · Trevally · Grouper
Reel Seat: DPS20 (Fuji) / Down lock nut Lure: Topwater Plug · Minnow · Jighead



83/6
FLX-Mode

PRICE:
LURE: 45~140g LINE: Max PE 6
DRAG: Max 12kg/45°

Length: 2535mm (Closed length: 1824mm) Weight: 375g Suitable reel size: D-S: SW10000~14000
Guide: SiC-S Stainless frame K Guide + Super Oceen guide (Fuji) Target: Kingfish (around 20kg) · Yellowfin Tuna (around 30kg)
Reel Seat: DPS20 (Fuji) / Down lock nut Lure: Topwater Plug



81/8
FLX-Mode

PRICE:
LURE: 60~180g LINE: Max PE 8
DRAG: Max 15kg/45°

Length: 2485mm (Closed length: 1775mm) Weight: 394g Suitable reel size: D-S: SW14000~18000
Guide: Super Oceen guide (Fuji) Target: Kingfish (20kg~) · Yellowfin Tuna (40kg~)
Reel Seat: DPS20 (Fuji) / Down lock nut Lure: Topwater Plug



The new Blue Sniper boat series is divided into 3 types and 7 models that can accommodate a wide variety of lures and fighting styles. By giving each one its own characteristics, you can conquer the casting game more comfortably and at a higher level. We have built the lineup so that you can enjoy the game even more deeply by increasing the range of rod options.



For more details of category
Y's Official Web site

81/10
TQR-Mode

PRICE:
LURE: 40~150g LINE: Max PE 10
DRAG: Max 17kg/45°


Length: 2485mm (Closed length: 1775mm) Weight: 400g Suitable reel size: D-S: SW18000~20000
Guide: Super Oceen guide (Fuji) Target: Tuna Species over 100kg
Reel seat: DPS20 (Fuji) / Down lock nut Lure: Topwater Plug



A highly powerful, torque-filled model equipped with overwhelming lifting power and strong tenacity for supersize tuna. This rod is a high-powered model for use with PE10 to go against large yellowfin tuna and bluefin tuna. It combines accurate casting performance and outstanding operability of pencils and small mouthed poppers, which is hard to imagine from powerful blank. The torque-filled butt power will gently bend in for anglers to be able to consistently apply pressure towards the monstrous tuna in the deep while reducing the load on the angler.

BlueSniper Boat Casting BENDING CURVES

Load 3kg / 40°



When comparing the bending curve of the "83/2FLX" and the "74/3RGD" of the PE2~3 line class light casting models, the stronger "74/3RGD" seems to look more flexible, however this is due to the different concepts of each model.

●83/2FLX

This model specializes in long-distance casting and controlling the diving pencils naturally. The blank design allows the rod to bend smoothly from the tip to the belly section and continuing on to bend even deeper towards the butt section. Although the butt power is comparable to that of the PE3 line class, you will notice that the light controllability of the rod is of the PE2 line class.

●74/3RGD

Although it has a large bending curve similar to the "83/2FLX", the short length of the rod has given it a highly responsive and sharp qualities. The bending point is set closer towards the anglers allowing for easier control of lures.

●76/4RGD · 79/5RGD

Thanks to the compact handling of the rod, this model is highly versatile and is outstanding with its lure operability. Although both models are designed with increased stiffness, the butt section of the 76/4RGD tenaciously bends in once the weight of the fish is loaded during the fight, reducing the physical strain on the angler. Even smaller anglers with less physical strength will comfortably be able to utilize this rod.

BlueSniper 81/8 FLX-Mode



BlueSniper 74/3 RGD-Mode



Galahad



JIGGING MODEL

632S

PRICE:
LURE: Jig Max 140g **LINE:** Max PE 2
DRAG: Max 3kg/45°

Length: 1915mm Weight: 169g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: DPS18 (Fuji) / Up lock nut

Suitable reel size: D-S: 5000~6000
Target: Blue runner
Field: Depth to about 60m



633S

PRICE:
LURE: Jig Max 180g **LINE:** Max PE 3
DRAG: Max 4kg/45°

Length: 1915mm Weight: 178g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: DPS18 (Fuji) / Up lock nut

Suitable reel size: D-S: 5000~6000
Target: Blue runner
Field: Depth to about 80m



634S

PRICE:
LURE: Jig Max 220g **LINE:** Max PE 4
DRAG: Max 6kg/45°

Length: 1915mm Weight: 196g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: DPS18 (Fuji) / Up lock nut

Suitable reel size: D-S: 6000~8000
Target: Blue runner-Tuna
Field: Depth to about 100m



585S

PRICE:
LURE: Jig Max 280g **LINE:** Max PE 5
DRAG: Max 8kg/45°

Length: 1745mm Weight: 212g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: DPS18 (Fuji) / Up lock nut

Suitable reel size: D-S: 8000~10000
Target: Huge Blue runner-Tuna
Field: Depth to about 120m



622B

PRICE:
LURE: Jig Max 150g **LINE:** Max PE 2
DRAG: Max 3kg/45°

Length: 1890mm Weight: 187g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: PLS18 (Fuji) / Down lock nut

Suitable reel size: D-S: 1000~1500
Target: Blue runner
Field: Depth to about 80m



623B

PRICE:
LURE: Jig Max 200g **LINE:** Max PE 3
DRAG: Max 4kg/45°

Length: 1890mm Weight: 188g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: PLS18 (Fuji) / Down lock nut

Suitable reel size: D-S: 1000~2000
Target: Blue runner
Field: Depth to about 100m



YAMAGA Blanks jigging rods combine power and precise control with a true 1-piece construction for consistent bend and fast recovery. Spinning models 632S, 633S and 634S offer smooth, stable jerks even during doterra drifting, while the 585S delivers sharp response for high-pitch and one-pitch vertical jigging. The three baitcasting models maximize the strengths of bait reels in winding and fall control, with strong yet forgiving recovery for precise, subtle to aggressive jig action.



For more details of category
YB Official Web site

624B

PRICE:
LURE: Jig Max 250g **LINE:** Max PE 4
DRAG: Max 6kg/45°

Length: 1890mm Weight: 191g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: PLS18 (Fuji) / Down lock nut

Suitable reel size: D-S: 2000
Target: Blue runner-Tuna
Field: Depth to about 120m



Galahad 電



ELECTRIC JIGGING MODEL

633B

PRICE:
LURE: Jig Max 150g **LINE:** ~PE 3
DRAG: Max 4kg/45°

Length: 1925mm Weight: 200g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: TCS18 (Fuji) / Down lock nut

Suitable reel size: D-S: 1000~2000
Target: Blue runner
Field: Depth to about 100m



624B

PRICE:
LURE: Jig Max 250g **LINE:** ~PE 5
DRAG: Max 6.5kg/45°

Length: 1905mm Weight: 199g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: TCS18 (Fuji) / Down lock nut

Suitable reel size: D-S: 1000~2000
Target: Blue runner-Tuna
Field: Depth to about 150m



586B

PRICE:
LURE: Jig Max 350g **LINE:** ~PE 6
DRAG: Max 10kg/45°

Length: 1740mm Weight: 269g
Guide: SiC-S Stainless frame K Guide (Fuji)
Reel Seat: TCS18 (Fuji) / Down lock nut

Suitable reel size: D-S: 2000~3000
Target: Huge Blue runner-Tuna
Field: Depth to about 200m



A high-response model that enables a wide range of jig actions and has the power to handle various water conditions.

This 624B is supposed to be chosen by anglers who is pursuing large kingfish or amberjack with PE4. 624B covers various way of approach as such as not only high pitch action thanks to blank which can transfer your loading of power very well but also good at long fall action in slow pitch. The potential of 624B will be shown by anglers especially who fish at deep or rapid area mainly to set hook on the target as you have planned exactly.

The Galahad “電” are series especially designed for jigging with electric reels. These electric reels create a unique jig action which is difficult to replicate with ordinary reels that sometimes create unnecessary pauses. The heavy load placed on the blank by the mechanical winding of the reel is absorbed by the tip and the highly resilient belly section will allow anglers to rhythmically maneuver the jig through their rod-work. All 3 models are highly resilient and will assist the anglers to maintain a dominant position when fighting unexpected large species that may bite.



For more details of category
YB Official Web site

The lightest model in the series, yet powerful enough to control blue runners around 10 kg.

If you are going to aim at small sized Blue Runner with PE 3, this 633 would be a perfect choice. Even though automatic reeling at constant speed, flexibility of tip and belly section will help you to jerk jig comfortably and set hook on with less failure. It will bend very much when fish is on, but you can fight with fun without any worry. You will be surprised that potential which is hidden inside blank of 633 for sure.

This is the standard electric-reel-compatible model that allows easy jig action from shallow to deep waters.

This is standard jigging rod for ER to aim bluerunner around 5kg. You can be reeling with any speed thanks to nice and flexible tip section, then you can give the action to jig at your own will. If you hooked bluerunner more than 10kg, you do not have to worry about anything! It will enable you to keep it under control without being anxious. We believe that it may be allowed to call almighty jigging rod for ER and we want anglers all over the world to fish with it.



Galahad 624B Bait Model

Galahad TRAVEX



MULTI PIECE JIGGING MODEL

593S

PRICE:
LURE: Jig Max 180g **LINE:** Max PE 3
DRAG: Max 5kg/45°

- Length: 1775mm (Closed Length: 1135mm)
- Weight: 206g
- Suitable reel size: D-S: 5000~6000
- Guide: SiC-S+SiC stainless frame K guide (Fuji)
- Reel Seat: DPS18 (Fuji) / Up lock nut

This is a 2-piece model that offers sharpness and lightness while maintaining strong recovery force.

This is a versatile stick to cover various methods of jigging such as horizontally or vertically with around PE3. Thanks to the sharpness and lightness of this blank, you can enjoy manipulating your jig as you wish. If you aim for yellowtail or kingfish with metal jig up to 180g on 30~80m depth of water, the potential of 593S will be shown definitely. Although the blanks of 593S seem slim and delicate, fish will be stopped and lifted by the butt section which has been loaded with massive power.



594S

PRICE:
LURE: Jig Max 240g **LINE:** Max PE 4
DRAG: Max 6.5kg/45°

- Length: 1775mm (Closed Length: 1135mm)
- Weight: 221g
- Suitable reel size: D-S: 6000~8000
- Guide: SiC-S+SiC stainless frame K guide (Fuji)
- Reel Seat: DPS18 (Fuji) / Up lock nut

A model with strong butt power that combines lightness and strength to fully exploit the advantages of a 2-piece design.

If you aim kingfish or amberjack at near shore on expedition with around PE4, this 594S is the best choice. Lightness feeling of manipulation that is loaded as common characteristics of TRAVEX series enable you to handle long jig naturally at horizontally or to jerk jig aggressively at vertically. When you fish at fish bed with rough bottom or shallow area to aim tough target, you do not have to afraid to let it stop forcefully and aggressively without losing your initiative.



595S

PRICE:
LURE: Jig Max 320g **LINE:** Max PE 5
DRAG: Max 8.5kg/45°

- Length: 1780mm (Closed Length: 1130mm)
- Weight: 279g
- Suitable reel size: D-S: 8000~10000
- Guide: Super Ocean guide (Fuji)
- Reel Seat: DPS20 (Fuji) / Up lock nut


This model offers the power, flexibility, and high operability needed for landing big fish with vertical jerking techniques.

If you have plan to go to southern island of Japan or deep sea of overseas to aim large amberjack, dogtooth tuna or yellowfin tuna, please take 595S without hesitations. Tip section have been adjusted to become little flexible for increasing ability of manipulation and reducing burden of anglers when they jerk aggressively. Once huge fish is on, you will notice that it bends very smoothly and you might forget that it is 2pics grip jointed.



For more details of category
YB Official Web site

Galahad Series BENDING CURVES



Galahad Load 3kg



Galahad TRAVEX Load 3kg



Galahad 電 Load 3kg

This is a comparison of the bend in the Galahad jigging models under a static 3kg load. The 632S, 633S, and 634S are highly versatile models with a supple action from tip to belly that also suits bottom drift jigging. Their one-piece construction allows the entire rod to bend with strong resilience during the fight. The 585S is designed for vertical jigging, featuring a firmer action throughout the blank, while the bait models have a reinforced butt section to deliver a crisp and responsive handling feel.



This is a comparison of the bend in the Galahad Travex 2-piece models under a static 3kg load. All three models feature strong, firm blanks with ample stiffness in the butt section. By setting the bending fulcrum closer to the tip, they deliver sharp, highly responsive actions across a wide range of jigging styles. These rods enable a different approach from the Galahad Jigging models, allowing anglers to apply strategic jigging methods tailored to specific targets and conditions.



This is a comparison of the bend in the Galahad electric-jigging models under a static 3kg load. To accommodate electric reeling jerks, the blanks are designed with suppleness from the tip through the belly. The bending fulcrum is set closer to the angler to reduce fatigue during operation and fighting. Within the series, the 624B Electric offers the widest versatility, the 633B Electric is best suited for nearshore use, and the 586B Electric is positioned as the optimal model for expeditions and remote islands.



Jigging Model Comparison Table	
Stiffness	Power
586 ER	585S
595S	594S
624 ER	624B
634S	633S
633 ER	633B
623B	622B
632S	632S

*These images are not illustrated on the full potential or characteristics of rods. Please understand that these pictures are taken under the limited situation and it was loaded with weight on rods gently.

